



LABORATORY ANALYTICAL REPORT

Client: AMPP
Project: Tongue River Monitoring Tier 2
Lab ID: H04050009-015
Client Sample ID: T2/DB-10 (0-2)

Report Date: 07/04/04
Collection Date: 04/14/04 13:30
Date Received: 05/03/04
Matrix: Soil

| Analyses | Result | Units | Qual | MCL/ | | Method | Analysis Date / By |
|---|--------|----------|------|------|-----|-------------|----------------------|
| | | | | RL | QCL | | |
| SATURATED PASTE | | | | | | | |
| pH, Saturated Paste | 7.3 | s.u. | | 0.1 | | ASAM10-3.2 | 06/24/04 14:41 / rp |
| Conductivity, Paste Extract | 1.15 | mmhos/cm | | 0.01 | | ASAM10-3 | 06/24/04 14:41 / rp |
| Chloride, Saturated Paste | 2.26 | meq/L | | 0.01 | | ASA10-3 | 06/21/04 13:00 / jdh |
| Saturation | 49.7 | wt% | | 0.1 | | USDA27a | 06/24/04 14:41 / rp |
| Sodium Adsorption Ratio (SAR) | 0.9 | unitless | | 0.1 | | Calculation | 06/24/04 14:41 / rp |
| Alkalinity, Saturated Paste | 4.0 | meq/L | | 1.0 | | ASA10-3 | 06/24/04 13:00 / jdh |
| SATURATED PASTE | | | | | | | |
| Calcium, Saturated Paste | 6.71 | meq/l | | 0.05 | | SW6010B | 06/01/04 11:37 / rp |
| Magnesium, Saturated Paste | 4.51 | meq/l | | 0.08 | | SW6010B | 06/01/04 11:37 / rp |
| Sodium, Saturated Paste | 2.18 | meq/l | | 0.04 | | SW6010B | 06/01/04 11:37 / rp |
| PHYSICAL CHARACTERISTICS | | | | | | | |
| Sand | 24 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Silt | 47 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Clay | 29 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Texture | CL | unitless | | | | ASA15-5 | 06/24/04 14:41 / rp |
| CHEMICAL CHARACTERISTICS | | | | | | | |
| Cation Exchange Capacity | 27.6 | meq/100g | | 0.09 | | SW6010B | 06/15/04 12:59 / rp |
| Exchangeable Sodium Percentage | 2.2 | % | | 0.1 | | USDA20b | 06/24/04 14:41 / rp |
| Lime as CaCO3 | 5.5 | wt% | | 0.1 | | USDA23c | 06/24/04 14:41 / rp |
| METALS, AMMONIUM ACETATE EXTRACTABLE | | | | | | | |
| Sodium, Extractable | 0.72 | meq/100g | | 0.04 | | SW6010B | 06/04/04 03:25 / rp |

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: AMPP
 Project: Tongue River Monitoring Tier 2
 Lab ID: H04050009-016
 Client Sample ID: T2/DB-10 (0-6)

Report Date: 07/04/04
 Collection Date: 04/14/04 13:30
 Date Received: 05/03/04
 Matrix: Soil

| Analyses | Result | Units | Qual | MCL/ | | Method | Analysis Date / By |
|---|--------|----------|------|-------|-----|-------------|----------------------|
| | | | | RL | QCL | | |
| SATURATED PASTE | | | | | | | |
| pH, Saturated Paste | 7.4 | s.u. | | 0.1 | | ASAM10-3.2 | 06/24/04 14:41 / rp |
| Conductivity, Paste Extract | 1.39 | mmhos/cm | | 0.01 | | ASAM10-3 | 06/24/04 14:41 / rp |
| Chloride, Saturated Paste | 0.99 | meq/L | | 0.01 | | ASA10-3 | 06/21/04 13:00 / jdH |
| Saturation | 49.0 | wt% | | 0.1 | | USDA27a | 06/24/04 14:41 / rp |
| Sodium Adsorption Ratio (SAR) | 1.3 | unitless | | 0.1 | | Calculation | 06/24/04 14:41 / rp |
| Alkalinity, Saturated Paste | 8.8 | meq/L | | 1.0 | | ASA10-3 | 06/24/04 13:00 / jdH |
| Nitrate as N, Saturated Paste | 37.4 | mg/L | | 0.6 | | ASA10-3 | 06/15/04 10:39 / cwh |
| Sulfate, Saturated Paste | 2.14 | meq/L | | 0.002 | | ASA10-3 | 06/20/04 13:00 / rp |
| SATURATED PASTE | | | | | | | |
| Calcium, Saturated Paste | 7.13 | meq/l | | 0.05 | | SW6010B | 06/01/04 11:40 / rp |
| Magnesium, Saturated Paste | 4.79 | meq/l | | 0.08 | | SW6010B | 06/01/04 11:40 / rp |
| Sodium, Saturated Paste | 3.24 | meq/l | | 0.04 | | SW6010B | 06/01/04 11:40 / rp |
| PHYSICAL CHARACTERISTICS | | | | | | | |
| Sand | 22 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Silt | 47 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Clay | 31 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Texture | CL | unitless | | | | ASA15-5 | 06/24/04 14:41 / rp |
| CHEMICAL CHARACTERISTICS | | | | | | | |
| Fluoride | 1.0 | mg/kg | | 1.0 | | A4500-F C | 06/17/04 13:00 / ddb |
| Organic Matter | 2.60 | wt% | | 0.02 | | ASA29-3 | 06/24/04 14:41 / rp |
| Cation Exchange Capacity | 30.2 | meq/100g | | 0.09 | | SW6010B | 06/15/04 01:02 / rp |
| Exchangeable Sodium Percentage | 2.0 | % | | 0.1 | | USDA20b | 06/24/04 14:41 / rp |
| Lime as CaCO3 | 4.8 | wt% | | 0.1 | | USDA23c | 06/24/04 14:41 / rp |
| Phosphorus | 22 | mg/kg | | 0.1 | | ASA24-5 | 06/24/04 04:43 / rp |
| METALS, AMMONIUM ACETATE EXTRACTABLE | | | | | | | |
| Potassium | 218 | mg/kg | | 1 | | SW6010B | 06/04/04 03:28 / rp |
| Sodium, Extractable | 0.78 | meq/100g | | 0.04 | | SW6010B | 06/04/04 03:28 / rp |
| METALS, WATER EXTRACTABLE | | | | | | | |
| Selenium | 0.040 | mg/kg | | 0.010 | | SW6020 | 06/24/04 21:27 / car |
| METALS, DTPA EXTRACTABLE | | | | | | | |
| Zinc | 0.58 | mg/kg | | 0.02 | | SW6010B | 06/16/04 01:22 / rp |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: AMPP
Project: Tongue River Monitoring Tier 2
Lab ID: H04050009-016
Client Sample ID: T2/DB-10 (0-6)

Report Date: 07/04/04
Collection Date: 04/14/04 13:30
Date Received: 05/03/04
Matrix: Soil

| Analyses | Result | Units | Qual | MCL/ | | Method | Analysis Date / By |
|----------------------------------|--------|-------|------|-------|-----|---------|---------------------|
| | | | | RL | QCL | | |
| METALS, CACL2 EXTRACTABLE | | | | | | | |
| Barium | 8.3 | mg/L | | 0.001 | | SW6010B | 06/16/04 11:19 / rp |
| Boron | 1.2 | mg/L | | 0.04 | | SW6010B | 06/16/04 11:19 / rp |

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: AMPP
Project: Tongue River Monitoring Tier 2
Lab ID: H04050009-017
Client Sample ID: T2/DB-10 (6-12)

Report Date: 07/04/04
Collection Date: 04/14/04 13:30
Date Received: 05/03/04
Matrix: Soil

| Analyses | Result | Units | Qual | MCL/ | | Method | Analysis Date / By |
|---|--------|----------|------|-------|-----|-------------|----------------------|
| | | | | RL | QCL | | |
| SATURATED PASTE | | | | | | | |
| pH, Saturated Paste | 7.7 | s.u. | | 0.1 | | ASAM10-3.2 | 06/24/04 14:41 / rp |
| Conductivity, Paste Extract | 0.90 | mmhos/cm | | 0.01 | | ASAM10-3 | 06/24/04 14:41 / rp |
| Chloride, Saturated Paste | 0.42 | meq/L | | 0.01 | | ASA10-3 | 06/21/04 13:00 / jdH |
| Saturation | 49.1 | wt% | | 0.1 | | USDA27a | 06/24/04 14:41 / rp |
| Sodium Adsorption Ratio (SAR) | 2.4 | unitless | | 0.1 | | Calculation | 06/24/04 14:41 / rp |
| Alkalinity, Saturated Paste | 4.6 | meq/L | | 1.0 | | ASA10-3 | 06/24/04 13:00 / jdH |
| Nitrate as N, Saturated Paste | 9.9 | mg/L | | 0.6 | | ASA10-3 | 06/15/04 10:41 / cwh |
| Sulfate, Saturated Paste | 4.68 | meq/L | | 0.002 | | ASA10-3 | 06/20/04 13:00 / rp |
| SATURATED PASTE | | | | | | | |
| Calcium, Saturated Paste | 3.68 | meq/l | | 0.05 | | SW6010B | 06/01/04 11:43 / rp |
| Magnesium, Saturated Paste | 2.38 | meq/l | | 0.08 | | SW6010B | 06/01/04 11:43 / rp |
| Sodium, Saturated Paste | 4.26 | meq/l | | 0.04 | | SW6010B | 06/01/04 11:43 / rp |
| PHYSICAL CHARACTERISTICS | | | | | | | |
| Sand | 19 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Silt | 53 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Clay | 28 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Texture | SiCL | unitless | | | | ASA15-5 | 06/24/04 14:41 / rp |
| CHEMICAL CHARACTERISTICS | | | | | | | |
| Cation Exchange Capacity | 26.6 | meq/100g | | 0.09 | | SW6010B | 06/15/04 01:05 / rp |
| Exchangeable Sodium Percentage | 3.3 | % | | 0.1 | | USDA20b | 06/24/04 14:41 / rp |
| Lime as CaCO3 | 5.7 | wt% | | 0.1 | | USDA23c | 06/24/04 14:41 / rp |
| METALS, AMMONIUM ACETATE EXTRACTABLE | | | | | | | |
| Sodium, Extractable | 1.08 | meq/100g | | 0.04 | | SW6010B | 06/04/04 03:31 / rp |

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: AMPP
Project: Tongue River Monitoring Tier 2
Lab ID: H04050009-018
Client Sample ID: T2/DB-10 (12-24)

Report Date: 07/04/04
Collection Date: 04/14/04 13:30
Date Received: 05/03/04
Matrix: Soil

| Analyses | Result | Units | Qual | MCL/ | | Method | Analysis Date / By |
|---|--------|----------|------|-------|-----|-------------|----------------------|
| | | | | RL | QCL | | |
| SATURATED PASTE | | | | | | | |
| pH, Saturated Paste | 7.8 | s.u. | | 0.1 | | ASAM10-3.2 | 06/24/04 14:41 / rp |
| Conductivity, Paste Extract | 1.64 | mmhos/cm | | 0.01 | | ASAM10-3 | 06/24/04 14:41 / rp |
| Chloride, Saturated Paste | 0.42 | meq/L | | 0.01 | | ASA10-3 | 06/21/04 13:00 / jdH |
| Saturation | 39.9 | wt% | | 0.1 | | USDA27a | 06/24/04 14:41 / rp |
| Sodium Adsorption Ratio (SAR) | 3.0 | unitless | | 0.1 | | Calculation | 06/24/04 14:41 / rp |
| Alkalinity, Saturated Paste | 3.8 | meq/L | | 1.0 | | ASA10-3 | 06/24/04 13:00 / jdH |
| Nitrate as N, Saturated Paste | 5.6 | mg/L | | 0.6 | | ASA10-3 | 06/15/04 10:43 / cwh |
| Sulfate, Saturated Paste | 14.8 | meq/L | | 0.002 | | ASA10-3 | 06/20/04 13:00 / rp |
| SATURATED PASTE | | | | | | | |
| Calcium, Saturated Paste | 6.09 | meq/l | | 0.05 | | SW6010B | 06/01/04 11:46 / rp |
| Magnesium, Saturated Paste | 4.37 | meq/l | | 0.08 | | SW6010B | 06/01/04 11:46 / rp |
| Sodium, Saturated Paste | 6.81 | meq/l | | 0.04 | | SW6010B | 06/01/04 11:46 / rp |
| PHYSICAL CHARACTERISTICS | | | | | | | |
| Sand | 31 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Silt | 48 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Clay | 21 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Texture | L | unitless | | | | ASA15-5 | 06/24/04 14:41 / rp |
| CHEMICAL CHARACTERISTICS | | | | | | | |
| Cation Exchange Capacity | 18.6 | meq/100g | | 0.09 | | SW6010B | 06/15/04 01:08 / rp |
| Exchangeable Sodium Percentage | 5.9 | % | | 0.1 | | USDA20b | 06/24/04 14:41 / rp |
| Lime as CaCO3 | 7.7 | wt% | | 0.1 | | USDA23c | 06/24/04 14:41 / rp |
| METALS, AMMONIUM ACETATE EXTRACTABLE | | | | | | | |
| Sodium, Extractable | 1.36 | meq/100g | | 0.04 | | SW6010B | 06/04/04 03:34 / rp |

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: AMPP
Project: Tongue River Monitoring Tier 2
Lab ID: H04050009-019
Client Sample ID: T2/DB-10 (24-36)

Report Date: 07/04/04
Collection Date: 04/14/04 13:30
Date Received: 05/03/04
Matrix: Soil

| Analyses | Result | Units | Qual | MCL/ | | Method | Analysis Date / By |
|---|--------|----------|------|------|-----|-------------|----------------------|
| | | | | RL | QCL | | |
| SATURATED PASTE | | | | | | | |
| pH, Saturated Paste | 7.7 | s.u. | | 0.1 | | ASAM10-3.2 | 06/24/04 14:41 / rp |
| Conductivity, Paste Extract | 1.33 | mmhos/cm | | 0.01 | | ASAM10-3 | 06/24/04 14:41 / rp |
| Chloride, Saturated Paste | 0.56 | meq/L | | 0.01 | | ASA10-3 | 06/21/04 13:00 / jdh |
| Saturation | 33.0 | wt% | | 0.1 | | USDA27a | 06/24/04 14:41 / rp |
| Sodium Adsorption Ratio (SAR) | 2.0 | unitless | | 0.1 | | Calculation | 06/24/04 14:41 / rp |
| Alkalinity, Saturated Paste | 2.8 | meq/L | | 1.0 | | ASA10-3 | 06/24/04 13:00 / jdh |
| SATURATED PASTE | | | | | | | |
| Calcium, Saturated Paste | 5.95 | meq/l | | 0.05 | | SW6010B | 06/01/04 11:55 / rp |
| Magnesium, Saturated Paste | 4.26 | meq/l | | 0.08 | | SW6010B | 06/01/04 11:55 / rp |
| Sodium, Saturated Paste | 4.42 | meq/l | | 0.04 | | SW6010B | 06/01/04 11:55 / rp |
| PHYSICAL CHARACTERISTICS | | | | | | | |
| Sand | 50 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Silt | 39 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Clay | 11 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Texture | L | unitless | | | | ASA15-5 | 06/24/04 14:41 / rp |
| CHEMICAL CHARACTERISTICS | | | | | | | |
| Cation Exchange Capacity | 13.1 | meq/100g | | 0.09 | | SW6010B | 06/15/04 01:17 / rp |
| Exchangeable Sodium Percentage | 5.7 | % | | 0.1 | | USDA20b | 06/24/04 14:41 / rp |
| Lime as CaCO3 | 5.5 | wt% | | 0.1 | | USDA23c | 06/24/04 14:41 / rp |
| METALS, AMMONIUM ACETATE EXTRACTABLE | | | | | | | |
| Sodium, Extractable | 0.89 | meq/100g | | 0.04 | | SW6010B | 06/04/04 03:43 / rp |

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: AMPP
 Project: Tongue River Monitoring Tier 2
 Lab ID: H04050009-020
 Client Sample ID: T2/DB-10 (36-60)

Report Date: 07/04/04
 Collection Date: 04/14/04 13:30
 Date Received: 05/03/04
 Matrix: Soil

| Analyses | Result | Units | Qual | MCL/ | | Method | Analysis Date / By |
|---|--------|----------|------|-------|-----|-------------|----------------------|
| | | | | RL | QCL | | |
| SATURATED PASTE | | | | | | | |
| pH, Saturated Paste | 7.8 | s.u. | | 0.1 | | ASAM10-3.2 | 06/24/04 14:41 / rp |
| Conductivity, Paste Extract | 0.78 | mmhos/cm | | 0.01 | | ASAM10-3 | 06/24/04 14:41 / rp |
| Chloride, Saturated Paste | 0.85 | meq/L | | 0.01 | | ASA10-3 | 06/21/04 13:00 / jdh |
| Saturation | 31.2 | wt% | | 0.1 | | USDA27a | 06/24/04 14:41 / rp |
| Sodium Adsorption Ratio (SAR) | 2.6 | unitless | | 0.1 | | Calculation | 06/24/04 14:41 / rp |
| Alkalinity, Saturated Paste | 3.2 | meq/L | | 1.0 | | ASA10-3 | 06/24/04 13:00 / jdh |
| SATURATED PASTE | | | | | | | |
| Calcium, Saturated Paste | 2.57 | meq/l | | 0.05 | | SW6010B | 06/01/04 11:58 / rp |
| Magnesium, Saturated Paste | 1.98 | meq/l | | 0.08 | | SW6010B | 06/01/04 11:58 / rp |
| Sodium, Saturated Paste | 3.98 | meq/l | | 0.04 | | SW6010B | 06/01/04 11:58 / rp |
| PHYSICAL CHARACTERISTICS | | | | | | | |
| Sand | 64 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Silt | 27 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Clay | 9.0 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Texture | SL | unitless | | | | ASA15-5 | 06/24/04 14:41 / rp |
| CHEMICAL CHARACTERISTICS | | | | | | | |
| Fluoride | 1.0 | mg/kg | | 1.0 | | A4500-F C | 06/17/04 13:00 / ddb |
| Cation Exchange Capacity | 7.59 | meq/100g | | 0.09 | | SW6010B | 06/15/04 01:19 / rp |
| Exchangeable Sodium Percentage | 7.3 | % | | 0.1 | | USDA20b | 06/24/04 14:41 / rp |
| Lime as CaCO3 | 7.1 | wt% | | 0.1 | | USDA23c | 06/24/04 14:41 / rp |
| METALS, AMMONIUM ACETATE EXTRACTABLE | | | | | | | |
| Sodium, Extractable | 0.68 | meq/100g | | 0.04 | | SW6010B | 06/04/04 03:46 / rp |
| METALS, WATER EXTRACTABLE | | | | | | | |
| Selenium | 0.047 | mg/kg | | 0.010 | | SW6020 | 06/24/04 22:01 / car |
| METALS, CaCl2 EXTRACTABLE | | | | | | | |
| Barium | 4.9 | mg/L | | 0.001 | | SW6010B | 06/16/04 11:22 / rp |
| Boron | 1.5 | mg/L | | 0.04 | | SW6010B | 06/16/04 11:22 / rp |

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: AMPP
Project: Tongue River Monitoring Tier 2
Lab ID: H04050009-021
Client Sample ID: T2/DB-10 (60-96)

Report Date: 07/04/04
Collection Date: 04/14/04 13:30
Date Received: 05/03/04
Matrix: Soil

| Analyses | Result | Units | Qual | MCL/ | | Method | Analysis Date / By |
|---|--------|----------|------|------|-----|-------------|----------------------|
| | | | | RL | QCL | | |
| SATURATED PASTE | | | | | | | |
| pH, Saturated Paste | 7.9 | s.u. | | 0.1 | | ASAM10-3.2 | 06/24/04 14:41 / rp |
| Conductivity, Paste Extract | 1.81 | mmhos/cm | | 0.01 | | ASAM10-3 | 06/24/04 14:41 / rp |
| Chloride, Saturated Paste | 0.28 | meq/L | | 0.01 | | ASA10-3 | 06/21/04 13:00 / jdh |
| Saturation | 29.4 | wt% | | 0.1 | | USDA27a | 06/24/04 14:41 / rp |
| Sodium Adsorption Ratio (SAR) | 4.5 | unitless | | 0.1 | | Calculation | 06/24/04 14:41 / rp |
| Alkalinity, Saturated Paste | 2.8 | meq/L | | 1.0 | | ASA10-3 | 06/24/04 13:00 / jdh |
| SATURATED PASTE | | | | | | | |
| Calcium, Saturated Paste | 4.08 | meq/l | | 0.05 | | SW6010B | 06/01/04 12:04 / rp |
| Magnesium, Saturated Paste | 4.30 | meq/l | | 0.08 | | SW6010B | 06/01/04 12:04 / rp |
| Sodium, Saturated Paste | 9.14 | meq/l | | 0.04 | | SW6010B | 06/01/04 12:04 / rp |
| PHYSICAL CHARACTERISTICS | | | | | | | |
| Sand | 65 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Silt | 28 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Clay | 7.0 | wt% | | 1.0 | | ASA15-5 | 06/24/04 14:41 / rp |
| Texture | SL | unitless | | | | ASA15-5 | 06/24/04 14:41 / rp |
| CHEMICAL CHARACTERISTICS | | | | | | | |
| Cation Exchange Capacity | 6.75 | meq/100g | | 0.09 | | SW6010B | 06/15/04 01:25 / rp |
| Exchangeable Sodium Percentage | 12 | % | | 0.1 | | USDA20b | 06/24/04 14:41 / rp |
| Lime as CaCO3 | 7.0 | wt% | | 0.1 | | USDA23c | 06/24/04 14:41 / rp |
| METALS, AMMONIUM ACETATE EXTRACTABLE | | | | | | | |
| Sodium, Extractable | 1.11 | meq/100g | | 0.04 | | SW6010B | 06/04/04 03:52 / rp |

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.