



LABORATORY ANALYTICAL REPORT

Client: AMPP
Project: AMPP Tier II
Lab ID: H05110025-031
Client Sample ID: T2/YAA-10-(0-6")

Report Date: 11/30/05
Collection Date: 10/27/05 17:00
Date Received: 10/31/05
Matrix: Soil

| Analyses | Result | Units | Qual | MCL/ | | Method | Analysis Date / By |
|---|--------|----------|------|------|-----|-------------|----------------------|
| | | | | RL | QCL | | |
| SATURATED PASTE | | | | | | | |
| pH, sat. paste | 7.5 | s.u. | | 0.1 | | ASAM10-3.2 | 11/15/05 15:23 / jjm |
| Conductivity, sat. paste | 0.78 | mmhos/cm | | 0.01 | | ASAM10-3 | 11/15/05 15:23 / jjm |
| Saturation | 57.4 | % | | 0.1 | | USDA27a | 11/15/05 15:23 / jjm |
| Sodium Adsorption Ratio (SAR) | 1.1 | unitless | | 0.01 | | Calculation | 11/15/05 15:23 / jjm |
| Bicarbonate, sat. paste | 8.67 | meq/L | | 0.02 | | ASA10-3 | 11/19/05 14:05 / jjm |
| Nitrate as N, sat. paste | 0.6 | mg/L | | 0.1 | | ASA10-3 | 11/16/05 12:14 / sld |
| SATURATED PASTE | | | | | | | |
| Calcium, sat. paste | 4.83 | meq/l | | 0.05 | | SW6010B | 11/16/05 16:40 / rp |
| Magnesium, sat. paste | 3.40 | meq/l | | 0.08 | | SW6010B | 11/16/05 16:40 / rp |
| Sodium, sat. paste | 2.26 | meq/l | | 0.04 | | SW6010B | 11/16/05 16:40 / rp |
| Sulfate, sat. paste | 1.60 | meq/l | | 0.02 | | SW6010B | 11/16/05 16:40 / rp |
| PHYSICAL CHARACTERISTICS | | | | | | | |
| Sand | 24 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Silt | 47 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Clay | 29 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Texture | CL | unitless | | | | ASA15-5 | 11/15/05 15:23 / jjm |
| CHEMICAL CHARACTERISTICS | | | | | | | |
| Fluoride | ND | mg/kg | | 1.0 | | A4500-F C | 11/23/05 00:00 / jjm |
| Potassium, NH4OAc Extractable | 175 | mg/kg | | 1 | | ASA13-3 | 11/29/05 00:00 / jjm |
| Organic Matter | 3.31 | % | | 0.02 | | ASA29-3 | 11/15/05 12:10 / jjm |
| Cation Exchange Capacity | 38.8 | meq/100g | | 0.09 | | SW6010B | 11/21/05 12:53 / jjm |
| Lime as CaCO3 | 4.2 | % | | 0.1 | | USDA23c | 11/17/05 00:00 / jjm |
| Phosphorus | 7.4 | mg/kg | | 0.8 | | ASA24-5 | 11/23/05 15:08 / rp |
| Nitrate + Nitrite as N, KCL Extract | 9 | mg/kg | | 1 | | ASA38-3 | 11/23/05 11:54 / sld |
| METALS, AMMONIUM ACETATE EXTRACTABLE | | | | | | | |
| Sodium, Extractable | 0.61 | meq/100g | | 0.04 | | SW6010B | 11/17/05 13:57 / rp |
| EXCHANGEABLES | | | | | | | |
| Exchangeable Sodium | 0.5 | meq/100g | | 0.1 | | Calculation | 11/15/05 15:23 / jjm |
| Exchangeable Sodium Percentage | 1.2 | % | | 0.1 | | USDA20a | 11/15/05 15:23 / jjm |
| METALS, DTPA EXTRACTABLE | | | | | | | |
| Zinc | 0.81 | mg/kg | | 0.02 | | SW6010B | 11/22/05 16:46 / rp |
| METALS, CACL2 EXTRACTABLE | | | | | | | |
| Barium | 1.1 | mg/kg | | 0.2 | | SW6010B | 11/22/05 15:17 / rp |
| Boron | 0.6 | mg/kg | | 0.2 | | SW6010B | 11/22/05 15:17 / rp |

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: AMPP
Project: AMPP Tier II
Lab ID: H05110025-031
Client Sample ID: T2/YAA-10-(0-6")

Report Date: 11/30/05
Collection Date: 10/27/05 17:00
Date Received: 10/31/05
Matrix: Soil

| Analyses | Result | Units | Qual | MCL/ | | Method | Analysis Date / By |
|----------------------------------|--------|-------|------|------|-----|---------|---------------------|
| | | | | RL | QCL | | |
| METALS, CACL2 EXTRACTABLE | | | | | | | |
| Selenium | ND | mg/kg | | 0.1 | | SW6010B | 11/22/05 15:17 / rp |

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: AMPP
Project: AMPP Tier II
Lab ID: H05110025-032
Client Sample ID: T2/YAA-10-(6-12")

Report Date: 11/30/05
Collection Date: 10/27/05 17:00
Date Received: 10/31/05
Matrix: Soil

| Analyses | Result | Units | Qual | MCL/ | | Method | Analysis Date / By |
|---|--------|----------|------|------|-----|-------------|----------------------|
| | | | | RL | QCL | | |
| SATURATED PASTE | | | | | | | |
| pH, sat. paste | 7.7 | s.u. | | 0.1 | | ASAM10-3.2 | 11/15/05 15:23 / jjm |
| Conductivity, sat. paste | 0.95 | mmhos/cm | | 0.01 | | ASAM10-3 | 11/15/05 15:23 / jjm |
| Saturation | 49.6 | % | | 0.1 | | USDA27a | 11/15/05 15:23 / jjm |
| Sodium Adsorption Ratio (SAR) | 1.9 | unitless | | 0.01 | | Calculation | 11/15/05 15:23 / jjm |
| Bicarbonate, sat. paste | 4.77 | meq/L | | 0.02 | | ASA10-3 | 11/19/05 14:05 / jjm |
| Nitrate as N, sat. paste | 0.6 | mg/L | | 0.1 | | ASA10-3 | 11/16/05 12:20 / sld |
| SATURATED PASTE | | | | | | | |
| Calcium, sat. paste | 4.69 | meq/l | | 0.05 | | SW6010B | 11/16/05 16:43 / rp |
| Magnesium, sat. paste | 3.69 | meq/l | | 0.08 | | SW6010B | 11/16/05 16:43 / rp |
| Sodium, sat. paste | 3.87 | meq/l | | 0.04 | | SW6010B | 11/16/05 16:43 / rp |
| Sulfate, sat. paste | 7.09 | meq/L | | 0.02 | | SW6010B | 11/16/05 16:43 / rp |
| PHYSICAL CHARACTERISTICS | | | | | | | |
| Sand | 26 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Silt | 45 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Clay | 29 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Texture | CL | unitless | | | | ASA15-5 | 11/15/05 15:23 / jjm |
| CHEMICAL CHARACTERISTICS | | | | | | | |
| Cation Exchange Capacity | 37.5 | meq/100g | | 0.09 | | SW6010B | 11/21/05 12:56 / jjm |
| Lime as CaCO3 | 4.7 | % | | 0.1 | | USDA23c | 11/17/05 00:00 / jjm |
| Nitrate + Nitrite as N, KCL Extract | 5 | mg/kg | | 1 | | ASA38-3 | 11/23/05 11:56 / sld |
| METALS, AMMONIUM ACETATE EXTRACTABLE | | | | | | | |
| Sodium, Extractable | 0.81 | meq/100g | | 0.04 | | SW6010B | 11/17/05 14:00 / rp |
| EXCHANGEABLES | | | | | | | |
| Exchangeable Sodium | 0.6 | meq/100g | | 0.1 | | Calculation | 11/15/05 15:23 / jjm |
| Exchangeable Sodium Percentage | 1.7 | % | | 0.1 | | USDA20a | 11/15/05 15:23 / jjm |

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: AMPP
Project: AMPP Tier II
Lab ID: H05110025-033
Client Sample ID: T2/YAA-10-(12-24")

Report Date: 11/30/05
Collection Date: 10/27/05 17:00
Date Received: 10/31/05
Matrix: Soil

| Analyses | Result | Units | Qual | MCL/ | | Method | Analysis Date / By |
|---|--------|----------|------|------|-----|-------------|----------------------|
| | | | | RL | QCL | | |
| SATURATED PASTE | | | | | | | |
| pH, sat. paste | 7.8 | s.u. | | 0.1 | | ASAM10-3.2 | 11/15/05 15:23 / jjm |
| Conductivity, sat. paste | 2.24 | mmhos/cm | | 0.01 | | ASAM10-3 | 11/15/05 15:23 / jjm |
| Saturation | 50.0 | % | | 0.1 | | USDA27a | 11/15/05 15:23 / jjm |
| Sodium Adsorption Ratio (SAR) | 3.9 | unitless | | 0.01 | | Calculation | 11/15/05 15:23 / jjm |
| Bicarbonate, sat. paste | 5.20 | meq/L | | 0.02 | | ASA10-3 | 11/19/05 14:05 / jjm |
| Nitrate as N, sat. paste | 0.8 | mg/L | | 0.1 | | ASA10-3 | 11/16/05 12:22 / sld |
| SATURATED PASTE | | | | | | | |
| Calcium, sat. paste | 7.48 | meq/l | | 0.05 | | SW6010B | 11/16/05 16:46 / rp |
| Magnesium, sat. paste | 7.65 | meq/l | | 0.08 | | SW6010B | 11/16/05 16:46 / rp |
| Sodium, sat. paste | 10.6 | meq/l | | 0.04 | | SW6010B | 11/16/05 16:46 / rp |
| Sulfate, sat. paste | 21.1 | meq/L | | 0.02 | | SW6010B | 11/16/05 16:46 / rp |
| PHYSICAL CHARACTERISTICS | | | | | | | |
| Sand | 28 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Silt | 44 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Clay | 28 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Texture | CL | unitless | | | | ASA15-5 | 11/15/05 15:23 / jjm |
| CHEMICAL CHARACTERISTICS | | | | | | | |
| Cation Exchange Capacity | 37.9 | meq/100g | | 0.09 | | SW6010B | 11/21/05 12:59 / jjm |
| Lime as CaCO3 | 4.5 | % | | 0.1 | | USDA23c | 11/17/05 00:00 / jjm |
| Nitrate + Nitrite as N, KCL Extract | 5 | mg/kg | | 1 | | ASA38-3 | 11/23/05 13:02 / sld |
| METALS, AMMONIUM ACETATE EXTRACTABLE | | | | | | | |
| Sodium, Extractable | 1.44 | meq/100g | | 0.04 | | SW6010B | 11/17/05 14:03 / rp |
| EXCHANGEABLES | | | | | | | |
| Exchangeable Sodium | 0.9 | meq/100g | | 0.1 | | Calculation | 11/15/05 15:23 / jjm |
| Exchangeable Sodium Percentage | 2.4 | % | | 0.1 | | USDA20a | 11/15/05 15:23 / jjm |

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: AMPP
Project: AMPP Tier II
Lab ID: H05110025-034
Client Sample ID: T2/YAA-10-(24-36")

Report Date: 11/30/05
Collection Date: 10/27/05 17:00
Date Received: 10/31/05
Matrix: Soil

| Analyses | Result | Units | Qual | MCL/ | | Method | Analysis Date / By |
|---|--------|----------|------|------|-----|-------------|----------------------|
| | | | | RL | QCL | | |
| SATURATED PASTE | | | | | | | |
| pH, sat. paste | 7.8 | s.u. | | 0.1 | | ASAM10-3.2 | 11/15/05 15:23 / jjm |
| Conductivity, sat. paste | 2.25 | mmhos/cm | | 0.01 | | ASAM10-3 | 11/15/05 15:23 / jjm |
| Saturation | 49.8 | % | | 0.1 | | USDA27a | 11/15/05 15:23 / jjm |
| Sodium Adsorption Ratio (SAR) | 7.3 | unitless | | 0.01 | | Calculation | 11/15/05 15:23 / jjm |
| Bicarbonate, sat. paste | 4.77 | meq/L | | 0.02 | | ASA10-3 | 11/19/05 14:05 / jjm |
| SATURATED PASTE | | | | | | | |
| Calcium, sat. paste | 5.19 | meq/l | | 0.05 | | SW6010B | 11/16/05 16:49 / rp |
| Magnesium, sat. paste | 5.05 | meq/l | | 0.08 | | SW6010B | 11/16/05 16:49 / rp |
| Sodium, sat. paste | 16.5 | meq/l | | 0.04 | | SW6010B | 11/16/05 16:49 / rp |
| PHYSICAL CHARACTERISTICS | | | | | | | |
| Sand | 26 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Silt | 47 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Clay | 27 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Texture | CL | unitless | | | | ASA15-5 | 11/15/05 15:23 / jjm |
| CHEMICAL CHARACTERISTICS | | | | | | | |
| Cation Exchange Capacity | 33.0 | meq/100g | | 0.09 | | SW6010B | 11/21/05 13:02 / jjm |
| Lime as CaCO3 | 5.3 | % | | 0.1 | | USDA23c | 11/17/05 00:00 / jjm |
| METALS, AMMONIUM ACETATE EXTRACTABLE | | | | | | | |
| Sodium, Extractable | 2.49 | meq/100g | | 0.04 | | SW6010B | 11/17/05 14:06 / rp |
| EXCHANGEABLES | | | | | | | |
| Exchangeable Sodium | 1.7 | meq/100g | | 0.1 | | Calculation | 11/15/05 15:23 / jjm |
| Exchangeable Sodium Percentage | 5.1 | % | | 0.1 | | USDA20a | 11/15/05 15:23 / jjm |

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: AMPP
Project: AMPP Tier II
Lab ID: H05110025-035
Client Sample ID: T2/YAA-10-(36-60")

Report Date: 11/30/05
Collection Date: 10/27/05 17:00
Date Received: 10/31/05
Matrix: Soil

| Analyses | Result | Units | Qual | MCL/ | | Method | Analysis Date / By |
|---|--------|----------|------|------|-----|-------------|----------------------|
| | | | | RL | QCL | | |
| SATURATED PASTE | | | | | | | |
| pH, sat. paste | 7.8 | s.u. | | 0.1 | | ASAM10-3.2 | 11/15/05 15:23 / jjm |
| Conductivity, sat. paste | 3.24 | mmhos/cm | | 0.01 | | ASAM10-3 | 11/15/05 15:23 / jjm |
| Saturation | 48.9 | % | | 0.1 | | USDA27a | 11/15/05 15:23 / jjm |
| Sodium Adsorption Ratio (SAR) | 9.3 | unitless | | 0.01 | | Calculation | 11/15/05 15:23 / jjm |
| Bicarbonate, sat. paste | 4.55 | meq/L | | 0.02 | | ASA10-3 | 11/19/05 14:05 / jjm |
| SATURATED PASTE | | | | | | | |
| Calcium, sat. paste | 7.80 | meq/l | | 0.05 | | SW6010B | 11/16/05 16:52 / rp |
| Magnesium, sat. paste | 6.97 | meq/l | | 0.08 | | SW6010B | 11/16/05 16:52 / rp |
| Sodium, sat. paste | 25.4 | meq/l | | 0.04 | | SW6010B | 11/16/05 16:52 / rp |
| PHYSICAL CHARACTERISTICS | | | | | | | |
| Sand | 30 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Silt | 45 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Clay | 25 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Texture | L | unitless | | | | ASA15-5 | 11/15/05 15:23 / jjm |
| CHEMICAL CHARACTERISTICS | | | | | | | |
| Fluoride | 2.2 | mg/kg | | 1.0 | | A4500-F C | 11/23/05 00:00 / jjm |
| Cation Exchange Capacity | 32.6 | meq/100g | | 0.09 | | SW6010B | 11/21/05 13:04 / jjm |
| Lime as CaCO3 | 5.4 | % | | 0.1 | | USDA23c | 11/17/05 00:00 / jjm |
| METALS, AMMONIUM ACETATE EXTRACTABLE | | | | | | | |
| Sodium, Extractable | 3.04 | meq/100g | | 0.04 | | SW6010B | 11/17/05 14:09 / rp |
| EXCHANGEABLES | | | | | | | |
| Exchangeable Sodium | 1.8 | meq/100g | | 0.1 | | Calculation | 11/15/05 15:23 / jjm |
| Exchangeable Sodium Percentage | 5.5 | % | | 0.1 | | USDA20a | 11/15/05 15:23 / jjm |
| METALS, CaCl2 EXTRACTABLE | | | | | | | |
| Barium | ND | mg/kg | | 0.2 | | SW6010B | 11/22/05 15:26 / rp |
| Boron | 0.7 | mg/kg | | 0.2 | | SW6010B | 11/22/05 15:26 / rp |
| Selenium | ND | mg/kg | | 0.1 | | SW6010B | 11/22/05 15:26 / rp |

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: AMPP
 Project: AMPP Tier II
 Lab ID: H05110025-036
 Client Sample ID: T2/YAA-10-(60-96")

Report Date: 11/30/05
 Collection Date: 10/27/05 17:00
 Date Received: 10/31/05
 Matrix: Soil

| Analyses | Result | Units | Qual | MCL/ | | Method | Analysis Date / By |
|---|--------|----------|------|------|-----|-------------|----------------------|
| | | | | RL | QCL | | |
| SATURATED PASTE | | | | | | | |
| pH, sat. paste | 7.8 | s.u. | | 0.1 | | ASAM10-3.2 | 11/15/05 15:23 / jjm |
| Conductivity, sat. paste | 4.48 | mmhos/cm | | 0.01 | | ASAM10-3 | 11/15/05 15:23 / jjm |
| Saturation | 46.6 | % | | 0.1 | | USDA27a | 11/15/05 15:23 / jjm |
| Sodium Adsorption Ratio (SAR) | 11 | unitless | | 0.01 | | Calculation | 11/15/05 15:23 / jjm |
| Bicarbonate, sat. paste | 3.32 | meq/L | | 0.02 | | ASA10-3 | 11/19/05 14:05 / jjm |
| SATURATED PASTE | | | | | | | |
| Calcium, sat. paste | 11.4 | meq/l | | 0.05 | | SW6010B | 11/16/05 16:54 / rp |
| Magnesium, sat. paste | 9.13 | meq/l | | 0.08 | | SW6010B | 11/16/05 16:54 / rp |
| Sodium, sat. paste | 33.9 | meq/l | | 0.04 | | SW6010B | 11/16/05 16:54 / rp |
| PHYSICAL CHARACTERISTICS | | | | | | | |
| Sand | 32 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Silt | 44 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Clay | 24 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Texture | L | unitless | | | | ASA15-5 | 11/15/05 15:23 / jjm |
| CHEMICAL CHARACTERISTICS | | | | | | | |
| Cation Exchange Capacity | 30.4 | meq/100g | | 0.09 | | SW6010B | 11/21/05 13:07 / jjm |
| Lime as CaCO3 | 6.1 | % | | 0.1 | | USDA23c | 11/17/05 00:00 / jjm |
| METALS, AMMONIUM ACETATE EXTRACTABLE | | | | | | | |
| Sodium, Extractable | 3.33 | meq/100g | | 0.04 | | SW6010B | 11/17/05 14:12 / rp |
| EXCHANGEABLES | | | | | | | |
| Exchangeable Sodium | 1.8 | meq/100g | | 0.1 | | Calculation | 11/15/05 15:23 / jjm |
| Exchangeable Sodium Percentage | 5.7 | % | | 0.1 | | USDA20a | 11/15/05 15:23 / jjm |

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: AMPP
 Project: AMPP Tier II
 Lab ID: H05110025-037
 Client Sample ID: T2/YAA-10-(0-2")

Report Date: 11/30/05
 Collection Date: 10/27/05 17:00
 Date Received: 10/31/05
 Matrix: Soil

| Analyses | Result | Units | Qual | MCL/ | | Method | Analysis Date / By |
|---|--------|----------|------|------|-----|-------------|----------------------|
| | | | | RL | QCL | | |
| SATURATED PASTE | | | | | | | |
| pH, sat. paste | 7.0 | s.u. | | 0.1 | | ASAM10-3.2 | 11/15/05 15:23 / jjm |
| Conductivity, sat. paste | 1.35 | mmhos/cm | | 0.01 | | ASAM10-3 | 11/15/05 15:23 / jjm |
| Saturation | 63.1 | % | | 0.1 | | USDA27a | 11/15/05 15:23 / jjm |
| Sodium Adsorption Ratio (SAR) | 0.95 | unitless | | 0.01 | | Calculation | 11/15/05 15:23 / jjm |
| Bicarbonate, sat. paste | 10.8 | meq/L | | 0.02 | | ASA10-3 | 11/19/05 14:05 / jjm |
| SATURATED PASTE | | | | | | | |
| Calcium, sat. paste | 2.88 | meq/l | | 0.05 | | SW6010B | 11/16/05 16:57 / rp |
| Magnesium, sat. paste | 2.09 | meq/l | | 0.08 | | SW6010B | 11/16/05 16:57 / rp |
| Sodium, sat. paste | 1.04 | meq/l | | 0.04 | | SW6010B | 11/16/05 16:57 / rp |
| PHYSICAL CHARACTERISTICS | | | | | | | |
| Sand | 27 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Silt | 44 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Clay | 29 | % | | 1 | | ASA15-5 | 11/15/05 15:23 / jjm |
| Texture | CL | unitless | | | | ASA15-5 | 11/15/05 15:23 / jjm |
| CHEMICAL CHARACTERISTICS | | | | | | | |
| Cation Exchange Capacity | 39.3 | meq/100g | | 0.09 | | SW6010B | 11/21/05 13:10 / jjm |
| Lime as CaCO3 | 3.8 | % | | 0.1 | | USDA23c | 11/17/05 00:00 / jjm |
| METALS, AMMONIUM ACETATE EXTRACTABLE | | | | | | | |
| Sodium, Extractable | 0.59 | meq/100g | | 0.04 | | SW6010B | 11/17/05 14:15 / rp |
| EXCHANGEABLES | | | | | | | |
| Exchangeable Sodium | 0.4 | meq/100g | | 0.1 | | Calculation | 11/15/05 15:23 / jjm |
| Exchangeable Sodium Percentage | 1.1 | % | | 0.1 | | USDA20a | 11/15/05 15:23 / jjm |

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.