

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052018-1

Expiration Date: 7/31/2018

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: CWA (Non Potable Water)

| Method | Analyte | Start Date | Date Expires | Status |
|-----------------------|-------------------|------------|--------------|-----------|
| Discipline: Chemistry | | | | |
| ASTM D2036C-06 | Cyanide, WAD | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Aluminum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Antimony | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Arsenic | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Barium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Beryllium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Boron | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Cadmium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Calcium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Chromium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Cobalt | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Copper | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Iron | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Lead | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Lithium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Magnesium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Manganese | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Molybdenum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Nickel | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Phosphorus, total | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Potassium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Selenium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Silica as SiO2 | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Silver | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Sodium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Strontium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Thallium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Tin | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Titanium | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **MT00005**

Attachment to Certificate Number: **MT000052018-1**

Expiration Date: **7/31/2018**

Energy Laboratories, Inc. - MT
 1120 South 27th St. Billings, MT 59101

Matrix: **CWA (Non Potable Water)**

| Method | Analyte | Start Date | Date Expires | Status |
|-----------|-----------------------------|------------|--------------|-----------------|
| EPA 200.7 | Vanadium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Zinc | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Aluminum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Antimony | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Arsenic | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Barium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Beryllium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Boron | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Cadmium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Calcium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Chromium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Cobalt | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Copper | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Iron | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Lead | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Magnesium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Manganese | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Molybdenum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Nickel | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Potassium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Selenium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Silver | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Sodium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Strontium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Thallium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Thorium | 8/1/2017 | 7/31/2018 | Nevada Approved |
| EPA 200.8 | Tin | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Titanium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Uranium (Chemical or Metal) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Vanadium | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052018-1

Expiration Date: 7/31/2018

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: CWA (Non Potable Water)

| Method | Analyte | Start Date | Date Expires | Status |
|---|--|------------|--------------|-----------|
| EPA 200.8 | Zinc | 8/1/2017 | 7/31/2018 | Certified |
| EPA 245.1 | Mercury | 8/1/2017 | 7/31/2018 | Certified |
| EPA 245.7 | Mercury | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Bromide | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Chloride | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Fluoride | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Nitrate as N | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Nitrate-nitrite | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Nitrite as N | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Orthophosphate as P | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Sulfate | 8/1/2017 | 7/31/2018 | Certified |
| EPA 335.4 | Cyanide, Total | 8/1/2017 | 7/31/2018 | Certified |
| EPA 350.1 | Ammonia as N | 8/1/2017 | 7/31/2018 | Certified |
| EPA 351.2 | Kjeldahl nitrogen - total | 8/1/2017 | 7/31/2018 | Certified |
| EPA 353.2 | Nitrate-nitrite | 8/1/2017 | 7/31/2018 | Certified |
| EPA 353.2 | Nitrite as N | 8/1/2017 | 7/31/2018 | Certified |
| EPA 365.1 | Orthophosphate as P | 8/1/2017 | 7/31/2018 | Certified |
| EPA 365.1 | Phosphorus, total | 8/1/2017 | 7/31/2018 | Certified |
| EPA 410.4 | Chemical oxygen demand | 8/1/2017 | 7/31/2018 | Certified |
| EPA 420.4 | Total phenolics | 8/1/2017 | 7/31/2018 | Certified |
| Kelada 01 | Cyanide, Total | 8/1/2017 | 7/31/2018 | Certified |
| Nitrate Calculation | Nitrate-N (by calculation) | 8/1/2017 | 7/31/2018 | Certified |
| Organic Nitrogen by Calculation (TKN - NH3) | Organic nitrogen | 8/1/2017 | 7/31/2018 | Certified |
| SM 2120 B | Color | 8/1/2017 | 7/31/2018 | Certified |
| SM 2130 B | Turbidity | 8/1/2017 | 7/31/2018 | Certified |
| SM 2310 B | Acidity, as CaCO3 | 8/1/2017 | 7/31/2018 | Certified |
| SM 2320 B | Alkalinity as CaCO3 | 8/1/2017 | 7/31/2018 | Certified |
| SM 2340 B | Hardness by calculation | 8/1/2017 | 7/31/2018 | Certified |
| SM 2510 B | Conductivity | 8/1/2017 | 7/31/2018 | Certified |
| SM 2540 B | Residue-total, dissolved and suspended | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052018-1

Expiration Date: 7/31/2018

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: CWA (Non Potable Water)

| Method | Analyte | Start Date | Date Expires | Status |
|--------------------------------|-----------------------------|------------|--------------|-----------|
| SM 2540 C | Residue-filterable (TDS) | 8/1/2017 | 7/31/2018 | Certified |
| SM 2540 D | Residue-nonfilterable (TSS) | 8/1/2017 | 7/31/2018 | Certified |
| SM 3500-Cr B | Chromium VI | 8/1/2017 | 7/31/2018 | Certified |
| SM 4500-CN ⁻ G-1999 | Cyanide, Amenable | 8/1/2017 | 7/31/2018 | Certified |
| SM 4500-F ⁻ C | Fluoride | 8/1/2017 | 7/31/2018 | Certified |
| SM 4500-H+ B | pH | 8/1/2017 | 7/31/2018 | Certified |
| SM 4500-S2 ⁻ D | Sulfide | 8/1/2017 | 7/31/2018 | Certified |
| SM 4500-S2 ⁻ F | Sulfide | 8/1/2017 | 7/31/2018 | Certified |
| SM 5210 B | Biochemical oxygen demand | 8/1/2017 | 7/31/2018 | Certified |
| SM 5210 B | Carbonaceous BOD, CBOD | 8/1/2017 | 7/31/2018 | Certified |

Discipline: Microbiology

| | | | | |
|------------------------------------|---------------------------------------|----------|-----------|-----------|
| EPA 1603 (mTEC mod) | E. coli enumeration | 8/1/2017 | 7/31/2018 | Certified |
| IDEXX Quanti-Tray® using Colilert® | E. coli enumeration | 8/1/2017 | 7/31/2018 | Certified |
| SM 9221 B (LTB) | Total coliform with chlorine present | 8/1/2017 | 7/31/2018 | Certified |
| SM 9221 B (LTB) + C MPN | Total Coliform Enumeration | 8/1/2017 | 7/31/2018 | Certified |
| SM 9221 B (LTB) + E (EC) + C MPN | Fecal coliforms | 8/1/2017 | 7/31/2018 | Certified |
| SM 9221 B (LTB) + E (EC) + C MPN | Fecal coliforms with chlorine present | 8/1/2017 | 7/31/2018 | Certified |
| SM 9222 B (M-Endo) | Total Coliform Enumeration | 8/1/2017 | 7/31/2018 | Certified |
| SM 9222 D (m-FC) | Fecal coliforms | 8/1/2017 | 7/31/2018 | Certified |
| SM 9222 D (m-FC) | Fecal coliforms with chlorine present | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **MT00005**


Attachment to Certificate Number: **MT000052018-1**

Expiration Date: **7/31/2018**

Energy Laboratories, Inc. - MT
 1120 South 27th St. Billings, MT 59101

Matrix: **Mining (Non Potable Water)**

| Method | Analyte | Start Date | Date Expires | Status |
|-----------------------------------|--------------------------|------------|--------------|-----------|
| Discipline: Chemistry | | | | |
| EPA 200.2 | Acid digest for metals | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 minus SM 3500-Fe B (4c) | Iron-(III) (Ferric Iron) | 8/1/2017 | 7/31/2018 | Certified |
| SM 2580 B-2011 | Redox Potential (ORP) | 8/1/2017 | 7/31/2018 | Certified |
| SM 3500-Fe B 4 (c) | Iron-(II) (Ferrous Iron) | 8/1/2017 | 7/31/2018 | Certified |



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **MT00005**
 Energy Laboratories, Inc. - MT
 1120 South 27th St. Billings, MT 59101

Attachment to Certificate Number: **MT000052018-1**

Expiration Date: **7/31/2018**

Matrix: **Mining (Solid & Waste Materials)**

| Method | Analyte | Start Date | Date Expires | Status |
|---|---|------------|--------------|-----------------|
| Discipline: Chemistry | | | | |
| ASTM D7572 | Cyanide Extraction Fluid from Soils and Mine Rock | 8/1/2017 | 7/31/2018 | Nevada Approved |
| ASTM E2242-13 | MWMP Fluid (WITHOUT bottle roll option) | 8/1/2017 | 7/31/2018 | Nevada Approved |
| ASTM E2242-13 Appendix X1.2 | MWMP Fluid (FROM bottle roll option_Non Percolating Material) | 8/1/2017 | 7/31/2018 | Nevada Approved |
| ASTM E2242-13 Appendix X1.3 | MWMP Fluid (FROM bottle roll option_Fine Grained Material) | 8/1/2017 | 7/31/2018 | Nevada Approved |
| EPA 600/2-78-054, section 3.2.2_NV Modified | Paste pH | 8/1/2017 | 7/31/2018 | Certified |
| EPA 600/2-78-054, section 3.2.3_NV Modified | ANP by Titration to phenolphthalein end point (after oxidation_hydrogen peroxide) | 8/1/2017 | 7/31/2018 | Nevada Approved |
| EPA 600/2-78-054, section 3.2.3_NV Modified | ANP by Titration to phenolphthalein end point (without oxidation) | 8/1/2017 | 7/31/2018 | Nevada Approved |
| EPA 600/2-78-054, section 3.2.4_NV Modified | Total Sulfur (High Temp. Combustion Method) | 8/1/2017 | 7/31/2018 | Nevada Approved |
| EPA 600/2-78-054, section 3.2.6_NV Modified | HCl Extractable Sulfur | 8/1/2017 | 7/31/2018 | Nevada Approved |
| EPA 600/2-78-054, section 3.2.6_NV Modified | HNO3 Extractable Sulfur | 8/1/2017 | 7/31/2018 | Nevada Approved |
| EPA 600/2-78-054, section 3.2.6_NV Modified | Hot Water Extractable Sulfur | 8/1/2017 | 7/31/2018 | Nevada Approved |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052018-1

Expiration Date: 7/31/2018

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Non Potable Water)

| Method | Analyte | Start Date | Date Expires | Status |
|-----------------------|----------------------------|------------|--------------|-----------|
| Discipline: Chemistry | | | | |
| EPA 6010 | Aluminum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Antimony | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Arsenic | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Barium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Beryllium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Boron | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Cadmium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Calcium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Chromium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Cobalt | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Copper | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Iron | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Lead | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Lithium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Magnesium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Manganese | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Molybdenum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Nickel | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Phosphorus, total | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Potassium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Selenium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Silica as SiO ₂ | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Silver | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Sodium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Strontium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Thallium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Tin | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Titanium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Vanadium | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052018-1

Expiration Date: 7/31/2018

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Non Potable Water)

| Method | Analyte | Start Date | Date Expires | Status |
|----------|-----------------------------|------------|--------------|-----------|
| EPA 6010 | Zinc | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Aluminum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Antimony | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Arsenic | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Barium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Beryllium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Boron | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Cadmium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Calcium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Chromium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Cobalt | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Copper | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Iron | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Lead | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Magnesium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Manganese | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Molybdenum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Nickel | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Potassium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Selenium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Silver | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Sodium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Strontium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Thallium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Tin | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Titanium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Vanadium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Zinc | 8/1/2017 | 7/31/2018 | Certified |
| EPA 7470 | Mercury | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8015 | Diesel range organics (DRO) | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052018-1

Expiration Date: 7/31/2018

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Non Potable Water)

| Method | Analyte | Start Date | Date Expires | Status |
|----------|--|------------|--------------|-----------|
| EPA 8015 | Gasoline range organics (GRO) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1016 (PCB-1016) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1016 in Oil (PCB-1016 in Oil) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1221 (PCB-1221) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1232 (PCB-1232) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1242 (PCB-1242) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1242 in Oil (PCB-1242 in Oil) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1248 (PCB-1248) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1254 (PCB-1254) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1254 in Oil (PCB-1254 in Oil) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1260 (PCB-1260) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1260 in Oil (PCB-1260 in Oil) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | PCB Aroclor Identification (PCBs as Aroclors) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Total PCBs | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,1,1,2-Tetrachloroethane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,1,1-Trichloroethane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,1,2,2-Tetrachloroethane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,1,2-Trichloroethane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,1-Dichloroethane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,1-Dichloroethylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,1-Dichloropropene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,2,3-Trichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,2,3-Trichloropropane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,2,4-Trichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,2,4-Trimethylbenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,2-Dibromoethane (EDB, Ethylene dibromide) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,2-Dichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,2-Dichloroethane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,2-Dichloropropane | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052018-1

Expiration Date: 7/31/2018

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Non Potable Water)

| Method | Analyte | Start Date | Date Expires | Status |
|----------|---|------------|--------------|-----------|
| EPA 8260 | 1,3,5-Trimethylbenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,3-Dichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,3-Dichloropropane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,4-Dichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 2-Butanone (Methyl ethyl ketone, MEK) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 2-Chloroethyl vinyl ether | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 2-Chlorotoluene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 2-Hexanone | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 4-Chlorotoluene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 4-Methyl-2-pentanone (MIBK) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Acetone | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Acetonitrile | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Acrolein (Propenal) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Acrylonitrile | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Benzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Bromobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Bromochloromethane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Bromodichloromethane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Bromoform | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Carbon disulfide | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Carbon tetrachloride | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Chlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Chlorodibromomethane (Dibromochloromethane) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Chloroethane (Ethyl chloride) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Chloroform | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | cis-1,2-Dichloroethylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | cis-1,3-Dichloropropene (cis-1,3-Dichloropropylene) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Dibromomethane (Methylene bromide) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Dichlorodifluoromethane (Freon-12) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Ethylbenzene | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052018-1

Expiration Date: 7/31/2018

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Non Potable Water)

| Method | Analyte | Start Date | Date Expires | Status |
|----------|---|------------|--------------|-----------|
| EPA 8260 | Hexachlorobutadiene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Isopropylbenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | m+p-xylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Methyl bromide (Bromomethane) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Methyl chloride (Chloromethane) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Methyl tert-butyl ether (MTBE) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Methylene chloride (Dichloromethane) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Naphthalene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | n-Butylbenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | n-Propylbenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | o-Xylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | sec-Butylbenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Styrene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | tert-Butylbenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Tetrachloroethylene (Perchloroethylene) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Toluene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | trans-1,2-Dichloroethylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | trans-1,3-Dichloropropene (trans-1,3-Dichloropropylene) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Trichloroethene (Trichloroethylene) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Trichlorofluoromethane (Fluorotrichloromethane, Freon 11) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Vinyl acetate | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Vinyl chloride | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Xylene (total) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 1,2,4,5-Tetrachlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 1,2,4-Trichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 1,2-Dichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 1,3-Dichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 1,4-Dichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2,4,5-Trichlorophenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2,4,6-Trichlorophenol | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052018-1

Expiration Date: 7/31/2018

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Non Potable Water)

| Method | Analyte | Start Date | Date Expires | Status |
|----------|---|------------|--------------|-----------|
| EPA 8270 | 2,4-Dichlorophenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2,4-Dimethylphenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2,4-Dinitrophenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2,4-Dinitrotoluene (2,4-DNT) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2,6-Dinitrotoluene (2,6-DNT) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2-Chloronaphthalene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2-Chlorophenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2-Methylnaphthalene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2-Methylphenol (o-Cresol) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2-Nitroaniline | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2-Nitrophenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 3 & 4-Methylphenol (m & p-Cresol) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 3,3'-Dichlorobenzidine | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 3-Nitroaniline | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 4-Bromophenyl phenyl ether | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 4-Chloro-3-methylphenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 4-Chloroaniline | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 4-Chlorophenyl phenylether | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 4-Nitroaniline | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 4-Nitrophenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Acenaphthene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Acenaphthylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Acetophenone | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Aniline | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Anthracene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Atrazine | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Benzidine | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Benzo(a)anthracene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Benzo(a)pyrene | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **MT00005**

Attachment to Certificate Number: **MT000052018-1**

Expiration Date: **7/31/2018**

Energy Laboratories, Inc. - MT
 1120 South 27th St. Billings, MT 59101

Matrix: **RCRA (Non Potable Water)**

| Method | Analyte | Start Date | Date Expires | Status |
|----------|---|------------|--------------|-----------|
| EPA 8270 | Benzo(b)fluoranthene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Benzo(g,h,i)perylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Benzo(k)fluoranthene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Benzoic acid | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Benzyl alcohol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | bis(2-Chloroethoxy)methane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | bis(2-Chloroethyl) ether | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | bis(2-Chloroisopropyl) ether, (2,2'-Oxybis(1-chloropropane)) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | bis(2-Ethylhexyl)phthalate,(DEHP, Di(2-ethylhexyl) phthalate) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Butyl benzyl phthalate | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Carbazole | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Chrysene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Dibenz(a,h) anthracene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Dibenzofuran | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Diethyl phthalate | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Dimethyl phthalate | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Di-n-butyl phthalate | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Di-n-octyl phthalate | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Fluoranthene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Fluorene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Hexachlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Hexachlorobutadiene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Hexachlorocyclopentadiene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Hexachloroethane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Indeno(1,2,3-cd) pyrene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Isophorone | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Naphthalene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Nitrobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | n-Nitrosodimethylamine | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | n-Nitrosodi-n-propylamine | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **MT00005**


Attachment to Certificate Number: **MT000052018-1**

Expiration Date: **7/31/2018**

Energy Laboratories, Inc. - MT
 1120 South 27th St. Billings, MT 59101

Matrix: **RCRA (Non Potable Water)**

| Method | Analyte | Start Date | Date Expires | Status |
|----------|------------------------|------------|--------------|-----------|
| EPA 8270 | n-Nitrosodiphenylamine | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Pentachlorophenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Phenanthrene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Phenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Pyrene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Pyridine | 8/1/2017 | 7/31/2018 | Certified |



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052018-1

Expiration Date: 7/31/2018

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Solid & Waste Materials)

| Method | Analyte | Start Date | Date Expires | Status |
|-----------------------|---------------------------|------------|--------------|-----------------|
| Discipline: Chemistry | | | | |
| EPA 1010 | Ignitability | 8/1/2017 | 7/31/2018 | Certified |
| EPA 1311-Herbicides | TCLP extracted Herbicides | 8/1/2017 | 7/31/2018 | Certified |
| EPA 1311-Metals | TCLP extracted Metals | 8/1/2017 | 7/31/2018 | Certified |
| EPA 1311-Pest | TCLP extracted Pesticides | 8/1/2017 | 7/31/2018 | Certified |
| EPA 1311-SOCs | TCLP extracted SOCs | 8/1/2017 | 7/31/2018 | Certified |
| EPA 1311-VOCs | TCLP extracted VOCs | 8/1/2017 | 7/31/2018 | Certified |
| EPA 1312-Metals | SPLP extracted Metals | 8/1/2017 | 7/31/2018 | Nevada Approved |
| EPA 1312-SOCs | SPLP extracted SOCs | 8/1/2017 | 7/31/2018 | Nevada Approved |
| EPA 1312-VOCs | SPLP extracted VOCs | 8/1/2017 | 7/31/2018 | Nevada Approved |
| EPA 3050 | Acid digest for metals | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Aluminum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Antimony | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Arsenic | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Barium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Beryllium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Boron | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Cadmium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Calcium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Chromium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Cobalt | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Copper | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Iron | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Lead | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Lithium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Magnesium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Manganese | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Molybdenum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Nickel | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Phosphorus, total | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **MT00005**

Attachment to Certificate Number: **MT000052018-1**

Expiration Date: **7/31/2018**

Energy Laboratories, Inc. - MT
 1120 South 27th St. Billings, MT 59101

Matrix: **RCRA (Solid & Waste Materials)**

| Method | Analyte | Start Date | Date Expires | Status |
|----------|----------------|------------|--------------|-----------|
| EPA 6010 | Potassium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Selenium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Silica as SiO2 | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Silver | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Sodium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Strontium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Thallium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Tin | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Titanium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Vanadium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6010 | Zinc | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Aluminum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Antimony | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Arsenic | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Barium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Beryllium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Boron | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Cadmium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Calcium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Chromium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Cobalt | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Copper | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Iron | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Lead | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Magnesium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Manganese | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Molybdenum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Nickel | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Potassium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Selenium | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052018-1

Expiration Date: 7/31/2018

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Solid & Waste Materials)

| Method | Analyte | Start Date | Date Expires | Status |
|-------------|---------------------------------------|------------|--------------|-----------|
| EPA 6020 | Silver | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Sodium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Strontium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Thallium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Tin | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Titanium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Vanadium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 6020 | Zinc | 8/1/2017 | 7/31/2018 | Certified |
| EPA 7.3.3.2 | Reactive Cyanide | 8/1/2017 | 7/31/2018 | Certified |
| EPA 7.3.3.2 | Reactivity | 8/1/2017 | 7/31/2018 | Certified |
| EPA 7.3.4.2 | Reactive sulfide | 8/1/2017 | 7/31/2018 | Certified |
| EPA 7471 | Mercury | 8/1/2017 | 7/31/2018 | Certified |
| EPA 7473 | Mercury | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8015 | Diesel range organics (DRO) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8015 | Gasoline range organics (GRO) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1016 (PCB-1016) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1016 in Oil (PCB-1016 in Oil) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1221 (PCB-1221) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1232 (PCB-1232) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1242 (PCB-1242) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1242 in Oil (PCB-1242 in Oil) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1248 (PCB-1248) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1254 (PCB-1254) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1254 in Oil (PCB-1254 in Oil) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1260 (PCB-1260) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Aroclor-1260 in Oil (PCB-1260 in Oil) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8082 | Total PCBs | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,1,1,2-Tetrachloroethane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,1,1-Trichloroethane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,1,2,2-Tetrachloroethane | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052018-1

Expiration Date: 7/31/2018

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Solid & Waste Materials)

| Method | Analyte | Start Date | Date Expires | Status |
|----------|--|------------|--------------|-----------|
| EPA 8260 | 1,1,2-Trichloroethane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,1-Dichloroethane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,1-Dichloroethylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,1-Dichloropropene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,2,3-Trichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,2,3-Trichloropropane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,2,4-Trichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,2,4-Trimethylbenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,2-Dibromoethane (EDB, Ethylene dibromide) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,2-Dichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,2-Dichloroethane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,2-Dichloropropane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,3,5-Trimethylbenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,3-Dichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,3-Dichloropropane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 1,4-Dichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 2-Butanone (Methyl ethyl ketone, MEK) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 2-Chloroethyl vinyl ether | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 2-Chlorotoluene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 2-Hexanone | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 4-Chlorotoluene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | 4-Methyl-2-pentanone (MIBK) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Acetone | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Acetonitrile | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Acrolein (Propenal) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Benzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Bromobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Bromochloromethane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Bromodichloromethane | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052018-1

Expiration Date: 7/31/2018

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Solid & Waste Materials)

| Method | Analyte | Start Date | Date Expires | Status |
|----------|---|------------|--------------|-----------|
| EPA 8260 | Bromoform | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Carbon disulfide | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Carbon tetrachloride | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Chlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Chlorodibromomethane (Dibromochloromethane) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Chloroethane (Ethyl chloride) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Chloroform | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | cis-1,2-Dichloroethylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | cis-1,3-Dichloropropene (cis-1,3-Dichloropropylene) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Dibromomethane (Methylene bromide) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Dichlorodifluoromethane (Freon-12) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Ethylbenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Hexachlorobutadiene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Isopropylbenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | m+p-xylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Methyl bromide (Bromomethane) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Methyl chloride (Chloromethane) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Methyl tert-butyl ether (MTBE) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Methylene chloride (Dichloromethane) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Naphthalene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | n-Butylbenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | n-Propylbenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | o-Xylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | sec-Butylbenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Styrene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | tert-Butylbenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Tetrachloroethylene (Perchloroethylene) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Toluene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | trans-1,2-Dichloroethylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | trans-1,3-Dichloropropene (trans-1,3-Dichloropropylene) | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **MT00005**

Attachment to Certificate Number: **MT000052018-1**

Expiration Date: **7/31/2018**

Energy Laboratories, Inc. - MT
 1120 South 27th St. Billings, MT 59101

Matrix: **RCRA (Solid & Waste Materials)**

| Method | Analyte | Start Date | Date Expires | Status |
|----------|---|------------|--------------|-----------|
| EPA 8260 | Trichloroethene (Trichloroethylene) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Trichlorofluoromethane (Fluorotrichloromethane, Freon 11) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Vinyl acetate | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Vinyl chloride | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8260 | Xylene (total) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 1,2,4,5-Tetrachlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 1,2,4-Trichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 1,2-Dichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 1,3-Dichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 1,4-Dichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2,4,5-Trichlorophenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2,4,6-Trichlorophenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2,4-Dichlorophenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2,4-Dimethylphenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2,4-Dinitrophenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2,4-Dinitrotoluene (2,4-DNT) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2,6-Dinitrotoluene (2,6-DNT) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2-Chloronaphthalene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2-Chlorophenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2-Methylnaphthalene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2-Methylphenol (o-Cresol) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2-Nitroaniline | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 2-Nitrophenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 3 & 4-Methylphenol (m & p-Cresol) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 3,3'-Dichlorobenzidine | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 3-Nitroaniline | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 4-Bromophenyl phenyl ether | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 4-Chloro-3-methylphenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 4-Chloroaniline | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **MT00005**

Attachment to Certificate Number: **MT000052018-1**

Expiration Date: **7/31/2018**

Energy Laboratories, Inc. - MT
 1120 South 27th St. Billings, MT 59101

Matrix: **RCRA (Solid & Waste Materials)**

| Method | Analyte | Start Date | Date Expires | Status |
|----------|---|------------|--------------|-----------|
| EPA 8270 | 4-Chlorophenyl phenylether | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 4-Nitroaniline | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | 4-Nitrophenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Acenaphthene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Acenaphthylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Acetophenone | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Aniline | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Anthracene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Atrazine | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Benzidine | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Benzo(a)anthracene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Benzo(a)pyrene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Benzo(b)fluoranthene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Benzo(g,h,i)perylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Benzo(k)fluoranthene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Benzoic acid | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Benzyl alcohol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | bis(2-Chloroethoxy)methane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | bis(2-Chloroethyl) ether | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | bis(2-Chloroisopropyl) ether, (2,2'-Oxybis(1-chloropropane)) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | bis(2-Ethylhexyl)phthalate,(DEHP, Di(2-ethylhexyl) phthalate) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Butyl benzyl phthalate | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Carbazole | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Chrysene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Dibenz(a,h) anthracene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Dibenzofuran | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Diethyl phthalate | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Dimethyl phthalate | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Di-n-butyl phthalate | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Di-n-octyl phthalate | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **MT00005**

Attachment to Certificate Number: **MT000052018-1**

Expiration Date: **7/31/2018**

Energy Laboratories, Inc. - MT
 1120 South 27th St. Billings, MT 59101

Matrix: **RCRA (Solid & Waste Materials)**

| Method | Analyte | Start Date | Date Expires | Status |
|----------|---------------------------|------------|--------------|-----------|
| EPA 8270 | Fluoranthene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Fluorene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Hexachlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Hexachlorobutadiene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Hexachlorocyclopentadiene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Hexachloroethane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Indeno(1,2,3-cd) pyrene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Isophorone | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Naphthalene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Nitrobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | n-Nitrosodimethylamine | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | n-Nitrosodi-n-propylamine | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | n-Nitrosodiphenylamine | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Pentachlorophenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Phenanthrene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Phenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Pyrene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 8270 | Pyridine | 8/1/2017 | 7/31/2018 | Certified |
| EPA 9012 | Cyanide, Total | 8/1/2017 | 7/31/2018 | Certified |
| EPA 9045 | Corrosivity (pH) | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052018-1

Expiration Date: 7/31/2018

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: **SDWA (Potable Water)**

| Method | Analyte | Start Date | Date Expires | Status |
|-----------------------|----------------------------|------------|--------------|-----------|
| Discipline: Chemistry | | | | |
| EPA 200.7 | Aluminum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Barium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Beryllium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Boron | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Cadmium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Calcium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Chromium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Copper | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Iron | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Magnesium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Manganese | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Nickel | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Potassium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Silica as SiO ₂ | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Silver | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Sodium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.7 | Zinc | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Aluminum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Antimony | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Arsenic | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Barium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Beryllium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Boron | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Cadmium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Chromium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Cobalt | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Copper | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Lead | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Manganese | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052018-1

Expiration Date: 7/31/2018

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: **SDWA (Potable Water)**

| Method | Analyte | Start Date | Date Expires | Status |
|-----------|--|------------|--------------|-----------|
| EPA 200.8 | Mercury | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Molybdenum | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Nickel | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Selenium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Silver | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Strontium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Thallium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Uranium (Nat.) Total Mass | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Vanadium | 8/1/2017 | 7/31/2018 | Certified |
| EPA 200.8 | Zinc | 8/1/2017 | 7/31/2018 | Certified |
| EPA 245.1 | Mercury | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Bromide | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Chloride | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Fluoride | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Nitrate as N | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Nitrite as N | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Orthophosphate as P | 8/1/2017 | 7/31/2018 | Certified |
| EPA 300.0 | Sulfate | 8/1/2017 | 7/31/2018 | Certified |
| EPA 353.2 | Nitrate as N | 8/1/2017 | 7/31/2018 | Certified |
| EPA 353.2 | Nitrate-nitrite | 8/1/2017 | 7/31/2018 | Certified |
| EPA 353.2 | Nitrite as N | 8/1/2017 | 7/31/2018 | Certified |
| EPA 365.1 | Orthophosphate as P | 8/1/2017 | 7/31/2018 | Certified |
| EPA 504.1 | 1,2,3-Trichloropropane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 504.1 | 1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 504.1 | 1,2-Dibromoethane (EDB, Ethylene dibromide) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 515.4 | 2,4-D | 8/1/2017 | 7/31/2018 | Certified |
| EPA 515.4 | Dalapon | 8/1/2017 | 7/31/2018 | Certified |
| EPA 515.4 | Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 515.4 | Pentachlorophenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 515.4 | Picloram | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052018-1

Expiration Date: 7/31/2018

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: SDWA (Potable Water)

| Method | Analyte | Start Date | Date Expires | Status |
|-----------|---|------------|--------------|-----------|
| EPA 515.4 | Silvex (2,4,5-TP) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | 1,1,1-Trichloroethane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | 1,1,2-Trichloroethane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | 1,1-Dichloroethylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | 1,2,4-Trichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | 1,2-Dichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | 1,2-Dichloroethane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | 1,2-Dichloropropane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | 1,4-Dichlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | Benzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | Bromodichloromethane | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | Bromoform | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | Carbon tetrachloride | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | Chlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | Chlorodibromomethane (Dibromochloromethane) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | Chloroform | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | cis-1,2-Dichloroethylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | Ethylbenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | Methylene chloride (Dichloromethane) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | Styrene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | Tetrachloroethylene (Perchloroethylene) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | Toluene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | Total trihalomethanes | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | trans-1,2-Dichloroethylene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | Trichloroethene (Trichloroethylene) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | Vinyl chloride | 8/1/2017 | 7/31/2018 | Certified |
| EPA 524.2 | Xylene (total) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | Alachlor | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | Aroclor-1016 (PCB-1016) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | Aroclor-1221 (PCB-1221) | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052018-1

Expiration Date: 7/31/2018

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: SDWA (Potable Water)

| Method | Analyte | Start Date | Date Expires | Status |
|-----------|---|------------|--------------|-----------|
| EPA 525.2 | Aroclor-1232 (PCB-1232) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | Aroclor-1242 (PCB-1242) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | Aroclor-1248 (PCB-1248) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | Aroclor-1254 (PCB-1254) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | Aroclor-1260 (PCB-1260) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | Atrazine | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | Benzo(a)pyrene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | bis(2-Ethylhexyl)adipate | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | bis(2-Ethylhexyl)phthalate,(DEHP, Di(2-ethylhexyl) phthalate) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | Chlordane (tech.) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | Endrin | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | gamma-BHC (Lindane) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | Heptachlor | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | Heptachlor epoxide | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | Hexachlorobenzene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | Hexachlorocyclopentadiene | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | Metolachlor | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | PCB Aroclor Identification (PCBs as Aroclors) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | Pentachlorophenol | 8/1/2017 | 7/31/2018 | Certified |
| EPA 525.2 | Simazine | 8/1/2017 | 7/31/2018 | Certified |
| EPA 548.1 | Endothall | 8/1/2017 | 7/31/2018 | Certified |
| EPA 552.2 | Bromoacetic acid (Monobromoacetic acid, MBAA) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 552.2 | Bromochloroacetic acid (BCAA) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 552.2 | Chloroacetic acid (Monochloroacetic acid, MCAA) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 552.2 | Dibromoacetic acid (DBAA) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 552.2 | Dichloroacetic acid (DCAA) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 552.2 | Haloacetic acids (HAA5) | 8/1/2017 | 7/31/2018 | Certified |
| EPA 552.2 | Trichloroacetic acid (TCAA) | 8/1/2017 | 7/31/2018 | Certified |
| Kelada 01 | Cyanide | 8/1/2017 | 7/31/2018 | Certified |
| SM 2120 B | Color | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052018-1

Expiration Date: 7/31/2018

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: SDWA (Potable Water)

| Method | Analyte | Start Date | Date Expires | Status |
|--------------------------|---------------------------------------|------------|--------------|-----------|
| SM 2130 B | Turbidity | 8/1/2017 | 7/31/2018 | Certified |
| SM 2150 B | Odor | 8/1/2017 | 7/31/2018 | Certified |
| SM 2320 B | Alkalinity as CaCO ₃ | 8/1/2017 | 7/31/2018 | Certified |
| SM 2330 B | Corrosivity (langlier index) | 8/1/2017 | 7/31/2018 | Certified |
| SM 2340 B | Calcium hardness as CaCO ₃ | 8/1/2017 | 7/31/2018 | Certified |
| SM 2340 B | Hardness by calculation | 8/1/2017 | 7/31/2018 | Certified |
| SM 2510 B | Conductivity | 8/1/2017 | 7/31/2018 | Certified |
| SM 2540 C | Residue-filterable (TDS) | 8/1/2017 | 7/31/2018 | Certified |
| SM 4500-F ⁻ C | Fluoride | 8/1/2017 | 7/31/2018 | Certified |
| SM 4500-H+ B | pH | 8/1/2017 | 7/31/2018 | Certified |
| SM 5540 C | Surfactants - MBAS | 8/1/2017 | 7/31/2018 | Certified |
| SM 5910 B | UV 254 | 8/1/2017 | 7/31/2018 | Certified |

Discipline: Microbiology

| | | | | |
|---|----------------------------|----------|-----------|-----------|
| Colisure® | Escherichia coli | 8/1/2017 | 7/31/2018 | Certified |
| Colisure® | Total coliforms | 8/1/2017 | 7/31/2018 | Certified |
| EPA 1603 (mTEC mod) | Escherichia coli | 8/1/2017 | 7/31/2018 | Certified |
| IDEXX Colilert® | Escherichia coli | 8/1/2017 | 7/31/2018 | Certified |
| IDEXX Colilert® | Total coliforms | 8/1/2017 | 7/31/2018 | Certified |
| IDEXX Colilert®-18 | Escherichia coli | 8/1/2017 | 7/31/2018 | Certified |
| IDEXX Colilert®-18 | Total coliforms | 8/1/2017 | 7/31/2018 | Certified |
| IDEXX Quanti-Tray® under SWTR | E. coli enumeration | 8/1/2017 | 7/31/2018 | Certified |
| IDEXX Quanti-Tray® with Colilert® under SWTR | Total Coliform Enumeration | 8/1/2017 | 7/31/2018 | Certified |
| SM 9221 B [LTB] | Total coliforms | 8/1/2017 | 7/31/2018 | Certified |
| SM 9221 B/D (LTB/P-A) or 9222B (M-Endo)+SM 9221 E (EC) [2006] | Fecal coliforms | 8/1/2017 | 7/31/2018 | Certified |
| SM 9222 B (M-Endo) | Total coliforms | 8/1/2017 | 7/31/2018 | Certified |
| SM 9222 D (m-FC) under SWTR | Fecal coliforms | 8/1/2017 | 7/31/2018 | Certified |

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.