

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052019-1

Expiration Date: 7/31/2019

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
ASTM D2036C-06	Cyanide, WAD	8/1/2018	7/31/2019	Certified
EPA 200.7	Aluminum	8/1/2018	7/31/2019	Certified
EPA 200.7	Antimony	8/1/2018	7/31/2019	Certified
EPA 200.7	Arsenic	8/1/2018	7/31/2019	Certified
EPA 200.7	Barium	8/1/2018	7/31/2019	Certified
EPA 200.7	Beryllium	8/1/2018	7/31/2019	Certified
EPA 200.7	Boron	8/1/2018	7/31/2019	Certified
EPA 200.7	Cadmium	8/1/2018	7/31/2019	Certified
EPA 200.7	Calcium	8/1/2018	7/31/2019	Certified
EPA 200.7	Chromium	8/1/2018	7/31/2019	Certified
EPA 200.7	Cobalt	8/1/2018	7/31/2019	Certified
EPA 200.7	Copper	8/1/2018	7/31/2019	Certified
EPA 200.7	Iron	8/1/2018	7/31/2019	Certified
EPA 200.7	Lead	8/1/2018	7/31/2019	Certified
EPA 200.7	Lithium	8/1/2018	7/31/2019	Certified
EPA 200.7	Magnesium	8/1/2018	7/31/2019	Certified
EPA 200.7	Manganese	8/1/2018	7/31/2019	Certified
EPA 200.7	Molybdenum	8/1/2018	7/31/2019	Certified
EPA 200.7	Nickel	8/1/2018	7/31/2019	Certified
EPA 200.7	Phosphorus, total	8/1/2018	7/31/2019	Certified
EPA 200.7	Potassium	8/1/2018	7/31/2019	Certified
EPA 200.7	Selenium	8/1/2018	7/31/2019	Certified
EPA 200.7	Silica as SiO2	8/1/2018	7/31/2019	Certified
EPA 200.7	Silver	8/1/2018	7/31/2019	Certified
EPA 200.7	Sodium	8/1/2018	7/31/2019	Certified
EPA 200.7	Strontium	8/1/2018	7/31/2019	Certified
EPA 200.7	Thallium	8/1/2018	7/31/2019	Certified
EPA 200.7	Tin	8/1/2018	7/31/2019	Certified
EPA 200.7	Titanium	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052019-1

Expiration Date: 7/31/2019

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 200.7	Vanadium	8/1/2018	7/31/2019	Certified
EPA 200.7	Zinc	8/1/2018	7/31/2019	Certified
EPA 200.8	Aluminum	8/1/2018	7/31/2019	Certified
EPA 200.8	Antimony	8/1/2018	7/31/2019	Certified
EPA 200.8	Arsenic	8/1/2018	7/31/2019	Certified
EPA 200.8	Barium	8/1/2018	7/31/2019	Certified
EPA 200.8	Beryllium	8/1/2018	7/31/2019	Certified
EPA 200.8	Boron	8/1/2018	7/31/2019	Certified
EPA 200.8	Cadmium	8/1/2018	7/31/2019	Certified
EPA 200.8	Calcium	8/1/2018	7/31/2019	Certified
EPA 200.8	Chromium	8/1/2018	7/31/2019	Certified
EPA 200.8	Cobalt	8/1/2018	7/31/2019	Certified
EPA 200.8	Copper	8/1/2018	7/31/2019	Certified
EPA 200.8	Iron	8/1/2018	7/31/2019	Certified
EPA 200.8	Lead	8/1/2018	7/31/2019	Certified
EPA 200.8	Magnesium	8/1/2018	7/31/2019	Certified
EPA 200.8	Manganese	8/1/2018	7/31/2019	Certified
EPA 200.8	Molybdenum	8/1/2018	7/31/2019	Certified
EPA 200.8	Nickel	8/1/2018	7/31/2019	Certified
EPA 200.8	Potassium	8/1/2018	7/31/2019	Certified
EPA 200.8	Selenium	8/1/2018	7/31/2019	Certified
EPA 200.8	Silver	8/1/2018	7/31/2019	Certified
EPA 200.8	Sodium	8/1/2018	7/31/2019	Certified
EPA 200.8	Strontium	8/1/2018	7/31/2019	Certified
EPA 200.8	Thallium	8/1/2018	7/31/2019	Certified
EPA 200.8	Tin	8/1/2018	7/31/2019	Certified
EPA 200.8	Titanium	8/1/2018	7/31/2019	Certified
EPA 200.8	Uranium (Chemical or Metal)	8/1/2018	7/31/2019	Certified
EPA 200.8	Vanadium	8/1/2018	7/31/2019	Certified
EPA 200.8	Zinc	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052019-1

Expiration Date: 7/31/2019

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 245.1	Mercury	8/1/2018	7/31/2019	Certified
EPA 245.7	Mercury	8/1/2018	7/31/2019	Certified
EPA 300.0	Bromide	8/1/2018	7/31/2019	Certified
EPA 300.0	Chloride	8/1/2018	7/31/2019	Certified
EPA 300.0	Fluoride	8/1/2018	7/31/2019	Certified
EPA 300.0	Nitrate as N	8/1/2018	7/31/2019	Certified
EPA 300.0	Nitrate-nitrite	8/1/2018	7/31/2019	Certified
EPA 300.0	Nitrite as N	8/1/2018	7/31/2019	Certified
EPA 300.0	Orthophosphate as P	8/1/2018	7/31/2019	Certified
EPA 300.0	Sulfate	8/1/2018	7/31/2019	Certified
EPA 335.4	Cyanide, Total	8/1/2018	7/31/2019	Certified
EPA 350.1	Ammonia as N	8/1/2018	7/31/2019	Certified
EPA 351.2	Kjeldahl nitrogen - total	8/1/2018	7/31/2019	Certified
EPA 353.2	Nitrate-nitrite	8/1/2018	7/31/2019	Certified
EPA 353.2	Nitrite as N	8/1/2018	7/31/2019	Certified
EPA 365.1	Orthophosphate as P	8/1/2018	7/31/2019	Certified
EPA 365.1	Phosphorus, total	8/1/2018	7/31/2019	Certified
EPA 410.4	Chemical oxygen demand	8/1/2018	7/31/2019	Certified
EPA 420.4	Total phenolics	8/1/2018	7/31/2019	Certified
Kelada 01	Cyanide, Total	8/1/2018	7/31/2019	Certified
Nitrate Calculation	Nitrate-N (by calculation)	8/1/2018	7/31/2019	Certified
Organic Nitrogen by Calculation (TKN - NH3)	Organic nitrogen	8/1/2018	7/31/2019	Certified
SM 2120 B	Color	8/1/2018	7/31/2019	Certified
SM 2130 B	Turbidity	8/1/2018	7/31/2019	Certified
SM 2310 B	Acidity, as CaCO3	8/1/2018	7/31/2019	Certified
SM 2320 B	Alkalinity as CaCO3	8/1/2018	7/31/2019	Certified
SM 2340 B	Hardness by calculation	8/1/2018	7/31/2019	Certified
SM 2510 B	Conductivity	8/1/2018	7/31/2019	Certified
SM 2540 B	Residue-total, dissolved and suspended	8/1/2018	7/31/2019	Certified
SM 2540 C	Residue-filterable (TDS)	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052019-1

Expiration Date: 7/31/2019

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
SM 2540 D	Residue-nonfilterable (TSS)	8/1/2018	7/31/2019	Certified
SM 3500-Cr B	Chromium VI	8/1/2018	7/31/2019	Certified
SM 4500-CN ⁻ G,E	Cyanide, Amenable	8/1/2018	7/31/2019	Certified
SM 4500-F ⁻ C	Fluoride	8/1/2018	7/31/2019	Certified
SM 4500-H+ B	pH	8/1/2018	7/31/2019	Certified
SM 4500-S2 ⁻ D	Sulfide	8/1/2018	7/31/2019	Certified
SM 4500-S2 ⁻ F	Sulfide	8/1/2018	7/31/2019	Certified
SM 5210 B	Biochemical oxygen demand	8/1/2018	7/31/2019	Certified
SM 5210 B	Carbonaceous BOD, CBOD	8/1/2018	7/31/2019	Certified
Total Nitrogen by Calc (NO2 + NO3 + TKN)	Total Nitrogen	8/1/2018	7/31/2019	Certified

Discipline: Microbiology

EPA 1603 (mTEC mod)	E. coli enumeration	8/1/2018	7/31/2019	Certified
IDEXX Quanti-Tray® using Colilert®	E. coli enumeration	8/1/2018	7/31/2019	Certified
SM 9221 B (LTB)	Total coliform with chlorine present	8/1/2018	7/31/2019	Certified
SM 9221 B (LTB) + C MPN	Total Coliform Enumeration	8/1/2018	7/31/2019	Certified
SM 9221 B (LTB) + E (EC) + C MPN	Fecal coliforms	8/1/2018	7/31/2019	Certified
SM 9221 B (LTB) + E (EC) + C MPN	Fecal coliforms with chlorine present	8/1/2018	7/31/2019	Certified
SM 9221 E (A1)	Fecal coliforms with chlorine present	8/1/2018	7/31/2019	Certified
SM 9222 B (M-Endo)	Total Coliform Enumeration	8/1/2018	7/31/2019	Certified
SM 9222 D (m-FC)	Fecal coliforms	8/1/2018	7/31/2019	Certified
SM 9222 D (m-FC)	Fecal coliforms with chlorine present	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **MT00005**


Attachment to Certificate Number: **MT000052019-1**

Expiration Date: **7/31/2019**

Energy Laboratories, Inc. - MT
 1120 South 27th St. Billings, MT 59101

Matrix: **Mining (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 200.2	Acid digest for metals	8/1/2018	7/31/2019	Certified
EPA 200.7 minus SM 3500-Fe B (4c)	Iron-(III) (Ferric Iron)	8/1/2018	7/31/2019	Nevada Approved
SM 2580 B-2011	Redox Potential (ORP)	8/1/2018	7/31/2019	Certified
SM 3500-Fe B 4 (c)	Iron-(II) (Ferrous Iron)	8/1/2018	7/31/2019	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005
Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Attachment to Certificate Number: MT000052019-1

Expiration Date: 7/31/2019

Matrix: Mining (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
ASTM D7572	Cyanide Extraction Fluid from Soils and Mine Rock	8/1/2018	7/31/2019	Nevada Approved
ASTM E2242-13	MWMP Fluid (WITHOUT bottle roll option)	8/1/2018	7/31/2019	Nevada Approved
ASTM E2242-13 Appendix X1.2	MWMP Fluid (FROM bottle roll option_Non Percolating Material)	8/1/2018	7/31/2019	Nevada Approved
ASTM E2242-13 Appendix X1.3	MWMP Fluid (FROM bottle roll option_Fine Grained Material)	8/1/2018	7/31/2019	Nevada Approved
EPA 600/2-78-054, section 3.2.2_NV Modified	Paste pH	8/1/2018	7/31/2019	Certified
EPA 600/2-78-054, section 3.2.3_NV Modified	ANP by Titration to phenolphthalein end point (after oxidation_hydrogen peroxide)	8/1/2018	7/31/2019	Nevada Approved
EPA 600/2-78-054, section 3.2.3_NV Modified	ANP by Titration to phenolphthalein end point (without oxidation)	8/1/2018	7/31/2019	Nevada Approved
EPA 600/2-78-054, section 3.2.4_NV Modified	Total Sulfur (High Temp. Combustion Method)	8/1/2018	7/31/2019	Certified
EPA 600/2-78-054, section 3.2.6_NV Modified	HCl Extractable Sulfur	8/1/2018	7/31/2019	Nevada Approved
EPA 600/2-78-054, section 3.2.6_NV Modified	HNO3 Extractable Sulfur	8/1/2018	7/31/2019	Nevada Approved
EPA 600/2-78-054, section 3.2.6_NV Modified	Hot Water Extractable Sulfur	8/1/2018	7/31/2019	Nevada Approved

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **MT00005**

Attachment to Certificate Number: **MT000052019-1**

Expiration Date: **7/31/2019**

Energy Laboratories, Inc. - MT
 1120 South 27th St. Billings, MT 59101

Matrix: **RCRA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 6010	Aluminum	8/1/2018	7/31/2019	Certified
EPA 6010	Antimony	8/1/2018	7/31/2019	Certified
EPA 6010	Arsenic	8/1/2018	7/31/2019	Certified
EPA 6010	Barium	8/1/2018	7/31/2019	Certified
EPA 6010	Beryllium	8/1/2018	7/31/2019	Certified
EPA 6010	Boron	8/1/2018	7/31/2019	Certified
EPA 6010	Cadmium	8/1/2018	7/31/2019	Certified
EPA 6010	Calcium	8/1/2018	7/31/2019	Certified
EPA 6010	Chromium	8/1/2018	7/31/2019	Certified
EPA 6010	Cobalt	8/1/2018	7/31/2019	Certified
EPA 6010	Copper	8/1/2018	7/31/2019	Certified
EPA 6010	Iron	8/1/2018	7/31/2019	Certified
EPA 6010	Lead	8/1/2018	7/31/2019	Certified
EPA 6010	Lithium	8/1/2018	7/31/2019	Certified
EPA 6010	Magnesium	8/1/2018	7/31/2019	Certified
EPA 6010	Manganese	8/1/2018	7/31/2019	Certified
EPA 6010	Molybdenum	8/1/2018	7/31/2019	Certified
EPA 6010	Nickel	8/1/2018	7/31/2019	Certified
EPA 6010	Phosphorus, total	8/1/2018	7/31/2019	Certified
EPA 6010	Potassium	8/1/2018	7/31/2019	Certified
EPA 6010	Selenium	8/1/2018	7/31/2019	Certified
EPA 6010	Silica as SiO ₂	8/1/2018	7/31/2019	Certified
EPA 6010	Silver	8/1/2018	7/31/2019	Certified
EPA 6010	Sodium	8/1/2018	7/31/2019	Certified
EPA 6010	Strontium	8/1/2018	7/31/2019	Certified
EPA 6010	Thallium	8/1/2018	7/31/2019	Certified
EPA 6010	Tin	8/1/2018	7/31/2019	Certified
EPA 6010	Titanium	8/1/2018	7/31/2019	Certified
EPA 6010	Vanadium	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052019-1

Expiration Date: 7/31/2019

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 6010	Zinc	8/1/2018	7/31/2019	Certified
EPA 6020	Aluminum	8/1/2018	7/31/2019	Certified
EPA 6020	Antimony	8/1/2018	7/31/2019	Certified
EPA 6020	Arsenic	8/1/2018	7/31/2019	Certified
EPA 6020	Barium	8/1/2018	7/31/2019	Certified
EPA 6020	Beryllium	8/1/2018	7/31/2019	Certified
EPA 6020	Boron	8/1/2018	7/31/2019	Certified
EPA 6020	Cadmium	8/1/2018	7/31/2019	Certified
EPA 6020	Calcium	8/1/2018	7/31/2019	Certified
EPA 6020	Chromium	8/1/2018	7/31/2019	Certified
EPA 6020	Cobalt	8/1/2018	7/31/2019	Certified
EPA 6020	Copper	8/1/2018	7/31/2019	Certified
EPA 6020	Iron	8/1/2018	7/31/2019	Certified
EPA 6020	Lead	8/1/2018	7/31/2019	Certified
EPA 6020	Magnesium	8/1/2018	7/31/2019	Certified
EPA 6020	Manganese	8/1/2018	7/31/2019	Certified
EPA 6020	Molybdenum	8/1/2018	7/31/2019	Certified
EPA 6020	Nickel	8/1/2018	7/31/2019	Certified
EPA 6020	Potassium	8/1/2018	7/31/2019	Certified
EPA 6020	Selenium	8/1/2018	7/31/2019	Certified
EPA 6020	Silver	8/1/2018	7/31/2019	Certified
EPA 6020	Sodium	8/1/2018	7/31/2019	Certified
EPA 6020	Strontium	8/1/2018	7/31/2019	Certified
EPA 6020	Thallium	8/1/2018	7/31/2019	Certified
EPA 6020	Tin	8/1/2018	7/31/2019	Certified
EPA 6020	Titanium	8/1/2018	7/31/2019	Certified
EPA 6020	Vanadium	8/1/2018	7/31/2019	Certified
EPA 6020	Zinc	8/1/2018	7/31/2019	Certified
EPA 7470	Mercury	8/1/2018	7/31/2019	Certified
EPA 8015	Diesel range organics (DRO)	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052019-1

Expiration Date: 7/31/2019

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 8015	Gasoline range organics (GRO)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1016 (PCB-1016)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1016 in Oil (PCB-1016 in Oil)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1221 (PCB-1221)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1232 (PCB-1232)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1242 (PCB-1242)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1242 in Oil (PCB-1242 in Oil)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1248 (PCB-1248)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1254 (PCB-1254)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1254 in Oil (PCB-1254 in Oil)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1260 (PCB-1260)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1260 in Oil (PCB-1260 in Oil)	8/1/2018	7/31/2019	Certified
EPA 8082	PCB Aroclor Identification (PCBs as Aroclors)	8/1/2018	7/31/2019	Certified
EPA 8082	Total PCBs	8/1/2018	7/31/2019	Certified
EPA 8260	1,1,1,2-Tetrachloroethane	8/1/2018	7/31/2019	Certified
EPA 8260	1,1,1-Trichloroethane	8/1/2018	7/31/2019	Certified
EPA 8260	1,1,2,2-Tetrachloroethane	8/1/2018	7/31/2019	Certified
EPA 8260	1,1,2-Trichloroethane	8/1/2018	7/31/2019	Certified
EPA 8260	1,1-Dichloroethane	8/1/2018	7/31/2019	Certified
EPA 8260	1,1-Dichloroethylene	8/1/2018	7/31/2019	Certified
EPA 8260	1,1-Dichloropropene	8/1/2018	7/31/2019	Certified
EPA 8260	1,2,3-Trichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8260	1,2,3-Trichloropropane	8/1/2018	7/31/2019	Certified
EPA 8260	1,2,4-Trichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8260	1,2,4-Trimethylbenzene	8/1/2018	7/31/2019	Certified
EPA 8260	1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane)	8/1/2018	7/31/2019	Certified
EPA 8260	1,2-Dibromoethane (EDB, Ethylene dibromide)	8/1/2018	7/31/2019	Certified
EPA 8260	1,2-Dichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8260	1,2-Dichloroethane	8/1/2018	7/31/2019	Certified
EPA 8260	1,2-Dichloropropane	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052019-1

Expiration Date: 7/31/2019

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 8260	1,3,5-Trimethylbenzene	8/1/2018	7/31/2019	Certified
EPA 8260	1,3-Dichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8260	1,3-Dichloropropane	8/1/2018	7/31/2019	Certified
EPA 8260	1,4-Dichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8260	2-Butanone (Methyl ethyl ketone, MEK)	8/1/2018	7/31/2019	Certified
EPA 8260	2-Chloroethyl vinyl ether	8/1/2018	7/31/2019	Certified
EPA 8260	2-Chlorotoluene	8/1/2018	7/31/2019	Certified
EPA 8260	2-Hexanone	8/1/2018	7/31/2019	Certified
EPA 8260	4-Chlorotoluene	8/1/2018	7/31/2019	Certified
EPA 8260	4-Methyl-2-pentanone (MIBK)	8/1/2018	7/31/2019	Certified
EPA 8260	Acetone	8/1/2018	7/31/2019	Certified
EPA 8260	Acetonitrile	8/1/2018	7/31/2019	Certified
EPA 8260	Acrolein (Propenal)	8/1/2018	7/31/2019	Certified
EPA 8260	Acrylonitrile	8/1/2018	7/31/2019	Certified
EPA 8260	Benzene	8/1/2018	7/31/2019	Certified
EPA 8260	Bromobenzene	8/1/2018	7/31/2019	Certified
EPA 8260	Bromochloromethane	8/1/2018	7/31/2019	Certified
EPA 8260	Bromodichloromethane	8/1/2018	7/31/2019	Certified
EPA 8260	Bromoform	8/1/2018	7/31/2019	Certified
EPA 8260	Carbon disulfide	8/1/2018	7/31/2019	Certified
EPA 8260	Carbon tetrachloride	8/1/2018	7/31/2019	Certified
EPA 8260	Chlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8260	Chlorodibromomethane (Dibromochloromethane)	8/1/2018	7/31/2019	Certified
EPA 8260	Chloroethane (Ethyl chloride)	8/1/2018	7/31/2019	Certified
EPA 8260	Chloroform	8/1/2018	7/31/2019	Certified
EPA 8260	cis-1,2-Dichloroethylene	8/1/2018	7/31/2019	Certified
EPA 8260	cis-1,3-Dichloropropene (cis-1,3-Dichloropropylene)	8/1/2018	7/31/2019	Certified
EPA 8260	Dibromomethane (Methylene bromide)	8/1/2018	7/31/2019	Certified
EPA 8260	Dichlorodifluoromethane (Freon-12)	8/1/2018	7/31/2019	Certified
EPA 8260	Ethylbenzene	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052019-1

Expiration Date: 7/31/2019

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 8260	Hexachlorobutadiene	8/1/2018	7/31/2019	Certified
EPA 8260	Isopropylbenzene	8/1/2018	7/31/2019	Certified
EPA 8260	m+p-xylene	8/1/2018	7/31/2019	Certified
EPA 8260	Methyl bromide (Bromomethane)	8/1/2018	7/31/2019	Certified
EPA 8260	Methyl chloride (Chloromethane)	8/1/2018	7/31/2019	Certified
EPA 8260	Methyl tert-butyl ether (MTBE)	8/1/2018	7/31/2019	Certified
EPA 8260	Methylene chloride (Dichloromethane)	8/1/2018	7/31/2019	Certified
EPA 8260	Naphthalene	8/1/2018	7/31/2019	Certified
EPA 8260	n-Butylbenzene	8/1/2018	7/31/2019	Certified
EPA 8260	n-Propylbenzene	8/1/2018	7/31/2019	Certified
EPA 8260	o-Xylene	8/1/2018	7/31/2019	Certified
EPA 8260	sec-Butylbenzene	8/1/2018	7/31/2019	Certified
EPA 8260	Styrene	8/1/2018	7/31/2019	Certified
EPA 8260	tert-Butylbenzene	8/1/2018	7/31/2019	Certified
EPA 8260	Tetrachloroethylene (Perchloroethylene)	8/1/2018	7/31/2019	Certified
EPA 8260	Toluene	8/1/2018	7/31/2019	Certified
EPA 8260	trans-1,2-Dichloroethylene	8/1/2018	7/31/2019	Certified
EPA 8260	trans-1,3-Dichloropropene (trans-1,3-Dichloropropylene)	8/1/2018	7/31/2019	Certified
EPA 8260	Trichloroethene (Trichloroethylene)	8/1/2018	7/31/2019	Certified
EPA 8260	Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	8/1/2018	7/31/2019	Certified
EPA 8260	Vinyl acetate	8/1/2018	7/31/2019	Certified
EPA 8260	Vinyl chloride	8/1/2018	7/31/2019	Certified
EPA 8260	Xylene (total)	8/1/2018	7/31/2019	Certified
EPA 8270	1,2,4,5-Tetrachlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8270	1,2,4-Trichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8270	1,2-Dichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8270	1,3-Dichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8270	1,4-Dichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8270	2,4,5-Trichlorophenol	8/1/2018	7/31/2019	Certified
EPA 8270	2,4,6-Trichlorophenol	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **MT00005**

Attachment to Certificate Number: **MT000052019-1**

Expiration Date: **7/31/2019**

Energy Laboratories, Inc. - MT
 1120 South 27th St. Billings, MT 59101

Matrix: **RCRA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 8270	2,4-Dichlorophenol	8/1/2018	7/31/2019	Certified
EPA 8270	2,4-Dimethylphenol	8/1/2018	7/31/2019	Certified
EPA 8270	2,4-Dinitrophenol	8/1/2018	7/31/2019	Certified
EPA 8270	2,4-Dinitrotoluene (2,4-DNT)	8/1/2018	7/31/2019	Certified
EPA 8270	2,6-Dinitrotoluene (2,6-DNT)	8/1/2018	7/31/2019	Certified
EPA 8270	2-Chloronaphthalene	8/1/2018	7/31/2019	Certified
EPA 8270	2-Chlorophenol	8/1/2018	7/31/2019	Certified
EPA 8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	8/1/2018	7/31/2019	Certified
EPA 8270	2-Methylnaphthalene	8/1/2018	7/31/2019	Certified
EPA 8270	2-Methylphenol (o-Cresol)	8/1/2018	7/31/2019	Certified
EPA 8270	2-Nitroaniline	8/1/2018	7/31/2019	Certified
EPA 8270	2-Nitrophenol	8/1/2018	7/31/2019	Certified
EPA 8270	3 & 4-Methylphenol (m & p-Cresol)	8/1/2018	7/31/2019	Certified
EPA 8270	3,3'-Dichlorobenzidine	8/1/2018	7/31/2019	Certified
EPA 8270	3-Nitroaniline	8/1/2018	7/31/2019	Certified
EPA 8270	4-Bromophenyl phenyl ether	8/1/2018	7/31/2019	Certified
EPA 8270	4-Chloro-3-methylphenol	8/1/2018	7/31/2019	Certified
EPA 8270	4-Chloroaniline	8/1/2018	7/31/2019	Certified
EPA 8270	4-Chlorophenyl phenylether	8/1/2018	7/31/2019	Certified
EPA 8270	4-Nitroaniline	8/1/2018	7/31/2019	Certified
EPA 8270	4-Nitrophenol	8/1/2018	7/31/2019	Certified
EPA 8270	Acenaphthene	8/1/2018	7/31/2019	Certified
EPA 8270	Acenaphthylene	8/1/2018	7/31/2019	Certified
EPA 8270	Acetophenone	8/1/2018	7/31/2019	Certified
EPA 8270	Aniline	8/1/2018	7/31/2019	Certified
EPA 8270	Anthracene	8/1/2018	7/31/2019	Certified
EPA 8270	Atrazine	8/1/2018	7/31/2019	Certified
EPA 8270	Benzidine	8/1/2018	7/31/2019	Certified
EPA 8270	Benzo(a)anthracene	8/1/2018	7/31/2019	Certified
EPA 8270	Benzo(a)pyrene	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052019-1

Expiration Date: 7/31/2019

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 8270	Benzo(b)fluoranthene	8/1/2018	7/31/2019	Certified
EPA 8270	Benzo(g,h,i)perylene	8/1/2018	7/31/2019	Certified
EPA 8270	Benzo(k)fluoranthene	8/1/2018	7/31/2019	Certified
EPA 8270	Benzoic acid	8/1/2018	7/31/2019	Certified
EPA 8270	Benzyl alcohol	8/1/2018	7/31/2019	Certified
EPA 8270	bis(2-Chloroethoxy)methane	8/1/2018	7/31/2019	Certified
EPA 8270	bis(2-Chloroethyl) ether	8/1/2018	7/31/2019	Certified
EPA 8270	bis(2-Chloroisopropyl) ether, (2,2'-Oxybis(1-chloropropane))	8/1/2018	7/31/2019	Certified
EPA 8270	bis(2-Ethylhexyl)phthalate,(DEHP, Di(2-ethylhexyl) phthalate)	8/1/2018	7/31/2019	Certified
EPA 8270	Butyl benzyl phthalate	8/1/2018	7/31/2019	Certified
EPA 8270	Carbazole	8/1/2018	7/31/2019	Certified
EPA 8270	Chrysene	8/1/2018	7/31/2019	Certified
EPA 8270	Dibenz(a,h) anthracene	8/1/2018	7/31/2019	Certified
EPA 8270	Dibenzofuran	8/1/2018	7/31/2019	Certified
EPA 8270	Diethyl phthalate	8/1/2018	7/31/2019	Certified
EPA 8270	Dimethyl phthalate	8/1/2018	7/31/2019	Certified
EPA 8270	Di-n-butyl phthalate	8/1/2018	7/31/2019	Certified
EPA 8270	Di-n-octyl phthalate	8/1/2018	7/31/2019	Certified
EPA 8270	Fluoranthene	8/1/2018	7/31/2019	Certified
EPA 8270	Fluorene	8/1/2018	7/31/2019	Certified
EPA 8270	Hexachlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8270	Hexachlorobutadiene	8/1/2018	7/31/2019	Certified
EPA 8270	Hexachlorocyclopentadiene	8/1/2018	7/31/2019	Certified
EPA 8270	Hexachloroethane	8/1/2018	7/31/2019	Certified
EPA 8270	Indeno(1,2,3-cd) pyrene	8/1/2018	7/31/2019	Certified
EPA 8270	Isophorone	8/1/2018	7/31/2019	Certified
EPA 8270	Naphthalene	8/1/2018	7/31/2019	Certified
EPA 8270	Nitrobenzene	8/1/2018	7/31/2019	Certified
EPA 8270	n-Nitrosodimethylamine	8/1/2018	7/31/2019	Certified
EPA 8270	n-Nitrosodi-n-propylamine	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **MT00005**


Attachment to Certificate Number: **MT000052019-1**

Expiration Date: **7/31/2019**

Energy Laboratories, Inc. - MT
 1120 South 27th St. Billings, MT 59101

Matrix: **RCRA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 8270	n-Nitrosodiphenylamine	8/1/2018	7/31/2019	Certified
EPA 8270	Pentachlorophenol	8/1/2018	7/31/2019	Certified
EPA 8270	Phenanthrene	8/1/2018	7/31/2019	Certified
EPA 8270	Phenol	8/1/2018	7/31/2019	Certified
EPA 8270	Pyrene	8/1/2018	7/31/2019	Certified
EPA 8270	Pyridine	8/1/2018	7/31/2019	Certified
EPA 9012	Cyanide, Total	8/1/2018	7/31/2019	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052019-1

Expiration Date: 7/31/2019

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 1010	Ignitability	8/1/2018	7/31/2019	Certified
EPA 1311-Herbicides	TCLP extracted Herbicides	8/1/2018	7/31/2019	Certified
EPA 1311-Metals	TCLP extracted Metals	8/1/2018	7/31/2019	Certified
EPA 1311-Pest	TCLP extracted Pesticides	8/1/2018	7/31/2019	Certified
EPA 1311-SOCs	TCLP extracted SOCs	8/1/2018	7/31/2019	Certified
EPA 1311-VOCs	TCLP extracted VOCs	8/1/2018	7/31/2019	Certified
EPA 1312-Metals	SPLP extracted Metals	8/1/2018	7/31/2019	Certified
EPA 1312-SOCs	SPLP extracted SOCs	8/1/2018	7/31/2019	Certified
EPA 1312-VOCs	SPLP extracted VOCs	8/1/2018	7/31/2019	Certified
EPA 3050	Acid digest for metals	8/1/2018	7/31/2019	Certified
EPA 6010	Aluminum	8/1/2018	7/31/2019	Certified
EPA 6010	Antimony	8/1/2018	7/31/2019	Certified
EPA 6010	Arsenic	8/1/2018	7/31/2019	Certified
EPA 6010	Barium	8/1/2018	7/31/2019	Certified
EPA 6010	Beryllium	8/1/2018	7/31/2019	Certified
EPA 6010	Boron	8/1/2018	7/31/2019	Certified
EPA 6010	Cadmium	8/1/2018	7/31/2019	Certified
EPA 6010	Calcium	8/1/2018	7/31/2019	Certified
EPA 6010	Chromium	8/1/2018	7/31/2019	Certified
EPA 6010	Cobalt	8/1/2018	7/31/2019	Certified
EPA 6010	Copper	8/1/2018	7/31/2019	Certified
EPA 6010	Iron	8/1/2018	7/31/2019	Certified
EPA 6010	Lead	8/1/2018	7/31/2019	Certified
EPA 6010	Lithium	8/1/2018	7/31/2019	Certified
EPA 6010	Magnesium	8/1/2018	7/31/2019	Certified
EPA 6010	Manganese	8/1/2018	7/31/2019	Certified
EPA 6010	Molybdenum	8/1/2018	7/31/2019	Certified
EPA 6010	Nickel	8/1/2018	7/31/2019	Certified
EPA 6010	Phosphorus, total	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **MT00005**

Attachment to Certificate Number: **MT000052019-1**

Expiration Date: **7/31/2019**

Energy Laboratories, Inc. - MT
 1120 South 27th St. Billings, MT 59101

Matrix: **RCRA (Solid & Waste Materials)**

Method	Analyte	Start Date	Date Expires	Status
EPA 6010	Potassium	8/1/2018	7/31/2019	Certified
EPA 6010	Selenium	8/1/2018	7/31/2019	Certified
EPA 6010	Silica as SiO2	8/1/2018	7/31/2019	Certified
EPA 6010	Silver	8/1/2018	7/31/2019	Certified
EPA 6010	Sodium	8/1/2018	7/31/2019	Certified
EPA 6010	Strontium	8/1/2018	7/31/2019	Certified
EPA 6010	Thallium	8/1/2018	7/31/2019	Certified
EPA 6010	Tin	8/1/2018	7/31/2019	Certified
EPA 6010	Titanium	8/1/2018	7/31/2019	Certified
EPA 6010	Vanadium	8/1/2018	7/31/2019	Certified
EPA 6010	Zinc	8/1/2018	7/31/2019	Certified
EPA 6020	Aluminum	8/1/2018	7/31/2019	Certified
EPA 6020	Antimony	8/1/2018	7/31/2019	Certified
EPA 6020	Arsenic	8/1/2018	7/31/2019	Certified
EPA 6020	Barium	8/1/2018	7/31/2019	Certified
EPA 6020	Beryllium	8/1/2018	7/31/2019	Certified
EPA 6020	Boron	8/1/2018	7/31/2019	Certified
EPA 6020	Cadmium	8/1/2018	7/31/2019	Certified
EPA 6020	Calcium	8/1/2018	7/31/2019	Certified
EPA 6020	Chromium	8/1/2018	7/31/2019	Certified
EPA 6020	Cobalt	8/1/2018	7/31/2019	Certified
EPA 6020	Copper	8/1/2018	7/31/2019	Certified
EPA 6020	Iron	8/1/2018	7/31/2019	Certified
EPA 6020	Lead	8/1/2018	7/31/2019	Certified
EPA 6020	Magnesium	8/1/2018	7/31/2019	Certified
EPA 6020	Manganese	8/1/2018	7/31/2019	Certified
EPA 6020	Molybdenum	8/1/2018	7/31/2019	Certified
EPA 6020	Nickel	8/1/2018	7/31/2019	Certified
EPA 6020	Potassium	8/1/2018	7/31/2019	Certified
EPA 6020	Selenium	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052019-1

Expiration Date: 7/31/2019

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
EPA 6020	Silver	8/1/2018	7/31/2019	Certified
EPA 6020	Sodium	8/1/2018	7/31/2019	Certified
EPA 6020	Strontium	8/1/2018	7/31/2019	Certified
EPA 6020	Thallium	8/1/2018	7/31/2019	Certified
EPA 6020	Tin	8/1/2018	7/31/2019	Certified
EPA 6020	Titanium	8/1/2018	7/31/2019	Certified
EPA 6020	Vanadium	8/1/2018	7/31/2019	Certified
EPA 6020	Zinc	8/1/2018	7/31/2019	Certified
EPA 7471	Mercury	8/1/2018	7/31/2019	Certified
EPA 7473	Mercury	8/1/2018	7/31/2019	Certified
EPA 8015	Diesel range organics (DRO)	8/1/2018	7/31/2019	Certified
EPA 8015	Gasoline range organics (GRO)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1016 (PCB-1016)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1016 in Oil (PCB-1016 in Oil)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1221 (PCB-1221)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1232 (PCB-1232)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1242 (PCB-1242)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1242 in Oil (PCB-1242 in Oil)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1248 (PCB-1248)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1254 (PCB-1254)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1254 in Oil (PCB-1254 in Oil)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1260 (PCB-1260)	8/1/2018	7/31/2019	Certified
EPA 8082	Aroclor-1260 in Oil (PCB-1260 in Oil)	8/1/2018	7/31/2019	Certified
EPA 8082	Total PCBs	8/1/2018	7/31/2019	Certified
EPA 8260	1,1,1,2-Tetrachloroethane	8/1/2018	7/31/2019	Certified
EPA 8260	1,1,1-Trichloroethane	8/1/2018	7/31/2019	Certified
EPA 8260	1,1,2,2-Tetrachloroethane	8/1/2018	7/31/2019	Certified
EPA 8260	1,1,2-Trichloroethane	8/1/2018	7/31/2019	Certified
EPA 8260	1,1-Dichloroethane	8/1/2018	7/31/2019	Certified
EPA 8260	1,1-Dichloroethylene	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: *MT00005*

Attachment to Certificate Number: *MT000052019-1*

Expiration Date: *7/31/2019*

Energy Laboratories, Inc. - MT
 1120 South 27th St. Billings, MT 59101

Matrix: *RCRA (Solid & Waste Materials)*

Method	Analyte	Start Date	Date Expires	Status
EPA 8260	1,1-Dichloropropene	8/1/2018	7/31/2019	Certified
EPA 8260	1,2,3-Trichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8260	1,2,3-Trichloropropane	8/1/2018	7/31/2019	Certified
EPA 8260	1,2,4-Trichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8260	1,2,4-Trimethylbenzene	8/1/2018	7/31/2019	Certified
EPA 8260	1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane)	8/1/2018	7/31/2019	Certified
EPA 8260	1,2-Dibromoethane (EDB, Ethylene dibromide)	8/1/2018	7/31/2019	Certified
EPA 8260	1,2-Dichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8260	1,2-Dichloroethane	8/1/2018	7/31/2019	Certified
EPA 8260	1,2-Dichloropropane	8/1/2018	7/31/2019	Certified
EPA 8260	1,3,5-Trimethylbenzene	8/1/2018	7/31/2019	Certified
EPA 8260	1,3-Dichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8260	1,3-Dichloropropane	8/1/2018	7/31/2019	Certified
EPA 8260	1,4-Dichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8260	2-Butanone (Methyl ethyl ketone, MEK)	8/1/2018	7/31/2019	Certified
EPA 8260	2-Chloroethyl vinyl ether	8/1/2018	7/31/2019	Certified
EPA 8260	2-Chlorotoluene	8/1/2018	7/31/2019	Certified
EPA 8260	2-Hexanone	8/1/2018	7/31/2019	Certified
EPA 8260	4-Chlorotoluene	8/1/2018	7/31/2019	Certified
EPA 8260	4-Methyl-2-pentanone (MIBK)	8/1/2018	7/31/2019	Certified
EPA 8260	Acetone	8/1/2018	7/31/2019	Certified
EPA 8260	Acetonitrile	8/1/2018	7/31/2019	Certified
EPA 8260	Acrolein (Propenal)	8/1/2018	7/31/2019	Certified
EPA 8260	Benzene	8/1/2018	7/31/2019	Certified
EPA 8260	Bromobenzene	8/1/2018	7/31/2019	Certified
EPA 8260	Bromochloromethane	8/1/2018	7/31/2019	Certified
EPA 8260	Bromodichloromethane	8/1/2018	7/31/2019	Certified
EPA 8260	Bromoform	8/1/2018	7/31/2019	Certified
EPA 8260	Carbon disulfide	8/1/2018	7/31/2019	Certified
EPA 8260	Carbon tetrachloride	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052019-1

Expiration Date: 7/31/2019

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
EPA 8260	Chlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8260	Chlorodibromomethane (Dibromochloromethane)	8/1/2018	7/31/2019	Certified
EPA 8260	Chloroethane (Ethyl chloride)	8/1/2018	7/31/2019	Certified
EPA 8260	Chloroform	8/1/2018	7/31/2019	Certified
EPA 8260	cis-1,2-Dichloroethylene	8/1/2018	7/31/2019	Certified
EPA 8260	cis-1,3-Dichloropropene (cis-1,3-Dichloropropylene)	8/1/2018	7/31/2019	Certified
EPA 8260	Dibromomethane (Methylene bromide)	8/1/2018	7/31/2019	Certified
EPA 8260	Dichlorodifluoromethane (Freon-12)	8/1/2018	7/31/2019	Certified
EPA 8260	Ethylbenzene	8/1/2018	7/31/2019	Certified
EPA 8260	Hexachlorobutadiene	8/1/2018	7/31/2019	Certified
EPA 8260	Isopropylbenzene	8/1/2018	7/31/2019	Certified
EPA 8260	m+p-xylene	8/1/2018	7/31/2019	Certified
EPA 8260	Methyl bromide (Bromomethane)	8/1/2018	7/31/2019	Certified
EPA 8260	Methyl chloride (Chloromethane)	8/1/2018	7/31/2019	Certified
EPA 8260	Methyl tert-butyl ether (MTBE)	8/1/2018	7/31/2019	Certified
EPA 8260	Methylene chloride (Dichloromethane)	8/1/2018	7/31/2019	Certified
EPA 8260	Naphthalene	8/1/2018	7/31/2019	Certified
EPA 8260	n-Butylbenzene	8/1/2018	7/31/2019	Certified
EPA 8260	n-Propylbenzene	8/1/2018	7/31/2019	Certified
EPA 8260	o-Xylene	8/1/2018	7/31/2019	Certified
EPA 8260	sec-Butylbenzene	8/1/2018	7/31/2019	Certified
EPA 8260	Styrene	8/1/2018	7/31/2019	Certified
EPA 8260	tert-Butylbenzene	8/1/2018	7/31/2019	Certified
EPA 8260	Tetrachloroethylene (Perchloroethylene)	8/1/2018	7/31/2019	Certified
EPA 8260	Toluene	8/1/2018	7/31/2019	Certified
EPA 8260	trans-1,2-Dichloroethylene	8/1/2018	7/31/2019	Certified
EPA 8260	trans-1,3-Dichloropropene (trans-1,3-Dichloropropylene)	8/1/2018	7/31/2019	Certified
EPA 8260	Trichloroethene (Trichloroethylene)	8/1/2018	7/31/2019	Certified
EPA 8260	Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	8/1/2018	7/31/2019	Certified
EPA 8260	Vinyl acetate	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052019-1

Expiration Date: 7/31/2019

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
EPA 8260	Vinyl chloride	8/1/2018	7/31/2019	Certified
EPA 8260	Xylene (total)	8/1/2018	7/31/2019	Certified
EPA 8270	1,2,4,5-Tetrachlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8270	1,2,4-Trichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8270	1,2-Dichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8270	1,3-Dichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8270	1,4-Dichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 8270	2,4,5-Trichlorophenol	8/1/2018	7/31/2019	Certified
EPA 8270	2,4,6-Trichlorophenol	8/1/2018	7/31/2019	Certified
EPA 8270	2,4-Dichlorophenol	8/1/2018	7/31/2019	Certified
EPA 8270	2,4-Dimethylphenol	8/1/2018	7/31/2019	Certified
EPA 8270	2,4-Dinitrophenol	8/1/2018	7/31/2019	Certified
EPA 8270	2,4-Dinitrotoluene (2,4-DNT)	8/1/2018	7/31/2019	Certified
EPA 8270	2,6-Dinitrotoluene (2,6-DNT)	8/1/2018	7/31/2019	Certified
EPA 8270	2-Chloronaphthalene	8/1/2018	7/31/2019	Certified
EPA 8270	2-Chlorophenol	8/1/2018	7/31/2019	Certified
EPA 8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	8/1/2018	7/31/2019	Certified
EPA 8270	2-Methylnaphthalene	8/1/2018	7/31/2019	Certified
EPA 8270	2-Methylphenol (o-Cresol)	8/1/2018	7/31/2019	Certified
EPA 8270	2-Nitroaniline	8/1/2018	7/31/2019	Certified
EPA 8270	2-Nitrophenol	8/1/2018	7/31/2019	Certified
EPA 8270	3 & 4-Methylphenol (m & p-Cresol)	8/1/2018	7/31/2019	Certified
EPA 8270	3,3'-Dichlorobenzidine	8/1/2018	7/31/2019	Certified
EPA 8270	3-Nitroaniline	8/1/2018	7/31/2019	Certified
EPA 8270	4-Bromophenyl phenyl ether	8/1/2018	7/31/2019	Certified
EPA 8270	4-Chloro-3-methylphenol	8/1/2018	7/31/2019	Certified
EPA 8270	4-Chloroaniline	8/1/2018	7/31/2019	Certified
EPA 8270	4-Chlorophenyl phenylether	8/1/2018	7/31/2019	Certified
EPA 8270	4-Nitroaniline	8/1/2018	7/31/2019	Certified
EPA 8270	4-Nitrophenol	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052019-1

Expiration Date: 7/31/2019

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
EPA 8270	Acenaphthene	8/1/2018	7/31/2019	Certified
EPA 8270	Acenaphthylene	8/1/2018	7/31/2019	Certified
EPA 8270	Acetophenone	8/1/2018	7/31/2019	Certified
EPA 8270	Aniline	8/1/2018	7/31/2019	Certified
EPA 8270	Anthracene	8/1/2018	7/31/2019	Certified
EPA 8270	Atrazine	8/1/2018	7/31/2019	Certified
EPA 8270	Benzidine	8/1/2018	7/31/2019	Certified
EPA 8270	Benzo(a)anthracene	8/1/2018	7/31/2019	Certified
EPA 8270	Benzo(a)pyrene	8/1/2018	7/31/2019	Certified
EPA 8270	Benzo(b)fluoranthene	8/1/2018	7/31/2019	Certified
EPA 8270	Benzo(g,h,i)perylene	8/1/2018	7/31/2019	Certified
EPA 8270	Benzo(k)fluoranthene	8/1/2018	7/31/2019	Certified
EPA 8270	Benzoic acid	8/1/2018	7/31/2019	Certified
EPA 8270	Benzyl alcohol	8/1/2018	7/31/2019	Certified
EPA 8270	bis(2-Chloroethoxy)methane	8/1/2018	7/31/2019	Certified
EPA 8270	bis(2-Chloroethyl) ether	8/1/2018	7/31/2019	Certified
EPA 8270	bis(2-Chloroisopropyl) ether, (2,2'-Oxybis(1-chloropropane))	8/1/2018	7/31/2019	Certified
EPA 8270	bis(2-Ethylhexyl)phthalate,(DEHP, Di(2-ethylhexyl) phthalate)	8/1/2018	7/31/2019	Certified
EPA 8270	Butyl benzyl phthalate	8/1/2018	7/31/2019	Certified
EPA 8270	Carbazole	8/1/2018	7/31/2019	Certified
EPA 8270	Chrysene	8/1/2018	7/31/2019	Certified
EPA 8270	Dibenz(a,h) anthracene	8/1/2018	7/31/2019	Certified
EPA 8270	Dibenzofuran	8/1/2018	7/31/2019	Certified
EPA 8270	Diethyl phthalate	8/1/2018	7/31/2019	Certified
EPA 8270	Dimethyl phthalate	8/1/2018	7/31/2019	Certified
EPA 8270	Di-n-butyl phthalate	8/1/2018	7/31/2019	Certified
EPA 8270	Di-n-octyl phthalate	8/1/2018	7/31/2019	Certified
EPA 8270	Fluoranthene	8/1/2018	7/31/2019	Certified
EPA 8270	Fluorene	8/1/2018	7/31/2019	Certified
EPA 8270	Hexachlorobenzene	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **MT00005**

Attachment to Certificate Number: **MT000052019-1**

Expiration Date: **7/31/2019**

Energy Laboratories, Inc. - MT
 1120 South 27th St. Billings, MT 59101

Matrix: **RCRA (Solid & Waste Materials)**

Method	Analyte	Start Date	Date Expires	Status
EPA 8270	Hexachlorobutadiene	8/1/2018	7/31/2019	Certified
EPA 8270	Hexachlorocyclopentadiene	8/1/2018	7/31/2019	Certified
EPA 8270	Hexachloroethane	8/1/2018	7/31/2019	Certified
EPA 8270	Indeno(1,2,3-cd) pyrene	8/1/2018	7/31/2019	Certified
EPA 8270	Isophorone	8/1/2018	7/31/2019	Certified
EPA 8270	Naphthalene	8/1/2018	7/31/2019	Certified
EPA 8270	Nitrobenzene	8/1/2018	7/31/2019	Certified
EPA 8270	n-Nitrosodimethylamine	8/1/2018	7/31/2019	Certified
EPA 8270	n-Nitrosodi-n-propylamine	8/1/2018	7/31/2019	Certified
EPA 8270	n-Nitrosodiphenylamine	8/1/2018	7/31/2019	Certified
EPA 8270	Pentachlorophenol	8/1/2018	7/31/2019	Certified
EPA 8270	Phenanthrene	8/1/2018	7/31/2019	Certified
EPA 8270	Phenol	8/1/2018	7/31/2019	Certified
EPA 8270	Pyrene	8/1/2018	7/31/2019	Certified
EPA 8270	Pyridine	8/1/2018	7/31/2019	Certified
EPA 9012	Cyanide, Total	8/1/2018	7/31/2019	Certified
EPA 9040C	Corrosivity (pH)	8/1/2018	7/31/2019	Certified
EPA 9045	Corrosivity (pH)	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052019-1

Expiration Date: 7/31/2019

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: **SDWA (Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 200.7	Aluminum	8/1/2018	7/31/2019	Certified
EPA 200.7	Barium	8/1/2018	7/31/2019	Certified
EPA 200.7	Beryllium	8/1/2018	7/31/2019	Certified
EPA 200.7	Boron	8/1/2018	7/31/2019	Certified
EPA 200.7	Cadmium	8/1/2018	7/31/2019	Certified
EPA 200.7	Calcium	8/1/2018	7/31/2019	Certified
EPA 200.7	Chromium	8/1/2018	7/31/2019	Certified
EPA 200.7	Copper	8/1/2018	7/31/2019	Certified
EPA 200.7	Iron	8/1/2018	7/31/2019	Certified
EPA 200.7	Magnesium	8/1/2018	7/31/2019	Certified
EPA 200.7	Manganese	8/1/2018	7/31/2019	Certified
EPA 200.7	Nickel	8/1/2018	7/31/2019	Certified
EPA 200.7	Potassium	8/1/2018	7/31/2019	Certified
EPA 200.7	Silica as SiO ₂	8/1/2018	7/31/2019	Certified
EPA 200.7	Silver	8/1/2018	7/31/2019	Certified
EPA 200.7	Sodium	8/1/2018	7/31/2019	Certified
EPA 200.7	Zinc	8/1/2018	7/31/2019	Certified
EPA 200.8	Aluminum	8/1/2018	7/31/2019	Certified
EPA 200.8	Antimony	8/1/2018	7/31/2019	Certified
EPA 200.8	Arsenic	8/1/2018	7/31/2019	Certified
EPA 200.8	Barium	8/1/2018	7/31/2019	Certified
EPA 200.8	Beryllium	8/1/2018	7/31/2019	Certified
EPA 200.8	Boron	8/1/2018	7/31/2019	Certified
EPA 200.8	Cadmium	8/1/2018	7/31/2019	Certified
EPA 200.8	Chromium	8/1/2018	7/31/2019	Certified
EPA 200.8	Cobalt	8/1/2018	7/31/2019	Certified
EPA 200.8	Copper	8/1/2018	7/31/2019	Certified
EPA 200.8	Lead	8/1/2018	7/31/2019	Certified
EPA 200.8	Manganese	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052019-1

Expiration Date: 7/31/2019

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 200.8	Mercury	8/1/2018	7/31/2019	Certified
EPA 200.8	Molybdenum	8/1/2018	7/31/2019	Certified
EPA 200.8	Nickel	8/1/2018	7/31/2019	Certified
EPA 200.8	Selenium	8/1/2018	7/31/2019	Certified
EPA 200.8	Silver	8/1/2018	7/31/2019	Certified
EPA 200.8	Strontium	8/1/2018	7/31/2019	Certified
EPA 200.8	Thallium	8/1/2018	7/31/2019	Certified
EPA 200.8	Uranium (Nat.) Total Mass	8/1/2018	7/31/2019	Certified
EPA 200.8	Vanadium	8/1/2018	7/31/2019	Certified
EPA 200.8	Zinc	8/1/2018	7/31/2019	Certified
EPA 245.1	Mercury	8/1/2018	7/31/2019	Certified
EPA 300.0	Bromide	8/1/2018	7/31/2019	Certified
EPA 300.0	Chloride	8/1/2018	7/31/2019	Certified
EPA 300.0	Fluoride	8/1/2018	7/31/2019	Certified
EPA 300.0	Nitrate as N	8/1/2018	7/31/2019	Certified
EPA 300.0	Nitrite as N	8/1/2018	7/31/2019	Certified
EPA 300.0	Sulfate	8/1/2018	7/31/2019	Certified
EPA 353.2	Nitrate as N	8/1/2018	7/31/2019	Certified
EPA 353.2	Nitrate-nitrite	8/1/2018	7/31/2019	Certified
EPA 353.2	Nitrite as N	8/1/2018	7/31/2019	Certified
EPA 365.1	Orthophosphate as P	8/1/2018	7/31/2019	Certified
EPA 504.1	1,2,3-Trichloropropane	8/1/2018	7/31/2019	Certified
EPA 504.1	1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane)	8/1/2018	7/31/2019	Certified
EPA 504.1	1,2-Dibromoethane (EDB, Ethylene dibromide)	8/1/2018	7/31/2019	Certified
EPA 515.4	2,4-D	8/1/2018	7/31/2019	Certified
EPA 515.4	Dalapon	8/1/2018	7/31/2019	Certified
EPA 515.4	Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	8/1/2018	7/31/2019	Certified
EPA 515.4	Pentachlorophenol	8/1/2018	7/31/2019	Certified
EPA 515.4	Picloram	8/1/2018	7/31/2019	Certified
EPA 515.4	Silvex (2,4,5-TP)	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052019-1

Expiration Date: 7/31/2019

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 524.2	1,1,1-Trichloroethane	8/1/2018	7/31/2019	Certified
EPA 524.2	1,1,2-Trichloroethane	8/1/2018	7/31/2019	Certified
EPA 524.2	1,1-Dichloroethylene	8/1/2018	7/31/2019	Certified
EPA 524.2	1,2,4-Trichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 524.2	1,2-Dichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 524.2	1,2-Dichloroethane	8/1/2018	7/31/2019	Certified
EPA 524.2	1,2-Dichloropropane	8/1/2018	7/31/2019	Certified
EPA 524.2	1,4-Dichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 524.2	Benzene	8/1/2018	7/31/2019	Certified
EPA 524.2	Bromodichloromethane	8/1/2018	7/31/2019	Certified
EPA 524.2	Bromoform	8/1/2018	7/31/2019	Certified
EPA 524.2	Carbon tetrachloride	8/1/2018	7/31/2019	Certified
EPA 524.2	Chlorobenzene	8/1/2018	7/31/2019	Certified
EPA 524.2	Chlorodibromomethane (Dibromochloromethane)	8/1/2018	7/31/2019	Certified
EPA 524.2	Chloroform	8/1/2018	7/31/2019	Certified
EPA 524.2	cis-1,2-Dichloroethylene	8/1/2018	7/31/2019	Certified
EPA 524.2	Ethylbenzene	8/1/2018	7/31/2019	Certified
EPA 524.2	Methylene chloride (Dichloromethane)	8/1/2018	7/31/2019	Certified
EPA 524.2	Styrene	8/1/2018	7/31/2019	Certified
EPA 524.2	Tetrachloroethylene (Perchloroethylene)	8/1/2018	7/31/2019	Certified
EPA 524.2	Toluene	8/1/2018	7/31/2019	Certified
EPA 524.2	Total trihalomethanes	8/1/2018	7/31/2019	Certified
EPA 524.2	trans-1,2-Dichloroethylene	8/1/2018	7/31/2019	Certified
EPA 524.2	Trichloroethene (Trichloroethylene)	8/1/2018	7/31/2019	Certified
EPA 524.2	Vinyl chloride	8/1/2018	7/31/2019	Certified
EPA 524.2	Xylene (total)	8/1/2018	7/31/2019	Certified
EPA 525.2	Alachlor	8/1/2018	7/31/2019	Certified
EPA 525.2	Aroclor-1016 (PCB-1016)	8/1/2018	7/31/2019	Certified
EPA 525.2	Aroclor-1221 (PCB-1221)	8/1/2018	7/31/2019	Certified
EPA 525.2	Aroclor-1232 (PCB-1232)	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052019-1

Expiration Date: 7/31/2019

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 525.2	Aroclor-1242 (PCB-1242)	8/1/2018	7/31/2019	Certified
EPA 525.2	Aroclor-1248 (PCB-1248)	8/1/2018	7/31/2019	Certified
EPA 525.2	Aroclor-1254 (PCB-1254)	8/1/2018	7/31/2019	Certified
EPA 525.2	Aroclor-1260 (PCB-1260)	8/1/2018	7/31/2019	Certified
EPA 525.2	Atrazine	8/1/2018	7/31/2019	Certified
EPA 525.2	Benzo(a)pyrene	8/1/2018	7/31/2019	Certified
EPA 525.2	bis(2-Ethylhexyl)adipate	8/1/2018	7/31/2019	Certified
EPA 525.2	bis(2-Ethylhexyl)phthalate,(DEHP, Di(2-ethylhexyl) phthalate)	8/1/2018	7/31/2019	Certified
EPA 525.2	Chlordane (tech.)	8/1/2018	7/31/2019	Certified
EPA 525.2	Endrin	8/1/2018	7/31/2019	Certified
EPA 525.2	gamma-BHC (Lindane)	8/1/2018	7/31/2019	Certified
EPA 525.2	Heptachlor	8/1/2018	7/31/2019	Certified
EPA 525.2	Heptachlor epoxide	8/1/2018	7/31/2019	Certified
EPA 525.2	Hexachlorobenzene	8/1/2018	7/31/2019	Certified
EPA 525.2	Hexachlorocyclopentadiene	8/1/2018	7/31/2019	Certified
EPA 525.2	Metolachlor	8/1/2018	7/31/2019	Certified
EPA 525.2	PCB Aroclor Identification (PCBs as Aroclors)	8/1/2018	7/31/2019	Certified
EPA 525.2	Simazine	8/1/2018	7/31/2019	Certified
EPA 548.1	Endothall	8/1/2018	7/31/2019	Certified
EPA 552.2	Bromoacetic acid (Monobromoacetic acid, MBAA)	8/1/2018	7/31/2019	Certified
EPA 552.2	Bromochloroacetic acid (BCAA)	8/1/2018	7/31/2019	Certified
EPA 552.2	Chloroacetic acid (Monochloroacetic acid, MCAA)	8/1/2018	7/31/2019	Certified
EPA 552.2	Dibromoacetic acid (DBAA)	8/1/2018	7/31/2019	Certified
EPA 552.2	Dichloroacetic acid (DCAA)	8/1/2018	7/31/2019	Certified
EPA 552.2	Haloacetic acids (HAA5)	8/1/2018	7/31/2019	Certified
EPA 552.2	Trichloroacetic acid (TCAA)	8/1/2018	7/31/2019	Certified
Kelada 01	Cyanide	8/1/2018	7/31/2019	Certified
SM 2120 B	Color	8/1/2018	7/31/2019	Certified
SM 2130 B	Turbidity	8/1/2018	7/31/2019	Certified
SM 2150 B	Odor	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052019-1

Expiration Date: 7/31/2019

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
SM 2320 B	Alkalinity as CaCO ₃	8/1/2018	7/31/2019	Certified
SM 2330 B	Corrosivity (langlier index)	8/1/2018	7/31/2019	Certified
SM 2340 B	Calcium hardness as CaCO ₃	8/1/2018	7/31/2019	Certified
SM 2340 B	Hardness by calculation	8/1/2018	7/31/2019	Certified
SM 2510 B	Conductivity	8/1/2018	7/31/2019	Certified
SM 2540 C	Residue-filterable (TDS)	8/1/2018	7/31/2019	Certified
SM 4500-F ⁻ C	Fluoride	8/1/2018	7/31/2019	Certified
SM 4500-H+ B	pH	8/1/2018	7/31/2019	Certified
SM 5540 C	Surfactants - MBAS	8/1/2018	7/31/2019	Certified
SM 5910 B	UV 254	8/1/2018	7/31/2019	Certified

Discipline: Microbiology

Colisure®	Escherichia coli	8/1/2018	7/31/2019	Certified
Colisure®	Total coliforms	8/1/2018	7/31/2019	Certified
EPA 1603 (mTEC mod)	Escherichia coli	8/1/2018	7/31/2019	Certified
IDEXX Colilert®	Escherichia coli	8/1/2018	7/31/2019	Certified
IDEXX Colilert®	Total coliforms	8/1/2018	7/31/2019	Certified
IDEXX Colilert®-18	Escherichia coli	8/1/2018	7/31/2019	Certified
IDEXX Colilert®-18	Total coliforms	8/1/2018	7/31/2019	Certified
IDEXX Quanti-Tray® under SWTR	E. coli enumeration	8/1/2018	7/31/2019	Certified
IDEXX Quanti-Tray® with Colilert® under SWTR	Total Coliform Enumeration	8/1/2018	7/31/2019	Certified
IDEXX Quanti-Tray® with Colilert®-18 under SWTR	E. coli enumeration	8/1/2018	7/31/2019	Certified
IDEXX Quanti-Tray® with Colilert®-18 under SWTR	Total Coliform Enumeration	8/1/2018	7/31/2019	Certified
SM 9221 B [LTB]	Total coliforms	8/1/2018	7/31/2019	Certified
SM 9221 B/D (LTB/P-A) or 9222B (M-Endo)+SM 9221 E (EC) [2006]	Fecal coliforms	8/1/2018	7/31/2019	Certified
SM 9222 B (M-Endo)	Total coliforms	8/1/2018	7/31/2019	Certified
SM 9222 D (m-FC) under SWTR	Fecal coliforms	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.