



Standard Home Loan

Chain-of-Custody

Payment is expected upon receipt of samples

The cost of analysis is \$112.00 per sample.

The laboratory must receive all samples by 4:30 Monday-Thursday and will NOT accept samples on Friday.

The laboratory will NOT accept samples the business day prior to all major holidays.

The laboratory must receive the sample within 30 hours of sampling.

The turnaround time is 7-10 business days. This is extended for all reports requested as Hard Copy to allow for Post Office transit.

Complete all sections below. Revision requests will include an additional \$30.00 charge and must be paid prior to revision.

Account Information
Company/Name:
Contact:
Phone:
Mailing Address:
City, State, Zip:
Email:
How would you like to receive the report: <input type="checkbox"/> Hard Copy <input type="checkbox"/> Email

Report Address <i>(leave blank if same as Account Information)</i>
Company/Name:
Contact:
Phone:
Mailing Address:
City, State, Zip:
Email:
How would you like to receive the report: <input type="checkbox"/> Hard Copy <input type="checkbox"/> Email

Physical Address	Source / Site <i>(Well, Cistern, Kitchen Sink, Direct, etc.)</i>	Collection Date	Collection Time

Sampler Information
<i>Home Loans may require that a third party take the samples. To prevent a resample, have a third party collect the sample.</i>
I hereby acknowledge that this sample was collected at the above location, date and time:
Sampler Name (Printed): _____ Company (if applicable): _____
Sampler Signature: _____

Custody Record MUST be Signed	Relinquished by Signature: _____ Date/Time: _____	Received by Signature: _____ Date/Time: _____
	Relinquished by Signature: _____ Date/Time: _____	<u>Received by Laboratory Signature:</u> _____ Date/Time: _____

LABORATORY USE ONLY				
Shipped by: _____	Custody Seals: Y N C B Intact: Y N	Receipt Temp: _____ °C	Temp Blank: Y N	On Ice: Y N
Payment Type (circle one) CC CASH CHK _____	Amount: \$ _____	Receipt Number: _____ <i>(Applicable to Cash & Check Payments)</i>		
ELI Laboratory ID: _____				

Sampling Instructions

THIS KIT CONTAINS THE FOLLOWING CONTAINERS

1. **Drinking Water Lead Container** (1L Plastic Bottle): Collect this sample after the water has stood motionless in the pipes for at least six hours. This **must** be the first container you fill. Fill to the top to allow for adequate sample volume.
2. **Nitrite** (250mL Plastic Bottle): Fill this container after your Drinking Water Lead container has been filled. Fill to the top to allow for adequate sample volume.
3. **Nitrate & Nitrate + Nitrite Container** (250mL Yellow Cap Plastic Bottle): Fill this container after your Drinking Water Lead container has been filled. Fill to the top to allow for adequate sample volume. Preservative is not provided. The Sulfuric Acid will be added in the laboratory.
4. **Total Coliform Bacteria Container** (100mL Sterile Container): Please follow the directions on the enclosed brochure to collect for microbiological samples. Fill to or slightly above the raised, 100mL line marked on the container.