

**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 24, 2022

RE: Energy Laboratories, Billings (MT0005)

LEIGH ANN WISE
ENERGY LABORATORIES
PO BOX 30916
BILLINGS MT 59107

Dear Ms. Wise:

I have received documentation from Rea Riggle supporting continued certification for the methods and associated contaminants list on the chart below. Certification expires January 1, 2023.

Continued certification is dependent upon acceptable annual proficiency testing studies and the certification status with the state of Montana.

REGULATED INORGANICS	CERTIFICATION GRANTED FOR	CERTIFICATION EXPIRES
Antimony	200.8	01/01/2023
Arsenic	200.8	01/01/2023
Barium	200.7, 200.8	01/01/2023
Beryllium	200.7, 200.8	01/01/2023
Cadmium	200.7, 200.8	01/01/2023
Chromium	200.7, 200.8	01/01/2023
Copper	200.7, 200.8	01/01/2023
Cyanide	Kelada-01, 335.4	01/01/2023
Fluoride	300.0, 4500FC	01/01/2023
Lead	200.8	01/01/2023
Mercury	245.1, 200.8	01/01/2023
Nickel	200.7, 200.8	01/01/2023
Nitrate	353.2, 300.0	01/01/2023
Nitrite	353.2, 300.0	01/01/2023
Nitrate-Nitrite	300.0	01/01/2023
Selenium	200.8	01/01/2023
Thallium	200.8	01/01/2023
Uranium	200.8	01/01/2023
REGULATED VOCs	CERTIFICATION GRANTED FOR	CERTIFICATION EXPIRES

Benzene	524.2	01/01/2023
Carbon Tetrachloride	524.2	01/01/2023
Chlorobenzene	524.2	01/01/2023
o-Dichlorobenzene	524.2	01/01/2023
p-Dichlorobenzene	524.2	01/01/2023
1,2-Dichloroethane	524.2	01/01/2023
1,1-Dichloroethylene	524.2	01/01/2023
cis-1,2-Dichloroethylene	524.2	01/01/2023
trans-1,2-Dichloroethylene	524.2	01/01/2023
Dichloromethane	524.2	01/01/2023
1,2-Dichloropropane	524.2	01/01/2023
Ethylbenzene	524.2	01/01/2023
Styrene	524.2	01/01/2023
Tetrachloroethylene	524.2	01/01/2023
1,2,4-Trichlorobenzene	524.2	01/01/2023
1,1,1-Trichloroethane	524.2	01/01/2023
1,1,2-Trichloroethane	524.2	01/01/2023
Trichloroethylene	524.2	01/01/2023
Toluene	524.2	01/01/2023
Vinyl Chloride	524.2	01/01/2023
Xylenes (total)	524.2	01/01/2023

REGULATED SOCs	CERTIFICATION GRANTED FOR	CERTIFICATION EXPIRES
2,4-D	515.4	01/01/2023
2,4,5-TP (silvex)	515.4	01/01/2023
Alachlor	525.2	01/01/2023
Atrazine	525.2	01/01/2023
Benzo (A) Pyrene	525.2	01/01/2023
Chlordane	525.2	01/01/2023
Dalapon	515.4	01/01/2023
Di (ethylhexyl) Adipate	525.2	01/01/2023
Di (ethylhexyl) Phthalate	525.2	01/01/2023
1,2-Dibromo-3-chloropropane	504.1	01/01/2023
Dinoseb	515.4	01/01/2023
Endothall	548.1	01/01/2023
Endrin	525.2	01/01/2023
Ethylene Dibromide	504.1	01/01/2023
Heptachlor	525.2	01/01/2023
Heptachlor Epoxide	525.2	01/01/2023
Hexachlorobenzene	525.2	01/01/2023
Hexachlorocyclopentadiene	525.2	01/01/2023
Lindane	525.2	01/01/2023
Methoxychlor	525.2	01/01/2023
PCBs (as Decachlorobiphenyl)	508A	01/01/2023
Pentachlorophenol	515.4	01/01/2023
Picloram	515.4	01/01/2023
Simazine	525.2	01/01/2023

Toxaphene	525.2	01/01/2023
OTHER REGULATED PARAMETERS	CERTIFICATION GRANTED FOR	CERTIFICATION EXPIRES
Total Trihalomethanes	524.2	01/01/2023
Haloacetic Acids	552.2	01/01/2023


We reserve the right to perform our own on-site inspection. If you have any questions, you may contact Rea Riggle at 605-773-3368 or me at 605-773-4052.

Sincerely,



Barb Friedeman
 Drinking Water Program
 Phone: 605-773-4052

Cc: Rea Riggle, Chemistry Certification Officer



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

**State of South Dakota
Department of Agriculture and Natural Resources**

Certifies That

Energy Laboratories – Billings, MT.

is approved as certified to perform the analyses of drinking water samples on the certified parameter/method chart, which must accompany this certificate to be valid, having duly met the requirements of

ARSD 74:04:07

**Chemistry Certification
Expires January 1, 2023**

Barbara Friedeman, Environmental Scientist