

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
ASTM D2036C-06	Cyanide, WAD	8/1/2022	7/31/2023	Certified
EPA 200.2	Acid digest for metals	8/24/2022	7/31/2023	Certified
EPA 200.7	Aluminum	8/1/2022	7/31/2023	Certified
EPA 200.7	Antimony	8/1/2022	7/31/2023	Certified
EPA 200.7	Arsenic	8/1/2022	7/31/2023	Certified
EPA 200.7	Barium	8/1/2022	7/31/2023	Certified
EPA 200.7	Beryllium	8/1/2022	7/31/2023	Certified
EPA 200.7	Boron	8/1/2022	7/31/2023	Certified
EPA 200.7	Cadmium	8/1/2022	7/31/2023	Certified
EPA 200.7	Calcium	8/1/2022	7/31/2023	Certified
EPA 200.7	Chromium	8/1/2022	7/31/2023	Certified
EPA 200.7	Cobalt	8/1/2022	7/31/2023	Certified
EPA 200.7	Copper	8/1/2022	7/31/2023	Certified
EPA 200.7	Iron	8/1/2022	7/31/2023	Certified
EPA 200.7	Lead	8/1/2022	7/31/2023	Certified
EPA 200.7	Lithium	8/1/2022	7/31/2023	Certified
EPA 200.7	Magnesium	8/1/2022	7/31/2023	Certified
EPA 200.7	Manganese	8/1/2022	7/31/2023	Certified
EPA 200.7	Molybdenum	8/1/2022	7/31/2023	Certified
EPA 200.7	Nickel	8/1/2022	7/31/2023	Certified
EPA 200.7	Phosphorus, total	8/1/2022	7/31/2023	Certified
EPA 200.7	Potassium	8/1/2022	7/31/2023	Certified
EPA 200.7	Selenium	8/1/2022	7/31/2023	Certified
EPA 200.7	Silica as SiO ₂	8/1/2022	7/31/2023	Certified
EPA 200.7	Silver	8/1/2022	7/31/2023	Certified
EPA 200.7	Sodium	8/1/2022	7/31/2023	Certified
EPA 200.7	Strontium	8/1/2022	7/31/2023	Certified
EPA 200.7	Thallium	8/1/2022	7/31/2023	Certified
EPA 200.7	Tin	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 200.7	Titanium	8/1/2022	7/31/2023	Certified
EPA 200.7	Vanadium	8/1/2022	7/31/2023	Certified
EPA 200.7	Zinc	8/1/2022	7/31/2023	Certified
EPA 200.8	Aluminum	8/1/2022	7/31/2023	Certified
EPA 200.8	Antimony	8/1/2022	7/31/2023	Certified
EPA 200.8	Arsenic	8/1/2022	7/31/2023	Certified
EPA 200.8	Barium	8/1/2022	7/31/2023	Certified
EPA 200.8	Beryllium	8/1/2022	7/31/2023	Certified
EPA 200.8	Boron	8/1/2022	7/31/2023	Certified
EPA 200.8	Cadmium	8/1/2022	7/31/2023	Certified
EPA 200.8	Calcium	8/1/2022	7/31/2023	Certified
EPA 200.8	Chromium	8/1/2022	7/31/2023	Certified
EPA 200.8	Cobalt	8/1/2022	7/31/2023	Certified
EPA 200.8	Copper	8/1/2022	7/31/2023	Certified
EPA 200.8	Iron	8/1/2022	7/31/2023	Certified
EPA 200.8	Lead	8/1/2022	7/31/2023	Certified
EPA 200.8	Magnesium	8/1/2022	7/31/2023	Certified
EPA 200.8	Manganese	8/1/2022	7/31/2023	Certified
EPA 200.8	Molybdenum	8/1/2022	7/31/2023	Certified
EPA 200.8	Nickel	8/1/2022	7/31/2023	Certified
EPA 200.8	Potassium	8/1/2022	7/31/2023	Certified
EPA 200.8	Selenium	8/1/2022	7/31/2023	Certified
EPA 200.8	Silver	8/1/2022	7/31/2023	Certified
EPA 200.8	Sodium	8/1/2022	7/31/2023	Certified
EPA 200.8	Strontium	8/1/2022	7/31/2023	Certified
EPA 200.8	Thallium	8/1/2022	7/31/2023	Certified
EPA 200.8	Tin	8/1/2022	7/31/2023	Certified
EPA 200.8	Titanium	8/1/2022	7/31/2023	Certified
EPA 200.8	Uranium Total Mass	8/1/2022	7/31/2023	Certified
EPA 200.8	Vanadium	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 200.8	Zinc	8/1/2022	7/31/2023	Certified
EPA 245.1	Mercury	8/1/2022	7/31/2023	Certified
EPA 245.7	Mercury	8/1/2022	7/31/2023	Certified
EPA 300.0	Bromide	8/1/2022	7/31/2023	Certified
EPA 300.0	Chloride	8/1/2022	7/31/2023	Certified
EPA 300.0	Fluoride	8/1/2022	7/31/2023	Certified
EPA 300.0	Nitrite as N	8/1/2022	7/31/2023	Certified
EPA 300.0	Sulfate	8/1/2022	7/31/2023	Certified
EPA 335.4	Cyanide, Total	8/1/2022	7/31/2023	Certified
EPA 350.1	Ammonia as N	8/1/2022	7/31/2023	Certified
EPA 351.2	Kjeldahl nitrogen - total	8/1/2022	7/31/2023	Certified
EPA 353.2	Nitrate-nitrite	8/1/2022	7/31/2023	Certified
EPA 353.2	Nitrite as N	8/1/2022	7/31/2023	Certified
EPA 365.1	Orthophosphate as P	8/1/2022	7/31/2023	Certified
EPA 365.1	Phosphorus, total	8/1/2022	7/31/2023	Certified
EPA 410.4	Chemical oxygen demand	8/1/2022	7/31/2023	Certified
EPA 420.4	Total phenolics	8/1/2022	7/31/2023	Certified
Kelada 01	Cyanide, Total	8/1/2022	7/31/2023	Certified
Nitrate Calculation	Nitrate-N (by calculation)	8/1/2022	7/31/2023	Certified
Organic Nitrogen by Calculation (TKN - NH3)	Organic nitrogen	8/1/2022	7/31/2023	Certified
SM 2120 B	Color	8/1/2022	7/31/2023	Certified
SM 2130 B	Turbidity	8/1/2022	7/31/2023	Certified
SM 2310 B	Acidity, as CaCO3	8/1/2022	7/31/2023	Certified
SM 2320 B	Alkalinity as CaCO3	8/1/2022	7/31/2023	Certified
SM 2340 B	Hardness by calculation	8/1/2022	7/31/2023	Certified
SM 2510 B	Conductivity	8/1/2022	7/31/2023	Certified
SM 2540 B	Residue-total, dissolved and suspended	8/1/2022	7/31/2023	Certified
SM 2540 C	Residue-filterable (TDS)	8/1/2022	7/31/2023	Certified
SM 2540 D	Residue-nonfilterable (TSS)	8/1/2022	7/31/2023	Certified
SM 3500-Cr B	Chromium VI	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
SM 4500-CN ⁻ G,E	Cyanide, Amenable	8/1/2022	7/31/2023	Certified
SM 4500-F ⁻ C	Fluoride	8/1/2022	7/31/2023	Certified
SM 4500-H+ B	pH	8/1/2022	7/31/2023	Certified
SM 4500-S2 ⁻ D	Sulfide	8/1/2022	7/31/2023	Certified
SM 4500-S2 ⁻ F	Sulfide	8/1/2022	7/31/2023	Certified
SM 5210 B	Biochemical oxygen demand	8/1/2022	7/31/2023	Certified
SM 5210 B	Carbonaceous BOD, CBOD	8/1/2022	7/31/2023	Certified
Total Nitrogen by Calc (NO ₂ + NO ₃ + TKN)	Total Nitrogen	8/1/2022	7/31/2023	Certified
Discipline: Microbiology				
EPA 1603 (mTEC mod)	E. coli enumeration	8/1/2022	7/31/2023	Interim
IDEXX Quanti-Tray® using Colilert®	E. coli enumeration	8/1/2022	7/31/2023	Interim
IDEXX Quanti-Tray® using Colilert®-18Hr®	Fecal coliforms	8/1/2022	7/31/2023	Interim
SM 9221 B (LTB)	Total coliform with chlorine present	8/1/2022	7/31/2023	Interim
SM 9221 B (LTB) + C MPN	Total Coliform Enumeration	8/1/2022	7/31/2023	Interim
SM 9221 B (LTB) + E (EC) + C MPN	Fecal coliforms	8/1/2022	7/31/2023	Interim
SM 9221 B (LTB) + E (EC) + C MPN	Fecal coliforms with chlorine present	8/1/2022	7/31/2023	Interim
SM 9221 E (A1)	Fecal coliforms with chlorine present	8/1/2022	7/31/2023	Interim
SM 9222 B (M-Endo)	Total Coliform Enumeration	8/1/2022	7/31/2023	Interim
SM 9222 D (m-FC)	Fecal coliforms	8/1/2022	7/31/2023	Interim
SM 9222 D (m-FC)	Fecal coliforms with chlorine present	8/1/2022	7/31/2023	Interim

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005


Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: Mining (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 600/2-78-054, section 3.2.2_NV Modified	Paste pH	8/1/2022	7/31/2023	Certified
EPA 600/2-78-054, section 3.2.3_NV Modified	ANP by Titration to phenolphthalein end point (after oxidation_hydrogen peroxide)	8/1/2022	7/31/2023	Nevada Approved
EPA 600/2-78-054, section 3.2.3_NV Modified	ANP by Titration to phenolphthalein end point (without oxidation)	8/1/2022	7/31/2023	Nevada Approved
EPA 600/2-78-054, section 3.2.4_NV Modified	Total Sulfur (High Temp. Combustion Method)	8/1/2022	7/31/2023	Certified
EPA 600/2-78-054, section 3.2.6_NV Modified	HCl Extractable Sulfur	8/1/2022	7/31/2023	Nevada Approved
EPA 600/2-78-054, section 3.2.6_NV Modified	HNO3 Extractable Sulfur	8/1/2022	7/31/2023	Nevada Approved
EPA 600/2-78-054, section 3.2.6_NV Modified	Hot Water Extractable Sulfur	8/1/2022	7/31/2023	Nevada Approved



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 6010	Aluminum	8/1/2022	7/31/2023	Certified
EPA 6010	Antimony	8/1/2022	7/31/2023	Certified
EPA 6010	Arsenic	8/1/2022	7/31/2023	Certified
EPA 6010	Barium	8/1/2022	7/31/2023	Certified
EPA 6010	Beryllium	8/1/2022	7/31/2023	Certified
EPA 6010	Boron	8/1/2022	7/31/2023	Certified
EPA 6010	Cadmium	8/1/2022	7/31/2023	Certified
EPA 6010	Calcium	8/1/2022	7/31/2023	Certified
EPA 6010	Chromium	8/1/2022	7/31/2023	Certified
EPA 6010	Cobalt	8/1/2022	7/31/2023	Certified
EPA 6010	Copper	8/1/2022	7/31/2023	Certified
EPA 6010	Iron	8/1/2022	7/31/2023	Certified
EPA 6010	Lead	8/1/2022	7/31/2023	Certified
EPA 6010	Lithium	8/1/2022	7/31/2023	Certified
EPA 6010	Magnesium	8/1/2022	7/31/2023	Certified
EPA 6010	Manganese	8/1/2022	7/31/2023	Certified
EPA 6010	Molybdenum	8/1/2022	7/31/2023	Certified
EPA 6010	Nickel	8/1/2022	7/31/2023	Certified
EPA 6010	Phosphorus, total	8/1/2022	7/31/2023	Certified
EPA 6010	Potassium	8/1/2022	7/31/2023	Certified
EPA 6010	Selenium	8/1/2022	7/31/2023	Certified
EPA 6010	Silver	8/1/2022	7/31/2023	Certified
EPA 6010	Sodium	8/1/2022	7/31/2023	Certified
EPA 6010	Strontium	8/1/2022	7/31/2023	Certified
EPA 6010	Thallium	8/1/2022	7/31/2023	Certified
EPA 6010	Tin	8/1/2022	7/31/2023	Certified
EPA 6010	Titanium	8/1/2022	7/31/2023	Certified
EPA 6010	Vanadium	8/1/2022	7/31/2023	Certified
EPA 6010	Zinc	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 6020	Aluminum	8/1/2022	7/31/2023	Certified
EPA 6020	Antimony	8/1/2022	7/31/2023	Certified
EPA 6020	Arsenic	8/1/2022	7/31/2023	Certified
EPA 6020	Barium	8/1/2022	7/31/2023	Certified
EPA 6020	Beryllium	8/1/2022	7/31/2023	Certified
EPA 6020	Boron	8/1/2022	7/31/2023	Certified
EPA 6020	Cadmium	8/1/2022	7/31/2023	Certified
EPA 6020	Calcium	8/1/2022	7/31/2023	Certified
EPA 6020	Chromium	8/1/2022	7/31/2023	Certified
EPA 6020	Cobalt	8/1/2022	7/31/2023	Certified
EPA 6020	Copper	8/1/2022	7/31/2023	Certified
EPA 6020	Iron	8/1/2022	7/31/2023	Certified
EPA 6020	Lead	8/1/2022	7/31/2023	Certified
EPA 6020	Magnesium	8/1/2022	7/31/2023	Certified
EPA 6020	Manganese	8/1/2022	7/31/2023	Certified
EPA 6020	Molybdenum	8/1/2022	7/31/2023	Certified
EPA 6020	Nickel	8/1/2022	7/31/2023	Certified
EPA 6020	Potassium	8/1/2022	7/31/2023	Certified
EPA 6020	Selenium	8/1/2022	7/31/2023	Certified
EPA 6020	Silver	8/1/2022	7/31/2023	Certified
EPA 6020	Sodium	8/1/2022	7/31/2023	Certified
EPA 6020	Strontium	8/1/2022	7/31/2023	Certified
EPA 6020	Thallium	8/1/2022	7/31/2023	Certified
EPA 6020	Tin	8/1/2022	7/31/2023	Certified
EPA 6020	Titanium	8/1/2022	7/31/2023	Certified
EPA 6020	Vanadium	8/1/2022	7/31/2023	Certified
EPA 6020	Zinc	8/1/2022	7/31/2023	Certified
EPA 7470	Mercury	8/1/2022	7/31/2023	Certified
EPA 8015	Diesel range organics (DRO)	8/1/2022	7/31/2023	Certified
EPA 8015	Gasoline range organics (GRO)	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 8082	Total PCBs	8/1/2022	7/31/2023	Certified
EPA 8260	1,1,1,2-Tetrachloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,1,1-Trichloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,1,2,2-Tetrachloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,1,2-Trichloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,1-Dichloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,1-Dichloroethylene	8/1/2022	7/31/2023	Certified
EPA 8260	1,1-Dichloropropene	8/1/2022	7/31/2023	Certified
EPA 8260	1,2,3-Trichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,2,3-Trichloropropane	8/1/2022	7/31/2023	Certified
EPA 8260	1,2,4-Trichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,2,4-Trimethylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane)	8/1/2022	7/31/2023	Certified
EPA 8260	1,2-Dibromoethane (EDB, Ethylene dibromide)	8/1/2022	7/31/2023	Certified
EPA 8260	1,2-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,2-Dichloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,2-Dichloropropane	8/1/2022	7/31/2023	Certified
EPA 8260	1,3,5-Trimethylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,3-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,3-Dichloropropane	8/1/2022	7/31/2023	Certified
EPA 8260	1,4-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	2,2-Dichloropropane	8/1/2022	7/31/2023	Certified
EPA 8260	2-Butanone (Methyl ethyl ketone, MEK)	8/1/2022	7/31/2023	Certified
EPA 8260	2-Chloroethyl vinyl ether	8/1/2022	7/31/2023	Certified
EPA 8260	2-Chlorotoluene	8/1/2022	7/31/2023	Certified
EPA 8260	2-Hexanone	8/1/2022	7/31/2023	Certified
EPA 8260	4-Chlorotoluene	8/1/2022	7/31/2023	Certified
EPA 8260	4-Methyl-2-pentanone (MIBK)	8/1/2022	7/31/2023	Certified
EPA 8260	Acetone	8/1/2022	7/31/2023	Certified
EPA 8260	Acetonitrile	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 8260	Acrolein (Propenal)	8/1/2022	7/31/2023	Certified
EPA 8260	Acrylonitrile	8/1/2022	7/31/2023	Certified
EPA 8260	Benzene	8/1/2022	7/31/2023	Certified
EPA 8260	Bromobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	Bromochloromethane	8/1/2022	7/31/2023	Certified
EPA 8260	Bromodichloromethane	8/1/2022	7/31/2023	Certified
EPA 8260	Bromoform	8/1/2022	7/31/2023	Certified
EPA 8260	Carbon disulfide	8/1/2022	7/31/2023	Certified
EPA 8260	Carbon tetrachloride	8/1/2022	7/31/2023	Certified
EPA 8260	Chlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	Chlorodibromomethane (Dibromochloromethane)	8/1/2022	7/31/2023	Certified
EPA 8260	Chloroethane (Ethyl chloride)	8/1/2022	7/31/2023	Certified
EPA 8260	Chloroform	8/1/2022	7/31/2023	Certified
EPA 8260	cis-1,2-Dichloroethylene	8/1/2022	7/31/2023	Certified
EPA 8260	cis-1,3-Dichloropropene (cis-1,3-Dichloropropylene)	8/1/2022	7/31/2023	Certified
EPA 8260	Dibromomethane (Methylene bromide)	8/1/2022	7/31/2023	Certified
EPA 8260	Dichlorodifluoromethane (Freon-12)	8/1/2022	7/31/2023	Certified
EPA 8260	Ethylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	Hexachlorobutadiene	8/1/2022	7/31/2023	Certified
EPA 8260	Isopropylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	m+p-xylene	8/1/2022	7/31/2023	Certified
EPA 8260	Methyl bromide (Bromomethane)	8/1/2022	7/31/2023	Certified
EPA 8260	Methyl chloride (Chloromethane)	8/1/2022	7/31/2023	Certified
EPA 8260	Methyl tert-butyl ether (MTBE)	8/1/2022	7/31/2023	Certified
EPA 8260	Methylene chloride (Dichloromethane)	8/1/2022	7/31/2023	Certified
EPA 8260	Naphthalene	8/1/2022	7/31/2023	Certified
EPA 8260	n-Butylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	n-Propylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	o-Xylene	8/1/2022	7/31/2023	Certified
EPA 8260	sec-Butylbenzene	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 8260	Styrene	8/1/2022	7/31/2023	Certified
EPA 8260	tert-Butylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	Tetrachloroethylene (Perchloroethylene)	8/1/2022	7/31/2023	Certified
EPA 8260	Toluene	8/1/2022	7/31/2023	Certified
EPA 8260	trans-1,2-Dichloroethylene	8/1/2022	7/31/2023	Certified
EPA 8260	trans-1,3-Dichloropropene (trans-1,3-Dichloropropylene)	8/1/2022	7/31/2023	Certified
EPA 8260	Trichloroethene (Trichloroethylene)	8/1/2022	7/31/2023	Certified
EPA 8260	Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	8/1/2022	7/31/2023	Certified
EPA 8260	Vinyl acetate	8/1/2022	7/31/2023	Certified
EPA 8260	Vinyl chloride	8/1/2022	7/31/2023	Certified
EPA 8260	Xylene (total)	8/1/2022	7/31/2023	Certified
EPA 8270	1,1'-Biphenyl (BZ-0)	8/1/2022	7/31/2023	Certified
EPA 8270	1,2,4,5-Tetrachlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8270	1,2,4-Trichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8270	1,2-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8270	1,3-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8270	1,4-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8270	1-Methylnaphthalene	8/1/2022	7/31/2023	Certified
EPA 8270	2,2'-Oxybis(1-chloropropane)	8/1/2022	7/31/2023	Certified
EPA 8270	2,3,4,6-Tetrachlorophenol	8/1/2022	7/31/2023	Certified
EPA 8270	2,4,5-Trichlorophenol	8/1/2022	7/31/2023	Certified
EPA 8270	2,4,6-Trichlorophenol	8/1/2022	7/31/2023	Certified
EPA 8270	2,4-Dichlorophenol	8/1/2022	7/31/2023	Certified
EPA 8270	2,4-Dimethylphenol	8/1/2022	7/31/2023	Certified
EPA 8270	2,4-Dinitrophenol	8/1/2022	7/31/2023	Certified
EPA 8270	2,4-Dinitrotoluene (2,4-DNT)	8/1/2022	7/31/2023	Certified
EPA 8270	2,6-Dinitrotoluene (2,6-DNT)	8/1/2022	7/31/2023	Certified
EPA 8270	2-Chloronaphthalene	8/1/2022	7/31/2023	Certified
EPA 8270	2-Chlorophenol	8/1/2022	7/31/2023	Certified
EPA 8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 8270	2-Methylnaphthalene	8/1/2022	7/31/2023	Certified
EPA 8270	2-Methylphenol (o-Cresol)	8/1/2022	7/31/2023	Certified
EPA 8270	2-Nitroaniline	8/1/2022	7/31/2023	Certified
EPA 8270	2-Nitrophenol	8/1/2022	7/31/2023	Certified
EPA 8270	3 & 4-Methylphenol (m & p-Cresol)	8/1/2022	7/31/2023	Certified
EPA 8270	3,3'-Dichlorobenzidine	8/1/2022	7/31/2023	Certified
EPA 8270	3-Nitroaniline	8/1/2022	7/31/2023	Certified
EPA 8270	4-Bromophenyl phenyl ether	8/1/2022	7/31/2023	Certified
EPA 8270	4-Chloro-3-methylphenol	8/1/2022	7/31/2023	Certified
EPA 8270	4-Chloroaniline	8/1/2022	7/31/2023	Certified
EPA 8270	4-Chlorophenyl phenylether	8/1/2022	7/31/2023	Certified
EPA 8270	4-Nitroaniline	8/1/2022	7/31/2023	Certified
EPA 8270	4-Nitrophenol	8/1/2022	7/31/2023	Certified
EPA 8270	Acenaphthene	8/1/2022	7/31/2023	Certified
EPA 8270	Acenaphthylene	8/1/2022	7/31/2023	Certified
EPA 8270	Acetophenone	8/1/2022	7/31/2023	Certified
EPA 8270	Aniline	8/1/2022	7/31/2023	Certified
EPA 8270	Anthracene	8/1/2022	7/31/2023	Certified
EPA 8270	Atrazine	8/1/2022	7/31/2023	Certified
EPA 8270	Benzaldehyde	8/1/2022	7/31/2023	Certified
EPA 8270	Benzidine	8/1/2022	7/31/2023	Certified
EPA 8270	Benzo(a)anthracene	8/1/2022	7/31/2023	Certified
EPA 8270	Benzo(a)pyrene	8/1/2022	7/31/2023	Certified
EPA 8270	Benzo(b)fluoranthene	8/1/2022	7/31/2023	Certified
EPA 8270	Benzo(g,h,i)perylene	8/1/2022	7/31/2023	Certified
EPA 8270	Benzo(k)fluoranthene	8/1/2022	7/31/2023	Certified
EPA 8270	Benzoic acid	8/1/2022	7/31/2023	Certified
EPA 8270	Benzyl alcohol	8/1/2022	7/31/2023	Certified
EPA 8270	bis(2-Chloroethoxy)methane	8/1/2022	7/31/2023	Certified
EPA 8270	bis(2-Chloroethyl) ether	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 8270	bis(2-Chloroisopropyl) ether, (2,2'-Oxybis(1-chloropropane))	8/1/2022	7/31/2023	Certified
EPA 8270	bis(2-Ethylhexyl)phthalate,(DEHP, Di(2-ethylhexyl) phthalate)	8/1/2022	7/31/2023	Certified
EPA 8270	Butyl benzyl phthalate	8/1/2022	7/31/2023	Certified
EPA 8270	Caprolactam	8/1/2022	7/31/2023	Certified
EPA 8270	Carbazole	8/1/2022	7/31/2023	Certified
EPA 8270	Chrysene	8/1/2022	7/31/2023	Certified
EPA 8270	Dibenz(a,h) anthracene	8/1/2022	7/31/2023	Certified
EPA 8270	Dibenzofuran	8/1/2022	7/31/2023	Certified
EPA 8270	Diethyl phthalate	8/1/2022	7/31/2023	Certified
EPA 8270	Dimethyl phthalate	8/1/2022	7/31/2023	Certified
EPA 8270	Di-n-butyl phthalate	8/1/2022	7/31/2023	Certified
EPA 8270	Di-n-octyl phthalate	8/1/2022	7/31/2023	Certified
EPA 8270	Fluoranthene	8/1/2022	7/31/2023	Certified
EPA 8270	Fluorene	8/1/2022	7/31/2023	Certified
EPA 8270	Hexachlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8270	Hexachlorobutadiene	8/1/2022	7/31/2023	Certified
EPA 8270	Hexachlorocyclopentadiene	8/1/2022	7/31/2023	Certified
EPA 8270	Hexachloroethane	8/1/2022	7/31/2023	Certified
EPA 8270	Indeno(1,2,3-cd) pyrene	8/1/2022	7/31/2023	Certified
EPA 8270	Isophorone	8/1/2022	7/31/2023	Certified
EPA 8270	Naphthalene	8/1/2022	7/31/2023	Certified
EPA 8270	Nitrobenzene	8/1/2022	7/31/2023	Certified
EPA 8270	n-Nitrosodimethylamine	8/1/2022	7/31/2023	Certified
EPA 8270	n-Nitrosodi-n-propylamine	8/1/2022	7/31/2023	Certified
EPA 8270	n-Nitrosodiphenylamine	8/1/2022	7/31/2023	Certified
EPA 8270	Pentachlorophenol	8/1/2022	7/31/2023	Certified
EPA 8270	Phenanthrene	8/1/2022	7/31/2023	Certified
EPA 8270	Phenol	8/1/2022	7/31/2023	Certified
EPA 8270	Pyrene	8/1/2022	7/31/2023	Certified
EPA 8270	Pyridine	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation

EPA Number: **MT00005**


Attachment to Certificate Number: **MT000052023-3**

Expiration Date: **7/31/2023**

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: **RCRA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 9012	Cyanide, Total	8/1/2022	7/31/2023	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
DoD/DoE QSM Table B-15	11-Chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF3OUdS)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	1H, 1H, 2H, 2H-Perfluorodecanesulfonic acid (8:2 FTS)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	1H, 1H, 2H, 2H-Perfluorohexanesulfonic acid (4:2 FTS)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	1H, 1H, 2H, 2H-Perfluorooctanesulfonic acid (6:2 FTS)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	4,8-Dioxa-3H-perfluorononanoic acid (DONA)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF3ONS)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	Hexafluoropropylene oxide dimer acid (HFPO-DA)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	N-Ethylperfluorooctane sulfonamido acetic acid (EtFOSAA)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	Perfluorobutane sulfonic acid (PFBS)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	Perfluorobutanoic acid (PFBA)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	Perfluorodecane sulfonic acid (PFDS)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	Perfluorodecanoic acid (PFDA)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	Perfluorododecanoic acid (PFDoA)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	Perfluoroheptane sulfonic Acid (PFHpS)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	Perfluoroheptanoic acid (PFHpA)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	Perfluorohexanesulfonic acid (PFHxS)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	Perfluorohexanoic acid (PFHxA)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	Perfluorononanoic acid (PFNA)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	Perfluorooctanesulfonic acid (PFOS)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	Perfluorooctanoic acid (PFOA)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	Perfluoropentanoic acid (PFPeA)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	Perfluorotetradecanoic acid (PFTA)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	Perfluorotridecanoic acid (PFTTrDA)	8/1/2022	7/31/2023	Certified
DoD/DoE QSM Table B-15	Perfluoroundecanoic acid (PFUnA)	8/1/2022	7/31/2023	Certified
EPA 1010	Flashpoint	8/1/2022	7/31/2023	Certified
EPA 1311-Herbicides	TCLP extracted Herbicides	8/24/2022	7/31/2023	Certified
EPA 1311-Metals	TCLP extracted Metals	8/1/2022	7/31/2023	Certified
EPA 1311-Pest	TCLP extracted Pesticides	8/24/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
EPA 1311-SOCs	TCLP extracted SOCs	8/24/2022	7/31/2023	Certified
EPA 1311-VOCs	TCLP extracted VOCs	8/24/2022	7/31/2023	Certified
EPA 1312-Metals	SPLP extracted Metals	8/24/2022	7/31/2023	Certified
EPA 1312-SOCs	SPLP extracted SOCs	8/24/2022	7/31/2023	Certified
EPA 1312-VOCs	SPLP extracted VOCs	8/24/2022	7/31/2023	Certified
EPA 3050	Acid digest for metals	8/24/2022	7/31/2023	Certified
EPA 6010	Aluminum	8/1/2022	7/31/2023	Certified
EPA 6010	Antimony	8/1/2022	7/31/2023	Certified
EPA 6010	Arsenic	8/1/2022	7/31/2023	Certified
EPA 6010	Barium	8/1/2022	7/31/2023	Certified
EPA 6010	Beryllium	8/1/2022	7/31/2023	Certified
EPA 6010	Boron	8/1/2022	7/31/2023	Certified
EPA 6010	Cadmium	8/1/2022	7/31/2023	Certified
EPA 6010	Calcium	8/1/2022	7/31/2023	Certified
EPA 6010	Chromium	8/1/2022	7/31/2023	Certified
EPA 6010	Cobalt	8/1/2022	7/31/2023	Certified
EPA 6010	Copper	8/1/2022	7/31/2023	Certified
EPA 6010	Iron	8/1/2022	7/31/2023	Certified
EPA 6010	Lead	8/1/2022	7/31/2023	Certified
EPA 6010	Magnesium	8/1/2022	7/31/2023	Certified
EPA 6010	Manganese	8/1/2022	7/31/2023	Certified
EPA 6010	Molybdenum	8/1/2022	7/31/2023	Certified
EPA 6010	Nickel	8/1/2022	7/31/2023	Certified
EPA 6010	Phosphorus, total	8/1/2022	7/31/2023	Certified
EPA 6010	Potassium	8/1/2022	7/31/2023	Certified
EPA 6010	Selenium	8/1/2022	7/31/2023	Certified
EPA 6010	Silver	8/1/2022	7/31/2023	Certified
EPA 6010	Sodium	8/1/2022	7/31/2023	Certified
EPA 6010	Strontium	8/1/2022	7/31/2023	Certified
EPA 6010	Thallium	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
EPA 6010	Tin	8/1/2022	7/31/2023	Certified
EPA 6010	Titanium	8/1/2022	7/31/2023	Certified
EPA 6010	Vanadium	8/1/2022	7/31/2023	Certified
EPA 6010	Zinc	8/1/2022	7/31/2023	Certified
EPA 6020	Aluminum	8/1/2022	7/31/2023	Certified
EPA 6020	Antimony	8/1/2022	7/31/2023	Certified
EPA 6020	Arsenic	8/1/2022	7/31/2023	Certified
EPA 6020	Barium	8/1/2022	7/31/2023	Certified
EPA 6020	Beryllium	8/1/2022	7/31/2023	Certified
EPA 6020	Boron	8/1/2022	7/31/2023	Certified
EPA 6020	Cadmium	8/1/2022	7/31/2023	Certified
EPA 6020	Calcium	8/1/2022	7/31/2023	Certified
EPA 6020	Chromium	8/1/2022	7/31/2023	Certified
EPA 6020	Cobalt	8/1/2022	7/31/2023	Certified
EPA 6020	Copper	8/1/2022	7/31/2023	Certified
EPA 6020	Iron	8/1/2022	7/31/2023	Certified
EPA 6020	Lead	8/1/2022	7/31/2023	Certified
EPA 6020	Magnesium	8/1/2022	7/31/2023	Certified
EPA 6020	Manganese	8/1/2022	7/31/2023	Certified
EPA 6020	Molybdenum	8/1/2022	7/31/2023	Certified
EPA 6020	Nickel	8/1/2022	7/31/2023	Certified
EPA 6020	Potassium	8/1/2022	7/31/2023	Certified
EPA 6020	Selenium	8/1/2022	7/31/2023	Certified
EPA 6020	Silver	8/1/2022	7/31/2023	Certified
EPA 6020	Sodium	8/1/2022	7/31/2023	Certified
EPA 6020	Strontium	8/1/2022	7/31/2023	Certified
EPA 6020	Thallium	8/1/2022	7/31/2023	Certified
EPA 6020	Tin	8/1/2022	7/31/2023	Certified
EPA 6020	Titanium	8/1/2022	7/31/2023	Certified
EPA 6020	Vanadium	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
EPA 6020	Zinc	8/1/2022	7/31/2023	Certified
EPA 7471	Mercury	8/1/2022	7/31/2023	Certified
EPA 8015	Diesel range organics (DRO)	8/1/2022	7/31/2023	Certified
EPA 8015	Gasoline range organics (GRO)	8/1/2022	7/31/2023	Certified
EPA 8082	Total PCBs	8/1/2022	7/31/2023	Certified
EPA 8260	1,1,1,2-Tetrachloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,1,1-Trichloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,1,2,2-Tetrachloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,1,2-Trichloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,1-Dichloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,1-Dichloroethylene	8/1/2022	7/31/2023	Certified
EPA 8260	1,1-Dichloropropene	8/1/2022	7/31/2023	Certified
EPA 8260	1,2,3-Trichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,2,3-Trichloropropane	8/1/2022	7/31/2023	Certified
EPA 8260	1,2,4-Trichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,2,4-Trimethylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane)	8/1/2022	7/31/2023	Certified
EPA 8260	1,2-Dibromoethane (EDB, Ethylene dibromide)	8/1/2022	7/31/2023	Certified
EPA 8260	1,2-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,2-Dichloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,2-Dichloropropane	8/1/2022	7/31/2023	Certified
EPA 8260	1,3,5-Trimethylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,3-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,3-Dichloropropane	8/1/2022	7/31/2023	Certified
EPA 8260	1,4-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	2,2-Dichloropropane	8/1/2022	7/31/2023	Certified
EPA 8260	2-Butanone (Methyl ethyl ketone, MEK)	8/1/2022	7/31/2023	Certified
EPA 8260	2-Chloroethyl vinyl ether	8/1/2022	7/31/2023	Certified
EPA 8260	2-Chlorotoluene	8/1/2022	7/31/2023	Certified
EPA 8260	2-Hexanone	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
EPA 8260	4-Chlorotoluene	8/1/2022	7/31/2023	Certified
EPA 8260	4-Methyl-2-pentanone (MIBK)	8/1/2022	7/31/2023	Certified
EPA 8260	Acetone	8/1/2022	7/31/2023	Certified
EPA 8260	Acetonitrile	8/1/2022	7/31/2023	Certified
EPA 8260	Acrolein (Propenal)	8/1/2022	7/31/2023	Certified
EPA 8260	Benzene	8/1/2022	7/31/2023	Certified
EPA 8260	Bromobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	Bromochloromethane	8/1/2022	7/31/2023	Certified
EPA 8260	Bromodichloromethane	8/1/2022	7/31/2023	Certified
EPA 8260	Bromoform	8/1/2022	7/31/2023	Certified
EPA 8260	Carbon disulfide	8/1/2022	7/31/2023	Certified
EPA 8260	Carbon tetrachloride	8/1/2022	7/31/2023	Certified
EPA 8260	Chlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	Chlorodibromomethane (Dibromochloromethane)	8/1/2022	7/31/2023	Certified
EPA 8260	Chloroethane (Ethyl chloride)	8/1/2022	7/31/2023	Certified
EPA 8260	Chloroform	8/1/2022	7/31/2023	Certified
EPA 8260	cis-1,2-Dichloroethylene	8/1/2022	7/31/2023	Certified
EPA 8260	cis-1,3-Dichloropropene (cis-1,3-Dichloropropylene)	8/1/2022	7/31/2023	Certified
EPA 8260	Dibromomethane (Methylene bromide)	8/1/2022	7/31/2023	Certified
EPA 8260	Dichlorodifluoromethane (Freon-12)	8/1/2022	7/31/2023	Certified
EPA 8260	Ethylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	Hexachlorobutadiene	8/1/2022	7/31/2023	Certified
EPA 8260	Isopropylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	m+p-xylene	8/1/2022	7/31/2023	Certified
EPA 8260	Methyl bromide (Bromomethane)	8/1/2022	7/31/2023	Certified
EPA 8260	Methyl chloride (Chloromethane)	8/1/2022	7/31/2023	Certified
EPA 8260	Methyl tert-butyl ether (MTBE)	8/1/2022	7/31/2023	Certified
EPA 8260	Methylene chloride (Dichloromethane)	8/1/2022	7/31/2023	Certified
EPA 8260	Naphthalene	8/1/2022	7/31/2023	Certified
EPA 8260	n-Butylbenzene	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: *MT00005*

Attachment to Certificate Number: *MT000052023-3*

Expiration Date: *7/31/2023*

Energy Laboratories, Inc. - MT
 1120 South 27th St. Billings, MT 59101

Matrix: *RCRA (Solid & Waste Materials)*

Method	Analyte	Start Date	Date Expires	Status
EPA 8260	n-Propylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	o-Xylene	8/1/2022	7/31/2023	Certified
EPA 8260	sec-Butylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	Styrene	8/1/2022	7/31/2023	Certified
EPA 8260	tert-Butylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	Tetrachloroethylene (Perchloroethylene)	8/1/2022	7/31/2023	Certified
EPA 8260	Toluene	8/1/2022	7/31/2023	Certified
EPA 8260	trans-1,2-Dichloroethylene	8/1/2022	7/31/2023	Certified
EPA 8260	trans-1,3-Dichloropropene (trans-1,3-Dichloropropylene)	8/1/2022	7/31/2023	Certified
EPA 8260	Trichloroethene (Trichloroethylene)	8/1/2022	7/31/2023	Certified
EPA 8260	Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	8/1/2022	7/31/2023	Certified
EPA 8260	Vinyl acetate	8/1/2022	7/31/2023	Certified
EPA 8260	Vinyl chloride	8/1/2022	7/31/2023	Certified
EPA 8260	Xylene (total)	8/1/2022	7/31/2023	Certified
EPA 8270	1,1'-Biphenyl (BZ-0)	8/1/2022	7/31/2023	Certified
EPA 8270	1,2,4,5-Tetrachlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8270	1,2,4-Trichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8270	1,2-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8270	1,3-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8270	1,4-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8270	2,2'-Oxybis(1-chloropropane)	8/1/2022	7/31/2023	Certified
EPA 8270	2,4,5-Trichlorophenol	8/1/2022	7/31/2023	Certified
EPA 8270	2,4,6-Trichlorophenol	8/1/2022	7/31/2023	Certified
EPA 8270	2,4-Dichlorophenol	8/1/2022	7/31/2023	Certified
EPA 8270	2,4-Dimethylphenol	8/1/2022	7/31/2023	Certified
EPA 8270	2,4-Dinitrophenol	8/1/2022	7/31/2023	Certified
EPA 8270	2,4-Dinitrotoluene (2,4-DNT)	8/1/2022	7/31/2023	Certified
EPA 8270	2,6-Dinitrotoluene (2,6-DNT)	8/1/2022	7/31/2023	Certified
EPA 8270	2-Chloronaphthalene	8/1/2022	7/31/2023	Certified
EPA 8270	2-Chlorophenol	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
EPA 8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	8/1/2022	7/31/2023	Certified
EPA 8270	2-Methylnaphthalene	8/1/2022	7/31/2023	Certified
EPA 8270	2-Methylphenol (o-Cresol)	8/1/2022	7/31/2023	Certified
EPA 8270	2-Nitroaniline	8/1/2022	7/31/2023	Certified
EPA 8270	2-Nitrophenol	8/1/2022	7/31/2023	Certified
EPA 8270	3 & 4-Methylphenol (m & p-Cresol)	8/1/2022	7/31/2023	Certified
EPA 8270	3,3'-Dichlorobenzidine	8/1/2022	7/31/2023	Certified
EPA 8270	3-Nitroaniline	8/1/2022	7/31/2023	Certified
EPA 8270	4-Bromophenyl phenyl ether	8/1/2022	7/31/2023	Certified
EPA 8270	4-Chloro-3-methylphenol	8/1/2022	7/31/2023	Certified
EPA 8270	4-Chloroaniline	8/1/2022	7/31/2023	Certified
EPA 8270	4-Chlorophenyl phenylether	8/1/2022	7/31/2023	Certified
EPA 8270	4-Nitroaniline	8/1/2022	7/31/2023	Certified
EPA 8270	4-Nitrophenol	8/1/2022	7/31/2023	Certified
EPA 8270	Acenaphthene	8/1/2022	7/31/2023	Certified
EPA 8270	Acenaphthylene	8/1/2022	7/31/2023	Certified
EPA 8270	Acetophenone	8/1/2022	7/31/2023	Certified
EPA 8270	Aniline	8/1/2022	7/31/2023	Certified
EPA 8270	Anthracene	8/1/2022	7/31/2023	Certified
EPA 8270	Atrazine	8/1/2022	7/31/2023	Certified
EPA 8270	Benzaldehyde	8/1/2022	7/31/2023	Certified
EPA 8270	Benzidine	8/1/2022	7/31/2023	Certified
EPA 8270	Benzo(a)anthracene	8/1/2022	7/31/2023	Certified
EPA 8270	Benzo(a)pyrene	8/1/2022	7/31/2023	Certified
EPA 8270	Benzo(b)fluoranthene	8/1/2022	7/31/2023	Certified
EPA 8270	Benzo(g,h,i)perylene	8/1/2022	7/31/2023	Certified
EPA 8270	Benzo(k)fluoranthene	8/1/2022	7/31/2023	Certified
EPA 8270	Benzoic acid	8/1/2022	7/31/2023	Certified
EPA 8270	Benzyl alcohol	8/1/2022	7/31/2023	Certified
EPA 8270	bis(2-Chloroethoxy)methane	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
EPA 8270	bis(2-Chloroethyl) ether	8/1/2022	7/31/2023	Certified
EPA 8270	bis(2-Chloroisopropyl) ether, (2,2'-Oxybis(1-chloropropane))	8/1/2022	7/31/2023	Certified
EPA 8270	bis(2-Ethylhexyl)phthalate,(DEHP, Di(2-ethylhexyl) phthalate)	8/1/2022	7/31/2023	Certified
EPA 8270	Butyl benzyl phthalate	8/1/2022	7/31/2023	Certified
EPA 8270	Caprolactam	8/1/2022	7/31/2023	Certified
EPA 8270	Carbazole	8/1/2022	7/31/2023	Certified
EPA 8270	Chrysene	8/1/2022	7/31/2023	Certified
EPA 8270	Dibenz(a,h) anthracene	8/1/2022	7/31/2023	Certified
EPA 8270	Dibenzofuran	8/1/2022	7/31/2023	Certified
EPA 8270	Diethyl phthalate	8/1/2022	7/31/2023	Certified
EPA 8270	Dimethyl phthalate	8/1/2022	7/31/2023	Certified
EPA 8270	Di-n-butyl phthalate	8/1/2022	7/31/2023	Certified
EPA 8270	Di-n-octyl phthalate	8/1/2022	7/31/2023	Certified
EPA 8270	Fluoranthene	8/1/2022	7/31/2023	Certified
EPA 8270	Fluorene	8/1/2022	7/31/2023	Certified
EPA 8270	Hexachlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8270	Hexachlorobutadiene	8/1/2022	7/31/2023	Certified
EPA 8270	Hexachlorocyclopentadiene	8/1/2022	7/31/2023	Certified
EPA 8270	Hexachloroethane	8/1/2022	7/31/2023	Certified
EPA 8270	Indeno(1,2,3-cd) pyrene	8/1/2022	7/31/2023	Certified
EPA 8270	Isophorone	8/1/2022	7/31/2023	Certified
EPA 8270	Naphthalene	8/1/2022	7/31/2023	Certified
EPA 8270	Nitrobenzene	8/1/2022	7/31/2023	Certified
EPA 8270	n-Nitrosodimethylamine	8/1/2022	7/31/2023	Certified
EPA 8270	n-Nitrosodi-n-propylamine	8/1/2022	7/31/2023	Certified
EPA 8270	n-Nitrosodiphenylamine	8/1/2022	7/31/2023	Certified
EPA 8270	Pentachlorophenol	8/1/2022	7/31/2023	Certified
EPA 8270	Phenanthrene	8/1/2022	7/31/2023	Certified
EPA 8270	Phenol	8/1/2022	7/31/2023	Certified
EPA 8270	Pyrene	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **MT00005**


Attachment to Certificate Number: **MT000052023-3**

Expiration Date: **7/31/2023**

Energy Laboratories, Inc. - MT
 1120 South 27th St. Billings, MT 59101

Matrix: **RCRA (Solid & Waste Materials)**

Method	Analyte	Start Date	Date Expires	Status
EPA 8270	Pyridine	8/1/2022	7/31/2023	Certified
EPA 9012	Cyanide, Total	8/1/2022	7/31/2023	Certified
EPA 9040C	Corrosivity (pH)	8/1/2022	7/31/2023	Certified
EPA 9045	Corrosivity (pH)	8/1/2022	7/31/2023	Certified
Walkley-Black	Total Organic Carbon (Walkley-Black titration)	8/1/2022	7/31/2023	Interim



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: **SDWA (Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 200.7	Aluminum	8/1/2022	7/31/2023	Certified
EPA 200.7	Barium	8/1/2022	7/31/2023	Certified
EPA 200.7	Beryllium	8/1/2022	7/31/2023	Certified
EPA 200.7	Boron	8/1/2022	7/31/2023	Certified
EPA 200.7	Cadmium	8/1/2022	7/31/2023	Certified
EPA 200.7	Calcium	8/1/2022	7/31/2023	Certified
EPA 200.7	Chromium	8/1/2022	7/31/2023	Certified
EPA 200.7	Copper	8/1/2022	7/31/2023	Certified
EPA 200.7	Iron	8/1/2022	7/31/2023	Certified
EPA 200.7	Magnesium	8/1/2022	7/31/2023	Certified
EPA 200.7	Manganese	8/1/2022	7/31/2023	Certified
EPA 200.7	Nickel	8/1/2022	7/31/2023	Certified
EPA 200.7	Potassium	8/1/2022	7/31/2023	Certified
EPA 200.7	Silica as SiO ₂	8/1/2022	7/31/2023	Certified
EPA 200.7	Silver	8/1/2022	7/31/2023	Certified
EPA 200.7	Sodium	8/1/2022	7/31/2023	Certified
EPA 200.7	Zinc	8/1/2022	7/31/2023	Certified
EPA 200.8	Aluminum	8/1/2022	7/31/2023	Certified
EPA 200.8	Antimony	8/1/2022	7/31/2023	Certified
EPA 200.8	Arsenic	8/1/2022	7/31/2023	Certified
EPA 200.8	Barium	8/1/2022	7/31/2023	Certified
EPA 200.8	Beryllium	8/1/2022	7/31/2023	Certified
EPA 200.8	Boron	8/1/2022	7/31/2023	Certified
EPA 200.8	Cadmium	8/1/2022	7/31/2023	Certified
EPA 200.8	Chromium	8/1/2022	7/31/2023	Certified
EPA 200.8	Cobalt	8/24/2022	7/31/2023	Certified
EPA 200.8	Copper	8/1/2022	7/31/2023	Certified
EPA 200.8	Lead	8/1/2022	7/31/2023	Certified
EPA 200.8	Manganese	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 200.8	Mercury	8/1/2022	7/31/2023	Certified
EPA 200.8	Molybdenum	8/1/2022	7/31/2023	Certified
EPA 200.8	Nickel	8/1/2022	7/31/2023	Certified
EPA 200.8	Selenium	8/1/2022	7/31/2023	Certified
EPA 200.8	Silver	8/1/2022	7/31/2023	Certified
EPA 200.8	Strontium	8/24/2022	7/31/2023	Interim
EPA 200.8	Thallium	8/1/2022	7/31/2023	Certified
EPA 200.8	Uranium (Nat.) Total Mass	8/1/2022	7/31/2023	Certified
EPA 200.8	Vanadium	8/1/2022	7/31/2023	Certified
EPA 200.8	Zinc	8/1/2022	7/31/2023	Certified
EPA 245.1	Mercury	8/1/2022	7/31/2023	Certified
EPA 300.0	Bromide	8/1/2022	7/31/2023	Certified
EPA 300.0	Chloride	8/1/2022	7/31/2023	Certified
EPA 300.0	Fluoride	8/1/2022	7/31/2023	Certified
EPA 300.0	Nitrate as N	8/1/2022	7/31/2023	Certified
EPA 300.0	Nitrite as N	8/1/2022	7/31/2023	Certified
EPA 300.0	Sulfate	8/1/2022	7/31/2023	Certified
EPA 353.2	Nitrate-N (by calculation)	8/1/2022	7/31/2023	Certified
EPA 353.2	Nitrate-nitrite	8/1/2022	7/31/2023	Certified
EPA 353.2	Nitrite as N	8/1/2022	7/31/2023	Certified
EPA 365.1	Orthophosphate as P	8/1/2022	7/31/2023	Certified
EPA 504.1	1,2,3-Trichloropropane	8/1/2022	7/31/2023	Certified
EPA 504.1	1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane)	8/1/2022	7/31/2023	Certified
EPA 504.1	1,2-Dibromoethane (EDB, Ethylene dibromide)	8/1/2022	7/31/2023	Certified
EPA 515.4	2,4-D	8/1/2022	7/31/2023	Certified
EPA 515.4	Dalapon	8/1/2022	7/31/2023	Certified
EPA 515.4	Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	8/1/2022	7/31/2023	Certified
EPA 515.4	Pentachlorophenol	8/1/2022	7/31/2023	Certified
EPA 515.4	Picloram	8/1/2022	7/31/2023	Certified
EPA 515.4	Silvex (2,4,5-TP)	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 524.2	1,1,1-Trichloroethane	8/1/2022	7/31/2023	Certified
EPA 524.2	1,1,2-Trichloroethane	8/1/2022	7/31/2023	Certified
EPA 524.2	1,1-Dichloroethylene	8/1/2022	7/31/2023	Certified
EPA 524.2	1,2,4-Trichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 524.2	1,2-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 524.2	1,2-Dichloroethane	8/1/2022	7/31/2023	Certified
EPA 524.2	1,2-Dichloropropane	8/1/2022	7/31/2023	Certified
EPA 524.2	1,4-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 524.2	Benzene	8/1/2022	7/31/2023	Certified
EPA 524.2	Bromodichloromethane	8/1/2022	7/31/2023	Certified
EPA 524.2	Bromoform	8/1/2022	7/31/2023	Certified
EPA 524.2	Carbon tetrachloride	8/1/2022	7/31/2023	Certified
EPA 524.2	Chlorobenzene	8/1/2022	7/31/2023	Certified
EPA 524.2	Chlorodibromomethane (Dibromochloromethane)	8/1/2022	7/31/2023	Certified
EPA 524.2	Chloroform	8/1/2022	7/31/2023	Certified
EPA 524.2	cis-1,2-Dichloroethylene	8/1/2022	7/31/2023	Certified
EPA 524.2	Ethylbenzene	8/1/2022	7/31/2023	Certified
EPA 524.2	Methylene chloride (Dichloromethane)	8/1/2022	7/31/2023	Certified
EPA 524.2	Styrene	8/1/2022	7/31/2023	Certified
EPA 524.2	Tetrachloroethylene (Perchloroethylene)	8/1/2022	7/31/2023	Certified
EPA 524.2	Toluene	8/1/2022	7/31/2023	Certified
EPA 524.2	Total trihalomethanes	8/1/2022	7/31/2023	Certified
EPA 524.2	trans-1,2-Dichloroethylene	8/1/2022	7/31/2023	Certified
EPA 524.2	Trichloroethene (Trichloroethylene)	8/1/2022	7/31/2023	Certified
EPA 524.2	Vinyl chloride	8/1/2022	7/31/2023	Certified
EPA 524.2	Xylene (total)	8/1/2022	7/31/2023	Certified
EPA 525.2	Alachlor	8/1/2022	7/31/2023	Certified
EPA 525.2	Aroclor-1016 (PCB-1016)	8/1/2022	7/31/2023	Certified
EPA 525.2	Aroclor-1221 (PCB-1221)	8/1/2022	7/31/2023	Certified
EPA 525.2	Aroclor-1232 (PCB-1232)	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 525.2	Aroclor-1242 (PCB-1242)	8/1/2022	7/31/2023	Certified
EPA 525.2	Aroclor-1248 (PCB-1248)	8/1/2022	7/31/2023	Certified
EPA 525.2	Aroclor-1254 (PCB-1254)	8/1/2022	7/31/2023	Certified
EPA 525.2	Aroclor-1260 (PCB-1260)	8/1/2022	7/31/2023	Certified
EPA 525.2	Atrazine	8/1/2022	7/31/2023	Certified
EPA 525.2	Benzo(a)pyrene	8/1/2022	7/31/2023	Certified
EPA 525.2	bis(2-Ethylhexyl)adipate	8/1/2022	7/31/2023	Certified
EPA 525.2	bis(2-Ethylhexyl)phthalate,(DEHP, Di(2-ethylhexyl) phthalate)	8/1/2022	7/31/2023	Certified
EPA 525.2	Chlordane (tech.)	8/1/2022	7/31/2023	Certified
EPA 525.2	Endrin	8/1/2022	7/31/2023	Certified
EPA 525.2	gamma-BHC (Lindane)	8/1/2022	7/31/2023	Certified
EPA 525.2	Heptachlor	8/1/2022	7/31/2023	Certified
EPA 525.2	Heptachlor epoxide	8/1/2022	7/31/2023	Certified
EPA 525.2	Hexachlorobenzene	8/1/2022	7/31/2023	Certified
EPA 525.2	Hexachlorocyclopentadiene	8/1/2022	7/31/2023	Certified
EPA 525.2	Metolachlor	8/1/2022	7/31/2023	Certified
EPA 525.2	PCB Aroclor Identification (PCBs as Aroclors)	8/1/2022	7/31/2023	Certified
EPA 525.2	Simazine	8/1/2022	7/31/2023	Certified
EPA 537.1	11-Chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF3OUdS)	8/1/2022	7/31/2023	Certified
EPA 537.1	4,8-Dioxa-3H-perfluorononanoic acid (DONA)	8/1/2022	7/31/2023	Certified
EPA 537.1	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF3ONS)	8/1/2022	7/31/2023	Certified
EPA 537.1	Hexafluoropropylene oxide dimer acid (HFPO-DA)	8/1/2022	7/31/2023	Certified
EPA 537.1	N-Ethylperfluorooctane sulfonamido acetic acid (EtFOSAA)	8/1/2022	7/31/2023	Certified
EPA 537.1	N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	8/1/2022	7/31/2023	Certified
EPA 537.1	Perfluorobutane sulfonic acid (PFBS)	8/1/2022	7/31/2023	Certified
EPA 537.1	Perfluorodecanoic acid (PFDA)	8/1/2022	7/31/2023	Certified
EPA 537.1	Perfluorododecanoic acid (PFDoA)	8/1/2022	7/31/2023	Certified
EPA 537.1	Perfluoroheptanoic acid (PFHpA)	8/1/2022	7/31/2023	Certified
EPA 537.1	Perfluorohexanesulfonic acid (PFHxS)	8/1/2022	7/31/2023	Certified
EPA 537.1	Perfluorohexanoic acid (PFHxA)	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005

Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: **SDWA (Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 537.1	Perfluorononanoic acid (PFNA)	8/1/2022	7/31/2023	Certified
EPA 537.1	Perfluorooctanesulfonic acid (PFOS)	8/1/2022	7/31/2023	Certified
EPA 537.1	Perfluorooctanoic acid (PFOA)	8/1/2022	7/31/2023	Certified
EPA 537.1	Perfluorotetradecanoic acid (PFTA)	8/1/2022	7/31/2023	Certified
EPA 537.1	Perfluorotridecanoic acid (PFTTrDA)	8/1/2022	7/31/2023	Certified
EPA 537.1	Perfluoroundecanoic acid (PFUnA)	8/1/2022	7/31/2023	Certified
EPA 548.1	Endothall	8/1/2022	7/31/2023	Certified
EPA 552.2	Bromoacetic acid (Monobromoacetic acid, MBAA)	8/1/2022	7/31/2023	Certified
EPA 552.2	Bromochloroacetic acid (BCAA)	8/1/2022	7/31/2023	Certified
EPA 552.2	Chloroacetic acid (Monochloroacetic acid, MCAA)	8/1/2022	7/31/2023	Certified
EPA 552.2	Dibromoacetic acid (DBAA)	8/1/2022	7/31/2023	Certified
EPA 552.2	Dichloroacetic acid (DCAA)	8/1/2022	7/31/2023	Certified
EPA 552.2	Haloacetic acids (HAA5)	8/1/2022	7/31/2023	Certified
EPA 552.2	Trichloroacetic acid (TCAA)	8/1/2022	7/31/2023	Certified
Kelada 01	Cyanide	8/1/2022	7/31/2023	Certified
SM 2120 B	Color	8/1/2022	7/31/2023	Certified
SM 2130 B	Turbidity	8/1/2022	7/31/2023	Certified
SM 2150 B	Odor	8/1/2022	7/31/2023	Certified
SM 2320 B	Alkalinity as CaCO ₃	8/1/2022	7/31/2023	Certified
SM 2340 B	Calcium hardness as CaCO ₃	8/1/2022	7/31/2023	Certified
SM 2340 B	Hardness by calculation	8/1/2022	7/31/2023	Certified
SM 2510 B	Conductivity	8/1/2022	7/31/2023	Certified
SM 2540 C	Residue-filterable (TDS)	8/1/2022	7/31/2023	Certified
SM 4500-CN ⁻ G,E	Cyanide, Amenable	8/1/2022	7/31/2023	Certified
SM 4500-F ⁻ C	Fluoride	8/1/2022	7/31/2023	Certified
SM 4500-H+ B	pH	8/1/2022	7/31/2023	Certified
SM 5540 C	Surfactants - MBAS	8/1/2022	7/31/2023	Interim
SM 5910 B	UV 254	8/1/2022	7/31/2023	Certified

Discipline: Microbiology

Colisure®	Escherichia coli	8/1/2022	7/31/2023	Certified
-----------	------------------	----------	-----------	-----------

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: MT00005


Attachment to Certificate Number: MT000052023-3

Expiration Date: 7/31/2023

Energy Laboratories, Inc. - MT
1120 South 27th St. Billings, MT 59101

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
Colisure®	Total coliforms	8/1/2022	7/31/2023	Certified
EPA 1603 (mTEC mod)	Escherichia coli	8/1/2022	7/31/2023	Certified
IDEXX Colilert®	Escherichia coli	8/1/2022	7/31/2023	Certified
IDEXX Colilert®	Total coliforms	8/1/2022	7/31/2023	Certified
IDEXX Colilert®-18	Escherichia coli	8/1/2022	7/31/2023	Certified
IDEXX Colilert®-18	Total coliforms	8/1/2022	7/31/2023	Certified
IDEXX Quanti-Tray® under SWTR	E. coli enumeration	8/1/2022	7/31/2023	Certified
IDEXX Quanti-Tray® with Colilert® under SWTR	Total Coliform Enumeration	8/1/2022	7/31/2023	Certified
SM 9221 B [LTB]	Total coliforms	8/1/2022	7/31/2023	Certified
SM 9222 B (M-Endo)	Total coliforms	8/1/2022	7/31/2023	Interim
SM 9222 D (m-FC) under SWTR	Fecal coliforms	8/1/2022	7/31/2023	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.