



IDAHO DEPARTMENT OF  
**HEALTH & WELFARE**

BRAD LITTLE – GOVERNOR  
DAVE JEPPESEN – DIRECTOR

CHRISTOPHER L. BALL, PH.D., HCLD (ABB) – BUREAU CHIEF  
DIVISION OF PUBLIC HEALTH  
Bureau of Laboratories  
2220 Old Penitentiary Road  
Boise, ID 83712  
PHONE 208-334-2235  
FAX 208-334-4765

November 28, 2022

Energy Laboratories, Inc.  
1120 South 27<sup>th</sup> Street  
Billings, MT 59101  
(406) 252-6325

EPA Lab ID: MT000C5

Attn: Leigh Ann Wise

Re: Idaho Reciprocity

Ms. Wise,

Enclosed is your Inorganic Chemistry Drinking Water Certification for the State of Idaho. This Certification expires December 31, 2023.

To continue reciprocity with the State of Idaho without interruption, your renewal application must be received on or before December 1, 2023. Applications are available on our website [healthandwelfare.idaho.gov](http://healthandwelfare.idaho.gov).

If you have any questions, please contact Susan Russell at (208)334-0586, Hank Huang at (208)334-0537 or Lisa Beasley-Morrison at (208)334-0540.

Sincerely,

**Christopher Ball, Ph.D., HCLD (ABB)**  
Certification Authority for the State of Idaho

sr

cc: Curtis Stoehr, Idaho DEQ Drinking Water Program Manager  
Enclosures

# State of Idaho Drinking Water Certificate


## Inorganic Analysis

**Effective Dates: 1/1/2023-12/31/2023**

Energy Laboratories, Inc.  
 1120 South 27<sup>th</sup> Street  
 Billings, MT 59101  
 EPA ID: MT00005

| <u>List of Analytes</u>           | <u>Status</u> <sup>1</sup> | <u>Methods</u>                          |
|-----------------------------------|----------------------------|---|
| <u>Disinfection Byproducts</u>    |                            |   |
| Bromate                           | *                          |   |
| Chlorite                          | *                          |   |
| <u>Copper &amp; Lead</u>          |                            |   |
| Copper                            | C                          | EPA 200.7, EPA 200.8                    |
| Lead                              | C                          | EPA 200.8                               |
| <u>Nitrate &amp; Nitrite</u>      |                            |   |
| Nitrate                           | C                          | EPA 300.0, EPA 353.2                    |
| Nitrite                           | C                          | EPA 300.0, EPA 353.2                    |
| <u>Inorganics</u>                 |                            |   |
| Cyanide                           | C                          | EPA 335.4, SM 4500-CN*G+E,<br>Kelada-01 |
| Fluoride                          | C                          | EPA 300.0, SM 4500-F-C                  |
| <u>Metals</u>                     |                            |   |
| Antimony                          | C                          | EPA 200.8                               |
| Arsenic                           | C                          | EPA 200.8                               |
| Barium                            | C                          | EPA 200.7, EPA 200.8                    |
| Beryllium                         | C                          | EPA 200.7, EPA 200.8                    |
| Cadmium                           | C                          | EPA 200.7, EPA 200.8                    |
| Chromium                          | C                          | EPA 200.7, EPA 200.8                    |
| Mercury                           | C                          | EPA 245.1, EPA 200.8                    |
| Nickel                            | C                          | EPA 200.7, EPA 200.8                    |
| Selenium                          | C                          | EPA 200.8                               |
| Sodium                            | C                          | EPA 200.7                               |
| Thallium                          | C                          | EPA 200.8                               |
| <u>Radiochemical Contaminants</u> |                            |   |
| Total Uranium                     | C                          | EPA 200.8                               |
| <u>Miscellaneous</u>              |                            |   |
| Turbidity                         | C                          | SM 2130B                                |

1) C = Certified, N = Not Certified, P = Provisionally Certified, I = Interim Certified, \* = Certification Not Requested

  
 Christopher Ball, Ph.D., HCLD (ABB)  
 Certification Authority for the State of Idaho



IDAHO DEPARTMENT OF  
**HEALTH & WELFARE**



IDAHO DEPARTMENT OF  
HEALTH & WELFARE

BRAD LITTLE – GOVERNOR  
DAVE JEPPESEN – DIRECTOR

CHRISTOPHER L. BALL, PH.D., HCLD (ABB) – BUREAU CHIEF  
DIVISION OF PUBLIC HEALTH  
Bureau of Laboratories  
2220 Old Penitentiary Road  
Boise, ID 83712  
PHONE 208-334-2235  
FAX 208-334-4765

December 2, 2022

Energy Laboratories, Inc.  
1120 South 27<sup>th</sup> Street  
Billings, MT 59101  
(406) 252-6325

EPA Lab#: MT00005

Attn: Leigh Ann Wise

Re: Idaho Reciprocity

Ms. Wise,

Enclosed is your Organic Chemistry Drinking Water Certification for the State of Idaho. This Certification expires December 31, 2023.

To continue reciprocity with the State of Idaho without interruption, your renewal application must be received on or before December 1, 2023. Applications are available on our website [healthandwelfare.idaho.gov](http://healthandwelfare.idaho.gov).

If you have any questions, please contact Lisa Beasley-Morrison at (208)334-0540, Hank Huang at (208)334-0537 or Susan Russell at (208)334-0586.

Sincerely,

Christopher Ball, Ph.D., HCLD (ABB)  
Certification Authority for the State of Idaho

lbm

cc: Curtis Stoehr, Idaho DEQ Drinking Water Program Manager  
Enclosures

# State of Idaho Drinking Water Certificate


## Organic Analysis

Effective Dates: 1/1/23-12/31/23

Energy Laboratory, Inc.  
1120 South 27<sup>th</sup> Street  
Billings, MT 59101  
EPA ID: MT00005

| <u>List of Analytes</u>            | <u>Status</u> <sup>1</sup> | <u>Methods</u>          |
|------------------------------------|----------------------------|-------------------------|
| <u>Volatiles</u>                   |                            |                         |
| Dibromochloropropane (DBCP)        | C                          | EPA 504.1               |
| Ethylene Dibromide (EDB)           | C                          | EPA 504.1               |
| Total Trihalomethanes (TTHM's)     | C                          | EPA 524.2               |
| VOC's (Except Vinyl Chloride)      | C                          | EPA 524.2               |
| Vinyl Chloride                     | C                          | EPA 524.2               |
| <u>Pesticides</u>                  |                            |                         |
| Alachlor                           | C                          | EPA 525.2               |
| Atrazine                           | C                          | EPA 525.2               |
| Chloro-dane                        | C                          | EPA 525.2               |
| Endrin                             | C                          | EPA 525.2               |
| Heptachlor                         | C                          | EPA 525.2               |
| Heptachlor Epoxide                 | C                          | EPA 525.2               |
| Hexachlorobenzene                  | C                          | EPA 525.2               |
| Hexachlorocyclopentadiene          | C                          | EPA 525.2               |
| Lindane                            | C                          | EPA 525.2               |
| Methoxychlor                       | C                          | EPA 525.2               |
| Simazine                           | C                          | EPA 525.2               |
| Toxachene                          | C                          | EPA 525.2               |
| <u>Herbicides</u>                  |                            |                         |
| 2,4-C                              | C                          | EPA 515.4               |
| 2,4,5-TP (Silvex)                  | C                          | EPA 515.4               |
| Dalapon                            | C                          | EPA 515.4               |
| Dinoseb                            | C                          | EPA 515.4               |
| Pentachlorophenol                  | C                          | EPA 515.4               |
| Picloram                           | C                          | EPA 515.4               |
| Carbofuran                         | *                          |                         |
| Oxamyl (Vydate)                    | *                          |                         |
| Glyphosate                         | *                          |                         |
| <u>Miscellaneous</u>               |                            |                         |
| Adipates                           | C                          | EPA 525.2               |
| Phthalates                         | C                          | EPA 525.2               |
| Polynuclear Aromatic Hydrocarbons  | C                          | EPA 525.2               |
| Polychlorinated Biphenyl's (PCB's) | C                          | EPA 525.2 (screen only) |
| Diquet                             | *                          |                         |
| Endosulfan                         | C                          | EPA 548.1               |
| Halooxetic Acid (HAA5)             | C                          | EPA 552.2               |

C = Certified, N = Not Certified, P = Provisionally Certified, \* = Certification Not Requested



Christopher Ball, Ph.D., HCLD (ABB)  
Certification Authority for the State of Idaho



IDAHO DEPARTMENT OF  
HEALTH & WELFARE