



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

**State of South Dakota
Department of Agriculture and Natural Resources**

Certifies That

Energy Laboratories – Billings, MT.

is approved as certified to perform the analyses of drinking water samples on the parameter/certified method chart, which must accompany this certificate to be valid, having duly met the requirements of

ARSD 74:04:07

**Chemistry Certification
Expires January 1, 2025**

Barbara Friedeman, Environmental Scientist



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 25, 2024

Re: Energy Laboratories, Billings, MT. (MT0005)

LEIGH ANN WISE
ENERGY LABORATORIES
PO BOX 30916
BILLINGS MT 59107

Dear Ms. Wise:

I have received documentation from Rea Riggle supporting continued certification for the methods and associated contaminants list on the chart below. Certification expires January 1, 2025.

REGULATED INORGANICS	CERTIFICATION GRANTED FOR	CERTIFICATION EXPIRES
Antimony	EPA 200.8	01/01/2025
Arsenic	EPA 200.8	01/01/2025
Barium	EPA 200.7, EPA 200.8	01/01/2025
Beryllium	EPA 200.7, EPA 200.8	01/01/2025
Cadmium	EPA 200.7, EPA 200.8	01/01/2025
Chromium	EPA 200.7, EPA 200.8	01/01/2025
Copper	EPA 200.7, EPA 200.8	01/01/2025
Cyanide	Kelada-01, EPA 335.4	01/01/2025
Fluoride	EPA 300.0, SM 4500FC	01/01/2025
Lead	EPA 200.8	01/01/2025
Mercury	EPA 245.1, EPA 200.8	01/01/2025
Nickel	EPA 200.7, EPA 200.8	01/01/2025
Nitrate	EPA 353.2, EPA 300.0	01/01/2025
Nitrite	EPA 353.2, EPA 300.0	01/01/2025
Nitrate-Nitrite	EPA 300.0	01/01/2025
Selenium	EPA 200.8	01/01/2025
Thallium	EPA 200.8	01/01/2025
Uranium	EPA 200.8	01/01/2025
REGULATED VOCs	CERTIFICATION GRANTED FOR	CERTIFICATION EXPIRES
Benzene	EPA 524.2	01/01/2025
Carbon Tetrachloride	EPA 524.2	01/01/2025

Chlorobenzene	EPA 524.2	01/01/2025
o-Dichlorobenzene	EPA 524.2	01/01/2025
p-Dichlorobenzene	EPA 524.2	01/01/2025
1,2-Dichloroethane	EPA 524.2	01/01/2025
1,1-Dichloroethylene	EPA 524.2	01/01/2025
cis-1,2-Dichloroethylene	EPA 524.2	01/01/2025
trans-1,2-Dichloroethylene	EPA 524.2	01/01/2025
Dichloromethane	EPA 524.2	01/01/2025
1,2-Dichloropropane	EPA 524.2	01/01/2025
Ethylbenzene	EPA 524.2	01/01/2025
Styrene	EPA 524.2	01/01/2025
Tetrachloroethylene	EPA 524.2	01/01/2025
1,2,4-Trichlorobenzene	EPA 524.2	01/01/2025
1,1,1-Trichloroethane	EPA 524.2	01/01/2025
1,1,2-Trichloroethane	EPA 524.2	01/01/2025
Trichloroethylene	EPA 524.2	01/01/2025
Toluene	EPA 524.2	01/01/2025
Vinyl Chloride	EPA 524.2	01/01/2025
Xylenes (total)	EPA 524.2	01/01/2025
REGULATED SOCs	CERTIFICATION GRANTED FOR	CERTIFICATION EXPIRES
2,4-D	EPA 515.4	01/01/2025
2,4,5-TP (silvex)	EPA 515.4	01/01/2025
Alachlor	EPA 525.2	01/01/2025
Atrazine	EPA 525.2	01/01/2025
Benzo (A) Pyrene	EPA 525.2	01/01/2025
Chlordane	EPA 525.2	01/01/2025
Dalapon	EPA 515.4	01/01/2025
Di (ethylhexyl) Adipate	EPA 525.2	01/01/2025
Di (ethylhexyl) Phthalate	EPA 525.2	01/01/2025
1,2-Dibromo-3-chloropropane	EPA 504.1	01/01/2025
Dinoseb	EPA 515.4	01/01/2025
Endothall	EPA 548.1	01/01/2025
Endrin	EPA 525.2	01/01/2025
Ethylene Dibromide	EPA 504.1	01/01/2025
Heptachlor	EPA 525.2	01/01/2025
Heptachlor Epoxide	EPA 525.2	01/01/2025
Hexachlorocyclopentadiene	EPA 525.2	01/01/2025
Lindane	EPA 525.2	01/01/2025
Methoxychlor	EPA 525.2	01/01/2025
PCBs	EPA 525.2	01/01/2025
Pentachlorophenol	EPA 515.4	01/01/2025
Picloram	EPA 515.4	01/01/2025
Simazine	EPA 525.2	01/01/2025
Toxaphene	EPA 525.2	01/01/2025
OTHER REGULATED PARAMETERS	CERTIFICATION GRANTED FOR	CERTIFICATION EXPIRES
Total Trihalomethanes	EPA 524.2	01/01/2025

Haloacetic Acids	EPA 552.2	01/01/2025
------------------	-----------	------------

We reserve the right to perform our own on-site inspection. If you have any questions, you may contact Rea Riggle at 605-773-3368 or me at 605-773-4052.

Sincerely,



Barb Friedeman
DANR-Drinking Water Program
523 East Capitol Ave.
Pierre, SD. 57501
605-773-4052

Cc: Rea Riggle, Chemistry Certification Officer