

**MATERIALS LICENSE**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Energy Laboratories, Inc.</p> <p>2. 2393 Salt Creek Highway Casper, WY 82601</p>	<p>In accordance with letter dated April 16, 2024; and E-mail dated May 7, 2024 with attachment.</p>	<p>4. Expiration Date: March 31, 2039</p>
	<p>3. License No.: 49-26846-01 is amended in its entirety to read as follows:</p>	<p>5. Docket No.: 030-29502 Reference No.:</p>

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license	9. Authorized use
A. Americium-241	A. Any	A. 5 microcuries total	A. For use as calibration and reference standards.
B. Barium-133	B. Any	B. 5 microcuries total	B. For use as calibration and reference standards.
C. Carbon-14	C. Any	C. 5 microcuries total	C. For use as calibration and reference standards.
D. Cesium-137	D. Any	D. 5 microcuries total	D. For use as calibration and reference standards.
E. Cobalt-60	E. Any	E. 5 microcuries total	E. For use as calibration and reference standards.
F. Curium-244	F. Any	F. 10 microcuries total	F. For use as calibration and reference standards.
G. Lead-210	G. Any	G. 10 microcuries total	G. For use as calibration and reference standards.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License No.: 49-26846-01

Docket or Reference No.:  
030-29502

Amendment No. 22

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license	9. Authorized use
H. Polonium-208	H. Any	H. 5 microcuries total	H. For use as calibration and reference standards.
I. Polonium-209	I. Any	I. 10 microcuries total	I. For use as calibration and reference standards.
J. Radium-226	J. Any	J. 1 millicurie total	J. For use as calibration and reference standards.
K. Radium-228	K. Any	K. 5 microcuries total	K. For use as calibration and reference standards.
L. Strontium-90	L. Any	L. 5 microcuries total	L. For use as calibration and reference standards.
M. Technetium-99	M. Any	M. 5 microcuries total	M. For use as calibration and reference standards.
N. Thorium-229	N. Any	N. 5 microcuries total	N. For use as calibration and reference standards.
O. Thorium-230	O. Any	O. 5 microcuries total	O. For use as calibration and reference standards.
P. Uranium-232	P. Any	P. 5 microcuries total	P. For use as calibration and reference standards.
Q. Uranium-234	Q. Any	Q. 10 microcuries total	Q. For use as calibration and reference standards.
R. Uranium-238	R. Any	R. 10 microcuries total	R. For use as calibration and reference standards.
S. Cadmium-109	S. Any	S. 1 microcurie total	S. For use as calibration and reference standards.
T. Chromium-51	T. Any	T. 1 microcurie total	T. For use as calibration and reference standards.
U. Strontium-85	U. Any	U. 1 microcurie total	U. For use as calibration and reference standards.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License No.: 49-26846-01

Docket or Reference No.:  
030-29502

Amendment No. 22

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license	9. Authorized use
V. Strontium-89	V. Any	V. 1 microcurie total	V. For use as calibration and reference standards.
W. Tellurium-123m	W. Any	W. 1 microcurie total	W. For use as calibration and reference standards.
X. Tin-113	X. Any	X. 1 microcurie total	X. For use as calibration and reference standards.
Y. Thorium-228	Y. Any	Y. 1 microcurie total	Y. For use as calibration and reference standards.
Z. Yttrium-88	Z. Any	Z. 1 microcurie total	Z. For use as calibration and reference standards.
AA. Cobalt-57	AA. Any	AA. 1 microcurie total	AA. For use as calibration and reference standards. For use in routine analytical analysis for characterization.
AB. Cerium-141	AB. Any	AB. 10 microcuries total	AB. For use in routine analytical analysis for characterization.
AC. Cesium-134	AC. Any	AC. 10 microcuries total	AC. For use in routine analytical analysis for characterization.
AD. Iodine-131	AD. Any	AD. 10 microcuries total	AD. For use in routine analytical analysis for characterization.
AE. Niobium-95	AE. Any	AE. 10 microcuries total	AE. For use in routine analytical analysis for characterization.
AF. Ruthenium-103	AF. Any	AF. 10 microcuries total	AF. For use in routine analytical analysis for characterization.
AG. Ruthenium-106	AG. Any	AG. 10 microcuries total	AG. For use in routine analytical analysis for characterization.
AH. Antimony-125	AH. Any	AH. 10 microcuries total	AH. For use in routine analytical analysis for characterization.


**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License No.: 49-26846-01

Docket or Reference No.:  
030-29502

Amendment No. 22

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license	9. Authorized use
AI. Zirconium-95	AI. Any	AI. 10 microcuries total	AI. For use in routine analytical analysis for characterization.
AJ. Neptunium-239	AJ. Any	AJ. 5 microcuries total	AJ. For use in routine analytical analysis for characterization.
AK. Chlorine-36	AK. Any	AK. 5 microcuries total	AK. For use in routine analytical analysis for characterization.
AL. Plutonium-239	AL. Sealed, Plated, or Foil Sources	AL. 5 microcuries total	AL. For use as calibration and reference standards.
AM. Gadolinium-148	AM. Sealed, Plated, or Foil Sources	AM. 5 microcuries total	AM. For use as calibration and reference standards
AN. Byproduct Material as defined in Section 40.4, 10 CFR Part 40	AN. Any	AN. 2,000 kilograms in uranium mill tailings and waste	AN. For use in radiochemical, inorganic and organic analysis to determine material characterization.
AO. Source Material as defined in Section 40.4, 10 CFR Part 40	AO. Any Except Sealed Sources	AO. 1000 kilograms total	AO. Bioassay sample analysis and radiochemical, inorganic, and organic analysis to determine material characterization.



**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License No.: 49-26846-01

Docket or Reference No.:  
030-29502

Amendment No. 22

**CONDITIONS**

10. Licensed material shall be used or stored at the licensee's facilities located at:
- A. 1120 South 27th Street, Billings, Montana, 59101 (6.AN-9.AN and 6.AO-9.AO)
  - B. 3161 East Lyndale Avenue, Helena, Montana, 59601 (6.AN-9.AN and 6.AO-9.AO)
  - C. 2393 Salt Creek Highway, Casper, Wyoming, 82601
  - D. 400 West Boxelder Road, Gillette, Wyoming, 82718 (6.AN-9.AN and 6.AO-9.AO)
11. A. Licensed material shall only be used by, or under the supervision of Dee Fairservis and Manford Hurley.
- B. The Radiation Safety Officer (RSO) for this license is Dee Fairservis.
12. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**


License No.: 49-26846-01

Docket or Reference No.:  
030-29502

Amendment No. 22

13. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those statements, representations, and procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence impose on the licensee requirements that are more restrictive than or in addition to the regulations.

- A. E-mail dated May 6, 2022 with attachments (ML22130A804)
- B. Application dated June 13, 2023 (ML23166B120)
- C. E-mail dated January 31, 2024 with attachments (ML24080A394)
- D. Letter dated April 5, 2024 (ML2419A125)
- E. E-mail dated May 7, 2024 with attachment (ML24128A268)



FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date: May 7, 2024By: \_\_\_\_\_  
Latischa M. Hanson  
Region IV