



FHA/VA Loan Chain-of-Custody

Payment is expected upon receipt of samples
The cost of analysis is \$112.00 per sample and has a turnaround time of 3 business days.
**See Notes below for additional Information*

Account Information
Company/Name:
Contact:
Phone:
Mailing Address:
City, State, Zip:
Email:
How would you like to receive the report: <input type="checkbox"/> Hard Copy <input type="checkbox"/> Email

Report Address <i>(leave blank if same as Account Information)</i>
Company/Name:
Contact:
Phone:
Mailing Address:
City, State, Zip:
Email:
How would you like to receive the report: <input type="checkbox"/> Hard Copy <input type="checkbox"/> Email

Sample Information

Physical Address of Property:

Sample Site Description		Sample Date	Sample Time	ELI Lab ID <i>Laboratory Use Only</i>
Source <i>(Well, cistern, etc.)</i>	Site <i>(Kitchen sink, direct, etc.)</i>			

NOTES

The laboratory must receive the sample within 30 hours of sampling. The laboratory prefers to receive all bacteria samples before 4:30 Monday-Thursday of each week. Samples received on Friday are subject to additional weekend fees. Contact your laboratory for possible weekend rates if delivering your sample on a Friday. The laboratory will be closed on all major holidays and will not accept bacteria samples one day before any major holiday.

Sampler Information

FHA/VA Loans may require that a 3rd party take the samples. To prevent a resample, have a 3rd party collect the sample.

I hereby acknowledge that this sample was collected at the above location, date and time:

Sampler Name (Printed): _____ **Company (if applicable):** _____

Sampler Signature: _____

Custody Record MUST be Signed	Relinquished by Signature:	Date/Time:	Received by Laboratory Signature:	Date/Time:

LABORATORY USE ONLY

Shipped by: _____	Custody Seals: Y N C B Intact: Y N	Receipt Temp: _____ °C	Temp Blank: Y N	On Ice: Y N
Payment Type (circle one) CC CASH CHK _____	Amount: \$ _____	Receipt Number: _____ <i>(Applicable to Cash & Check Payments)</i>		

FHA / VA LOAN Sampling Instructions

THIS KIT CONTAINS THE FOLLOWING CONTAINERS

1. **Drinking Water Lead Container** (1L Plastic Bottle): Collect this sample after the water has stood motionless in the pipes for at least six hours. This should be the first container you fill. Fill to the top to allow for adequate sample volume.
2. **Nitrate, Nitrite & Nitrate + Nitrite Container** (250mL Plastic Bottle): Fill this container after your Drinking Water Lead container has been filled. Fill to the top to allow for adequate sample volume.
3. **Total Coliform Bacteria Container** (100mL Sterile Container In Styrofoam Box): Please follow the directions on the enclosed brochure to collect for microbiological samples. Fill to or slightly above the raised, 100mL line marked on the container.